PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 7:		(11) International Publication Number: WO 00/22129		
C12N 15/12, C07K 14/72, G01N 33/50, 33/566	A1	43) International Publication Date: 20 April 2000 (20.04.00		
(21) International Application Number: PCT/US (22) International Filing Date: 12 October 1999 (Kurtz Mackiewicz & Norris LLP, 46th floor, One Liberty		
(30) Priority Data: 09/170,496 13 October 1998 (13.10.98) (63) Related by Continuation (CON) or Continuation-in (CIP) to Earlier Application US 5 09/170,4 Filed on 13 October 1998 ((71) Applicant (for all designated States except US): PHARMACEUTICALS, INC. [US/US]; 6166 Nan Drive, San Diego, CA 92121 (US).	1-Part 496 (Cl 13.10.9 AREN	ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM)		
(72) Inventors; and (75) Inventors/Applicants (for US only): BEHAN, Dor [GB/US]; 11472 Roxboro Court, San Diego, C (US). CHALMERS, Derek, T. [GB/US]; 347 Long Solana Beach, CA 92075 (US). LIAW, Chen, W. 7668 Salix Place, San Diego, CA 92129 (US).	claims and to be republished in the event of the receipt			

(54) Title: NON-ENDOGENOUS, CONSTITUTIVELY ACTIVATED HUMAN G PROTEIN-COUPLED RECEPTORS

(57) Abstract

Disclosed herein are constitutively activated, non-endogenous versions of endogenous human G protein-coupled receptors comprising (a) the following amino acid sequence region (C-terminus to N-terminus orientation) and/or (b) the following nucleic acid sequence region (3' to 5' orientation) transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the GPCR: (a) P¹ AA₁₅ X and/or (b) Pcodon (AA-codon)₁₅ X_{codon}, respectively. In a most preferred embodiment, P¹ and P^{codon} are endogenous proline and an endogenous nucleic acid encoding region encoding proline, respectively, located within TM6 of the non-endogenous GPCR; AA15 and (AA-codon)₁₅ are 15 endogenous amino acid residues and 15 codons encoding endogenous amino acid residues, respectively; and X and X_{codon} are non-endogenous lysine and a non-endogenous nucleic acid encoding region encoding lysine, respectively, located within IC3 of the non-endogenous GPCR. Because it is most preferred that the non-endogenous human GPCRs which incorporate these mutations are incorporated into mammalian cells and utilized for the screening of the candidate compounds, the non-endogenous human GPCR incorporating the mutation need not be purified and isolated per se (i.e., these are incorporated within the cellular membrane of a mammalian cell), although such purified and isolated non-endogenous human GPCRs are well within the purview of this disclosure.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

i	Albania	ES	Spain	LS	Lesotho ·	SI	Slovenia	
AL		FI	Finland	LT	Lithuania	SK	Slovakia	1
AM	Armenia	FR	France	LU	Luxembourg	SN	Senegal	
AT	Austria	GA	Gabon	LV ·	Latvia	SZ	Swaziland	1
ΑÜ	Australia	GB	United Kingdom	MC	Monaco	TD	Chad	
AZ	Azerbaijan	GE	Georgia	MD	Republic of Moldova	TG	Togo	1
BA	Bosnia and Herzegovina			MG	Madagascar	TJ	Tajikistan	
BB	Barbados	GH	Ghana	MK	The former Yugoslav	TM	Turkmenistan	
BE	Belgium	GN	Guinea	WIK	Republic of Macedonia	TR	Turkey	,
BF	Burkina Faso	GR	Greece	ML	Mali	TT	Trinidad and Tobago	
BG	Bulgaria	HU	Hungary			ÜA	Ukraine	
BJ	Benin	ΙE	Ireland	MN	Mongolia	υG	Uganda	
BR	Brazil	. IL .	Israel	MR	Mauritania	US	United States of America	
BY	Belarus	IS	Iceland	MW	Malawi		Uzbekistan	
CA	Canada	IT	Italy	MX	Mexico	UZ	=	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
СН	Switzerland	KG	Kyrgyzstan	NO .	Norway	zw	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ	Kazakstan	RO	Romania			
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	Li	Liechtenstein	SD	Sudan			
	•	LK	Sri Lanka	SE	Sweden			
DK	Denmark	LR	Liberia	SG	Singapore		•	
EE	Estonia	LK	Ciocita .					
1								

WO 00/22129 PCT/US99/23938

NON-ENDOGENOUS, CONSTITUTIVELY ACTIVATED HUMAN G PROTEIN-COUPLED RECEPTORS

The benefits of commonly owned U.S. Serial Number 09/170,496, filed October 13, 1998, U.S. Serial Number 08/839, 449 filed April 14, 1997 (now abandoned), U.S. Serial Number 09/060,188, filed April 14, 1998; U.S. Provisional Number 60/090,783, filed June 26, 1998; and U.S. Provisional Number 60/095,677, filed on August 7, 1998, are hereby claimed. Each of the foregoing applications are incorporated by reference herein in their entirety.

FIELD OF THE INVENTION

The invention disclosed in this patent document relates to transmembrane receptors, and more particularly to human G protein-coupled receptors (GPCRs) which have been altered such that altered GPCRs are constitutively activated. Most preferably, the altered human GPCRs are used for the screening of therapeutic compounds.

20

BACKGROUND OF THE INVENTION

Although a number of receptor classes exist in humans, by far the most abundant and therapeutically relevant is represented by the G protein-coupled receptor (GPCR or GPCRs) class. It is estimated that there are some 100,000 genes within the human genome, and of these, approximately 2% or 2,000 genes, are estimated to code for GPCRs. Of these, there are approximately 100 GPCRs for which the endogenous ligand that binds to the GPCR has been identified. Because of the significant time-lag that exists between the discovery of an endogenous GPCR and its endogenous ligand, it can be presumed that the remaining 1,900 GPCRs will be identified and characterized long before the endogenous ligands for these receptors are identified. Indeed, the rapidity by which the Human Genome Project is sequencing the 100,000 human genes indicates that the remaining human GPCRs will be fully sequenced within the next few years. Nevertheless, and despite the efforts to sequence the human genome, it is still very unclear as to how scientists will be able to rapidly, effectively and efficiently exploit this information to improve and enhance the human condition. The present invention is geared towards this important objective.

Receptors, including GPCRs, for which the endogenous ligand has been identified are referred to as "known" receptors, while receptors for which the endogenous ligand has not been identified are referred to as "orphan" receptors. This distinction is not merely semantic, particularly in the case of GPCRs. GPCRs represent an important area for the development of pharmaceutical products: from approximately 20 of the 100 known GPCRs, 60% of all prescription pharmaceuticals have been developed. Thus, the orphan GPCRs are to the pharmaceutical industry what gold was to California in the late 19th century – an opportunity to drive growth, expansion, enhancement and development. A serious drawback exists, however,

with orphan receptors relative to the discovery of novel therapeutics. This is because the traditional approach to the discovery and development of pharmaceuticals has required access to both the receptor *and* its endogenous ligand. Thus, heretofore, orphan GPCRs have presented the art with a tantalizing and undeveloped resource for the discovery of pharmaceuticals.

Under the traditional approach to the discovery of potential therapeutics, it is generally the case that the receptor is first identified. Before drug discovery efforts can be initiated, elaborate, time consuming and expensive procedures are typically put into place in order to identify, isolate and generate the receptor's endogenous ligand - this process can require from between 3 and ten years per receptor, at a cost of about \$5million (U.S.) per receptor. These time and financial resources must be expended before the traditional approach to drug discovery can commence. This is because traditional drug discovery techniques rely upon so-called "competitive binding assays" whereby putative therapeutic agents are "screened" against the receptor in an effort to discover compounds that either block the endogenous ligand from binding to the receptor ("antagonists"), or enhance or mimic the effects of the ligand binding to the receptor ("agonists"). The overall objective is to identify compounds that prevent cellular activation when the ligand binds to the receptor (the antagonists), or that enhance or increase cellular activity that would otherwise occur if the ligand was properly binding with the receptor (the agonists). Because the endogenous ligands for orphan GPCRs are by definition not identified, the ability to discover novel and unique therapeutics to these receptors using traditional drug discovery techniques is not possible. The present invention, as will be set forth in greater detail below, overcomes these and other severe limitations created by such traditional drug discovery techniques.

GPCRs share a common structural motif. All these receptors have seven sequences of between 22 to 24 hydrophobic amino acids that form seven alpha helices, each of which spans the

20

membrane (each span is identified by number, *i.e.*, transmembrane-1 (TM-1), transmebrane-2 (TM-2), etc.). The transmembrane helices are joined by strands of amino acids between transmembrane-2 and transmembrane-3, transmembrane-4 and transmembrane-5, and transmembrane-6 and transmembrane-7 on the exterior, or "extracellular" side, of the cell membrane (these are referred to as "extracellular" regions 1, 2 and 3 (EC-1, EC-2 and EC-3), respectively). The transmembrane helices are also joined by strands of amino acids between transmembrane-1 and transmembrane-2, transmembrane-3 and transmembrane-4, and transmembrane-5 and transmembrane-6 on the interior, or "intracellular" side, of the cell membrane (these are referred to as "intracellular" regions 1, 2 and 3 (IC-1, IC-2 and IC-3), respectively). The "carboxy" ("C") terminus of the receptor lies in the intracellular space within the cell, and the "amino" ("N") terminus of the receptor lies in the extracellular space outside of the cell. The general structure of G protein-coupled receptors is depicted in Figure 1.

Generally, when an endogenous ligand binds with the receptor (often referred to as "activation" of the receptor), there is a change in the conformation of the intracellular region that allows for coupling between the intracellular region and an intracellular "G-protein." Although other G proteins exist, currently, Gq, Gs, Gi, and Go are G proteins that have been identified. Endogenous ligand-activated GPCR coupling with the G-protein begins a signaling cascade process (referred to as "signal transduction"). Under normal conditions, signal transduction ultimately results in cellular activation or cellular inhibition. It is thought that the IC-3 loop as well as the carboxy terminus of the receptor interact with the G protein. A principal focus of this invention is directed to the transmembrane-6 (TM6) region and the intracellular-3 (IC3) region of the GPCR.

Under physiological conditions, GPCRs exist in the cell membrane in equilibrium between

two different conformations: an "inactive" state and an "active" state. As shown schematically in Figure 2, a receptor in an inactive state is unable to link to the intracellular signaling transduction pathway to produce a biological response. Changing the receptor conformation to the active state allows linkage to the transduction pathway (via the G-protein) and produces a biological response.

A receptor may be stabilized in an active state by an endogenous ligand or a compound such as a drug. Recent discoveries, including but not exclusively limited to modifications to the amino acid sequence of the receptor, provide means other than endogenous ligands or drugs to promote and stabilize the receptor in the active state conformation. These means effectively stabilize the receptor in an active state by simulating the effect of an endogenous ligand binding to the receptor. Stabilization by such ligand-independent means is termed "constitutive receptor activation."

As noted above, the use of an orphan receptor for screening purposes has not been possible. This is because the traditional "dogma" regarding screening of compounds mandates that the ligand for the receptor be known. By definition, then, this approach has no applicability with respect to orphan receptors. Thus, by adhering to this dogmatic approach to the discovery of therapeutics, the art, in essence, has taught and has been taught to forsake the use of orphan receptors unless and until the endogenous ligand for the receptor is discovered. Given that there are an estimated 2,000 G protein coupled receptors, the majority of which are orphan receptors, such dogma castigates a creative, unique and distinct approach to the discovery of therapeutics.

Information regarding the nucleic acid and/or amino acid sequences of a variety of GPCRs is summarized below in Table A. Because an important focus of the invention disclosed herein is directed towards orphan GPCRs, many of the below-cited references are related to orphan GPCRs. However, this list is not intended to imply, nor is this list to be construed, legally or

otherwise, that the invention disclosed herein is only applicable to orphan GPCRs or the specific GPCRs listed below. Additionally, certain receptors that have been isolated are not the subject of publications per se; for example, reference is made to a G Protein-Coupled Receptor database on the "world-wide web" (neither the named inventors nor the assignee have any affiliation with this site) that lists GPCRs. Other GPCRs are the subject of patent applications owned by the present assignee and these are not listed below (including GPR3, GPR6 and GPR12; see U.S. Provisional Number 60/094879):

Table A

10				
15				
20		٠		
25	-	•		
30				

35

Receptor Name	Publication Reference		
GPR1	23 Genomics 609 (1994)		
GPR4	14 DNA and Cell Biology 25 (1995)		
GPR5	14 DNA and Cell Biology 25 (1995)		
GPR7	28 Genomics 84 (1995)		
GPR8	28 Genomics 84 (1995)		
GPR9	184 J. Exp. Med. 963 (1996)		
GPR10	29 Genomics 335 (1995)		
GPR15	32 Genomics 462 (1996)		
GPR17	70 J Neurochem. 1357 (1998)		
GPR18	42 Genomics 462 (1997)		
GPR20	187 Gene 75 (1997)		
GPR21	187 Gene 75 (1997)		
GPR22	187 Gene 75 (1997)		
GPR24	398 FEBS Lett. 253 (1996)		
GPR30	45 Genomics 607 (1997)		
GPR31	42 Genomics 519 (1997)		
GPR32	50 Genomics 281 (1997)		
GPR40	239 Biochem. Biophys.		
<u> </u>	Res. Commun. 543 (1997)		
GPR41	239 Biochem. Biophys.		
	Res. Commun. 543 (1997)		
GPR43	239 Biochem. Biophys.		
	Res. Commun. 543 (1997)		
APJ	136 Gene 355 (1993)		
BLR1	22 Eur. J. Immunol. 2759 (1992)		
CEPR	231 Biochem. Biophys.		
	Res. Commun. 651 (1997)		
EBII	23 Genomics 643 (1994)		
EBI2	67 J. Virol. 2209 (1993)		
ETBR-LP2	424 FEBS Lett. 193 (1998)		
GPCR-CNS	54 Brain Res. Mol. Brain Res. 152 (1998);		
	45 Genomics 68 (1997)		
GPR-NGA	394 FEBS Lett. 325 (1996)		
H9	386 FEBS Lett 219 (1996)		

- 7. -

НВА954	1261 Biochim. Biophys. Acta 121 (1995)		
HG38	247 Biochem. Biophys.		
	Res. Commun. 266 (1998)		
HM74	5 Int. Immunol. 1239 (1993)		
OGR1	35 Genomics 397 (1996)		
V28	163 Gene 295 (1995)		

5

As will be set forth and disclosed in greater detail below, utilization of a mutational cassette to modify the endogenous sequence of a human GPCR leads to a constitutively activated version of the human GPCR. These non-endogenous, constitutively activated versions of human GPCRs can be utilized, *inter alia*, for the screening of candidate compounds to directly identify compounds of, *e.g.*, therapeutic relevance.

SUMMARY OF THE INVENTION

Disclosed herein is a non-endogenous, human G protein-coupled receptor comprising
(a) as a most preferred amino acid sequence region (C-terminus to N-terminus orientation)
and/or (b) as a most preferred nucleic acid sequence region (3' to 5' orientation) transversing
the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the GPCR:

(a) P1 AA15 X

wherein:

15

20

- (1) P¹ is an amino acid residue located within the TM6 region of the GPCR, where P¹ is selected from the group consisting of (i) the endogenous GPCR's proline residue, and (ii) a nonendogenous amino acid residue other than proline;
- .
 - (2) AA₁₅ are 15 amino acids selected from the group consisting of

(a) the endogenous GPCR's amino acids (b) non-endogenous amino acid residues, and (c) a combination of the endogenous GPCR's amino acids and non-endogenous amino acids, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the GPCR is proline; and

(3) X is a non-endogenous amino acid residue located within the IC3 region of said GPCR, preferably selected from the group consisting of lysine, histidine and arginine, and most preferably lysine, excepting that when the endogenous amino acid at position X is lysine, then X is an amino acid other than lysine, preferably alanine;

and/or

5

10

(b) P^{codon} (AA-codon)₁₅ X_{codon}

(1)

15 wherein:

P^{codon} is a nucleic acid sequence within the TM6 region of the GPCR, where P^{codon} encodes an amino acid selected from the group consisting of (i) the endogenous GPCR's proline residue, and (ii) a non-endogenous amino acid residue other than proline; (AA-codon)₁₅ are 15 codons encoding 15 amino acids selected

20

(2) (AA-codon)₁₅ are 15 codons encoding 15 amino acids selected from the group consisting of (a) the endogenous GPCR's amino acids (b) non-endogenous amino acid residues and (c) a combination of the endogenous GPCR's amino acids and non-

endogenous amino acids, excepting that none of the 15 endogenous codons within the TM6 region of the GPCR encodes a proline amino acid residue; and

(3) X_{codon} is a nucleic acid encoding region residue located within the IC3 region of said GPCR, where X_{codon} encodes a non-endogenous amino acid, preferably selected from the group consisting of lysine, hisitidine and arginine, and most preferably lysine, excepting that when the endogenous encoding region at position X_{codon} encodes the amino acid lysine, then X_{codon} encodes an amino acid other than lysine, preferably alanine.

10

15

20

The terms endogenous and non-endogenous in reference to these sequence cassettes are relative to the endogenous GPCR. For example, once the endogenous proline residue is located within the TM6 region of a particular GPCR, and the 16th amino acid therefrom is identified for mutation to constitutively activate the receptor, it is also possible to mutate the endogenous proline residue (i.e., once the marker is located and the 16th amino acid to be mutated is identified, one may mutate the marker itself), although it is most preferred that the proline residue not be mutated. Similarly, and while it is most preferred that AA₁₅ be maintained in their endogenous forms, these amino acids may also be mutated. The only amino acid that must be mutated in the non-endogenous version of the human GPCR is X i.e., the endogenous amino acid that is 16 residues from P¹ cannot be maintained in its endogenous form and must be mutated, as further disclosed herein. Stated again, while it is preferred that in the non-endogenous version of the human GPCR, P¹ and AA₁₅ remain in their endogenous forms (i.e., identical to their wild-type forms), once X is identified and mutated, any and/or all of P¹ and AA₁₅ can be mutated. This applies to the nucleic

acid sequences as well. In those cases where the endogenous amino acid at position X is lysine, then in the non-endogenous version of such GPCR, X is an amino acid other than lysine, preferably alanine.

Accordingly, and as a hypothetical example, if the endogenous GPCR has the following endogenous amino acid sequence at the above-noted positions:

P-AACCTTGGRRRDDDE -Q

then any of the following exemplary and hypothetical cassettes would fall within the scope of the disclosure (non-endogenous amino acids are set forth in bold):

P-AACCTTGGRRRDDDE -K

P-AACCTTHIGRRDDDE-K

P-ADEETTGGRRRDDDE -A

P-LLKFMSTWZLVAAPQ -K

A-LLKFMSTWZLVAAPQ -K

It is also possible to add amino acid residues within AA₁₅, but such an approach is not particularly advanced. Indeed, in the most preferred embodiments, the only amino acid that differs in the non-endogenous version of the human GPCR as compared with the endogenous version of that GPCR is the amino acid in position X; mutation of this amino acid itself leads to constitutive activation of the receptor.

Thus, in particularly preferred embodiments, P¹ and P^{codon} are endogenous proline and an endogenous nucleic acid encoding region encoding proline, respectively; and X and X_{codon} are non-endogenous lysine or alanine and a non-endogenous nucleic acid encoding region encoding lysine or alanine, respectively, with lysine being most preferred. Because it is most preferred that the non-endogenous versions of the human GPCRs which incorporate these mutations are

WO 00/22129 PCT/US99/23938

- 11 -

incorporated into mammalian cells and utilized for the screening of candidate compounds, the non-endogenous human GPCR incorporating the mutation need not be purified and isolated *per se* (i.e., these are incorporated within the cellular membrane of a mammalian cell), although such purified and isolated non-endogenous human GPCRs are well within the purview of this disclosure. Genetargeted and transgenic non-human mammals (preferably rats and mice) incorporating the non-endogenous human GPCRs are also within the purview of this invention; in particular, genetargeted mammals are most preferred in that these animals will incorporate the non-endogenous versions of the human GPCRs in place of the non-human mammal's endogenous GPCR-encoding region (techniques for generating such non-human mammals to replace the non-human mammal's protein encoding region with a human encoding region are well known; see, for example, U.S. Patent No. 5,777,194.)

It has been discovered that these changes to an endogenous human GPCR render the GPCR constitutively active such that, as will be further disclosed herein, the non-endogenous, constitutively activated version of the human GPCR can be utilized for, *inter alia*, the direct screening of candidate compounds without the need for the endogenous ligand. Thus, methods for using these materials, and products identified by these methods are also within the purview of the following disclosure.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a generalized structure of a G protein-coupled receptor with the numbers

assigned to the transmembrane helixes, the intracellular loops, and the extracellular loops.

Figure 2 schematically shows the two states, active and inactive, for a typical G protein coupled receptor and the linkage of the active state to the second messenger transduction pathway.

20

Figure 3 is a sequence diagram of the preferred vector pCMV, including restriction enzymen site locations.

Figure 4 is a diagrammatic representation of the signal measured comparing pCMV, non-endogenous, constitutively active GPR30 inhibition of GPR6-mediated activation of CRE-Luc reporter with endogenous GPR30 inhibition of GPR6-mediated activation of CRE-Luc reporter.

Figure 5 is a diagrammatic representation of the signal measured comparing pCMV, non-endogenous, constitutively activated GPR17 inhibition of GPR3-mediated activation of CRE-Luc reporter with endogenous GPR17 inhibition of GPR3-mediated activation of CRE-Luc reporter.

Figure 6 provides diagrammatic results of the signal measured comparing control pCMV, endogenous APJ and non-endogenous APJ.

Figure 7 provides an illustration of IP_3 production from non-endogenous human 5-HT_{2A} receptor as compared to the endogenous version of this receptor.

Figure 8 are dot-blot format results for GPR1 (8A), GPR30 (8B) and APJ (8C).

DETAILED DESCRIPTION

The scientific literature that has evolved around receptors has adopted a number of terms to refer to ligands having various effects on receptors. For clarity and consistency, the following definitions will be used throughout this patent document. To the extent that these definitions conflict with other definitions for these terms, the following definitions shall control:

AGONISTS shall mean compounds that activate the intracellular response when they bind to the receptor, or enhance GTP binding to membranes.

30

- 13
AMINO ACID ABBREVIATIONS used herein are set below:

	ALANINE	ALA	Α
	ARGININE	ARG	R
	ASPARAGINE	ASN	N
5	ASPARTIC ACID	ASP	D
	CYSTEINE	CYS	С
	GLUTAMIC ACID	GLU	E
	GLUTAMINE	GLN	Q
	GLYCINE	GLY	G
10	HISTIDINE	HIS	Н
	ISOLEUCINE	ILE	I
	LEUCINE	LEU	L
	LYSINE	LYS	K
	METHIONINE	MET	M
15	PHENYLALANINE	PHE	F
	PROLINE	PRO	. P
	SERINE	SER	s :
•	THREONINE	THR	Т
	TRYPTOPHAN	TRP	w
20	TYROSINE	TYR	Y
	VALINE	VAL	v .

PARTIAL AGONISTS shall mean compounds which activate the intracellular response when they bind to the receptor to a lesser degree/extent than do agonists, or enhance GTP binding to membranes to a lesser degree/extent than do agonists

ANTAGONIST shall mean compounds that competitively bind to the receptor at the same site as the agonists but which do not activate the intracellular response initiated by the active form of the receptor, and can thereby inhibit the intracellular responses by agonists or partial agonists. ANTAGONISTS do not diminish the baseline intracellular response in the absence of an agonist or partial agonist.

CANDIDATE COMPOUND shall mean a molecule (for example, and not limitation, a chemical compound) which is amenable to a screening technique. Preferably, the phrase

WO 00/22129 PCT/US99/23938

"candidate compound" does not include compounds which were publicly known to be compounds selected from the group consisting of inverse agonist, agonist or antagonist to a receptor, as previously determined by an indirect identification process ("indirectly identified compound"); more preferably, not including an indirectly identified compound which has previously been determined to have therapeutic efficacy in at least one mammal; and, most preferably, not including an indirectly identified compound which has previously been determined to have therapeutic utility in humans.

CODON shall mean a grouping of three nucleotides (or equivalents to nucleotides) which generally comprise a nucleoside (adenosine (A), guanosine (G), cytidine (C), uridine (U) and thymidine (T)) coupled to a phosphate group and which, when translated, encodes an amino acid.

COMPOUND EFFICACY shall mean a measurement of the ability of a compound to inhibit or stimulate receptor functionality, as opposed to receptor binding affinity. A preferred means of detecting compound efficacy is via measurement of, e.g., [35S]GTPyS binding, as further disclosed in the Example section of this patent document.

CONSTITUTIVELY ACTIVATED RECEPTOR shall mean a receptor subject to constitutive receptor activation. In accordance with the invention disclosed herein, a non-endogenous, human constitutively activated G protein-coupled receptor is one that has been mutated to include the amino acid cassette P¹AA₁₅X, as set forth in greater detail below.

15

CONSTITUTIVE RECEPTOR ACTIVATION shall mean stabilization of a receptor in the active state by means other than binding of the receptor with its endogenous ligand or a chemical equivalent thereof. Preferably, a G protein-coupled receptor subjected to constitutive receptor activation in accordance with the invention disclosed herein evidences at least a 10% difference in response (increase or decrease, as the case may be) to the signal measured for

constitutive activation as compared with the endogenous form of that GPCR, more preferably, about a 25% difference in such comparative response, and most preferably about a 50% difference in such comparative response. When used for the purposes of directly identifying candidate compounds, it is most preferred that the signal difference be at least about 50% such that there is a sufficient difference between the endogenous signal and the non-endogenous signal to differentiate between selected candidate compounds. In most instances, the "difference" will be an increase in signal; however, with respect to Gs-coupled GPCRS, the "difference" measured is preferably a decrease, as will be set forth in greater detail below.

CONTACT or CONTACTING shall mean bringing at least two moieties together, whether in an in vitro system or an in vivo system.

DIRECTLY IDENTIFYING or DIRECTLY IDENTIFIED, in relationship to the phrase "candidate compound", shall mean the screening of a candidate compound against a constitutively activated G protein-coupled receptor, and assessing the compound efficacy of such compound. This phrase is, under no circumstances, to be interpreted or understood to be encompassed by or to encompass the phrase "indirectly identifying" or "indirectly identified."

ENDOGENOUS shall mean a material that is naturally produced by the genome of the species. ENDOGENOUS in reference to, for example and not limitation, GPCR, shall mean that which is naturally produced by a human, an insect, a plant, a bacterium, or a virus. By contrast, the term NON-ENDOGENOUS in this context shall mean that which is not naturally produced by the genome of a species. For example, and not limitation, a receptor which is not constitutively active in its endogenous form, but when mutated by using the cassettes disclosed herein and thereafter becomes constitutively active, is most preferably referred to herein as a "non-endogenous, constitutively activated receptor." Both terms can be utilized to describe both "in

WO 00/22129 PCT/US99/23938

- 16 -

vivo" and "in vitro" systems. For example, and not limitation, in a screening approach, the endogenous or non-endogenous receptor may be in reference to an in vitro screening system whereby the receptor is expressed on the cell-surface of a mammalian cell. As a further example and not limitation, where the genome of a mammal has been manipulated to include a non-endogenous constitutively activated receptor, screening of a candidate compound by means of an in vivo system is viable.

HOST CELL shall mean a cell capable of having a Plasmid and/or Vector incorporated therein. In the case of a prokaryotic Host Cell, a Plasmid is typically replicated as an autonomous molecule as the Host Cell replicates (generally, the Plasmid is thereafter isolated for introduction into a eukaryotic Host Cell); in the case of a eukaryotic Host Cell, a Plasmid is integrated into the cellular DNA of the Host Cell such that when the eukaryotic Host Cell replicates, the Plasmid replicates. Preferably, for the purposes of the invention disclosed herein, the Host Cell is eukaryotic, more preferably, mammalian, and most preferably selected from the group consisting of 293, 293T and COS-7 cells.

INDIRECTLY IDENTIFYING or INDIRECTLY IDENTIFIED means the traditional approach to the drug discovery process involving identification of an endogenous ligand specific for an endogenous receptor, screening of candidate compounds against the receptor for determination of those which interfere and/or compete with the ligand-receptor interaction, and assessing the efficacy of the compound for affecting at least one second messenger pathway associated with the activated receptor.

INHIBIT or **INHIBITING**, in relationship to the term "response" shall mean that a response is decreased or prevented in the presence of a compound as opposed to in the absence of the compound.

INVERSE AGONISTS shall mean compounds which bind to either the endogenous form of the receptor or to the constitutively activated form of the receptor, and which inhibit the baseline intracellular response initiated by the active form of the receptor below the normal base level of activity which is observed in the absence of agonists or partial agonists, or decrease GTP binding to membranes. Preferably, the baseline intracellular response is inhibited in the presence of the inverse agonist by at least 30%, more preferably by at least 50%, and most preferably by at least 75%, as compared with the baseline response in the absence of the inverse agonist.

KNOWN RECEPTOR shall mean an endogenous receptor for which the endogenous ligand specific for that receptor has been identified.

LIGAND shall mean an endogenous, naturally occurring molecule specific for an endogenous, naturally occurring receptor.

MUTANT or MUTATION in reference to an endogenous receptor's nucleic acid and/or amino acid sequence shall mean a specified change or changes to such endogenous sequences such that a mutated form of an endogenous, non-constitutively activated receptor evidences constitutive activation of the receptor. In terms of equivalents to specific sequences, a subsequent mutated form of a human receptor is considered to be equivalent to a first mutation of the human receptor if (a) the level of constitutive activation of the subsequent mutated form of the receptor is substantially the same as that evidenced by the first mutation of the receptor; and (b) the percent sequence (amino acid and/or nucleic acid) homology between the subsequent mutated form of the receptor and the first mutation of the receptor is at least about 80%, more preferably at least about 90% and most preferably at least 95%. Ideally, and owing to the fact that the most preferred cassettes disclosed herein for achieving constitutive activation includes a single amino acid and/or codon change between the endogenous and the non-endogenous forms of the GPCR (i.e. X or

X_{codon}), the percent sequence homology should be at least 98%.

ORPHAN RECEPTOR shall mean an endogenous receptor for which the endogenous ligand specific for that receptor has not been identified or is not known.

PHARMACEUTICAL COMPOSITION shall mean a composition comprising at least one active ingredient, whereby the composition is amenable to investigation for a specified, efficacious outcome in a mammal (for example, and not limitation, a human). Those of ordinary skill in the art will understand and appreciate the techniques appropriate for determining whether an active ingredient has a desired efficacious outcome based upon the needs of the artisan.

PLASMID shall mean the combination of a Vector and cDNA. Generally, a Plasmid is introduced into a Host Cell for the purpose of replication and/or expression of the cDNA as a protein.

STIMULATE or STIMULATING, in relationship to the term "response" shall mean that a response is increased in the presence of a compound as opposed to in the absence of the compound.

15 TRANSVERSE or TRANSVERSING, in reference to either a defined nucleic acid sequence or a defined amino acid sequence, shall mean that the sequence is located within at least two different and defined regions. For example, in an amino acid sequence that is 10 amino acid moieties in length, where 3 of the 10 moieties are in the TM6 region of a GPCR and the remaining 7 moieties are in the IC3 region of the GPCR, the 10 amino acid moiety can be described as transversing the TM6 and IC3 regions of the GPCR.

VECTOR in reference to cDNA shall mean a circular DNA capable of incorporating at least one cDNA and capable of incorporation into a Host Cell.

The order of the following sections is set forth for presentational efficiency and is not

intended, nor should be construed, as a limitation on the disclosure or the claims to follow.

A. Introduction

The traditional study of receptors has always proceeded from the a priori assumption (historically based) that the endogenous ligand must first be identified before discovery could proceed to find antagonists and other molecules that could affect the receptor. Even in cases where an antagonist might have been known first, the search immediately extended to looking for the endogenous ligand. This mode of thinking has persisted in receptor research even after the discovery of constitutively activated receptors. What has not been heretofore recognized is that it is the active state of the receptor that is most useful for discovering agonists, partial agonists, and inverse agonists of the receptor. For those diseases which result from an overly active receptor or an under-active receptor, what is desired in a therapeutic drug is a compound which acts to diminish the active state of a receptor or enhance the activity of the receptor, respectively, not necessarily a drug which is an antagonist to the endogenous ligand. This is because a compound that reduces or enhances the activity of the active receptor state need not bind at the same site as the endogenous ligand. Thus, as taught by a method of this invention, any search for therapeutic compounds should start by screening compounds against the ligand-independent active state.

Screening candidate compounds against non-endogenous, constitutively activated GPCRs allows for the direct identification of candidate compounds which act at these cell surface receptors, without requiring any prior knowledge or use of the receptor's endogenous ligand. By determining areas within the body where the endogenous version of such GPCRs are expressed and/or over-expressed, it is possible to determine related disease/disorder states which are associated with the expression and/or over-expression of these receptors; such an approach is disclosed in this patent document.

B. Disease/Disorder Identification and/or Selection

Most preferably, inverse agonists to the non-endogenous, constitutively activated GPCRs can be identified using the materials of this invention. Such inverse agonists are ideal candidates as lead compounds in drug discovery programs for treating diseases related to these receptors. Because of the ability to directly identify inverse agonists, partial agonists or agonists to these receptors, thereby allowing for the development of pharmaceutical compositions, a search, for diseases and disorders associated with these receptors is possible. For example, scanning both diseased and normal tissue samples for the presence of these receptor now becomes more than an academic exercise or one which might be pursued along the path of identifying, in the case of an orphan receptor, an endogenous ligand. Tissue scans can be conducted across a broad range of healthy and diseased tissues. Such tissue scans provide a preferred first step in associating a specific receptor with a disease and/or disorder.

Preferably, the DNA sequence of the endogenous GPCR is used to make a probe for either radiolabeled cDNA or RT-PCR identification of the expression of the GPCR in tissue samples. The presence of a receptor in a diseased tissue, or the presence of the receptor at elevated or decreased concentrations in diseased tissue compared to a normal tissue, can be preferably utilized to identify a correlation with that disease. Receptors can equally well be localized to regions of organs by this technique. Based on the known functions of the specific tissues to which the receptor is localized, the putative functional role of the receptor can be deduced.

20 C. A "Human GPCR Proline Marker" Algorithm and the Creation of Non-Endogenous, Constitutively-Active Human GPCRs

Among the many challenges facing the biotechnology arts is the unpredictability in gleaning genetic information from one species and correlating that information to another species

- nowhere in this art does this problem evidence more annoying exacerbation than in the genetic sequences that encode nucleic acids and proteins. Thus, for consistency and because of the highly unpredictable nature of this art, the following invention is limited, in terms of mammals, to human GPCRs – applicability of this invention to other mammalian species, while a potential possibility, is considered beyond mere rote application.

In general, when attempting to apply common "rules" from one related protein sequence to another or from one species to another, the art has typically resorted to sequence alignment, i.e., sequences are linearized and attempts are then made to find regions of commonality between two or more sequences. While useful, this approach does not always prove to result in meaningful information. In the case of GPCRs, while the general structural motif is identical for all GPCRs, the variations in lengths of the TMs, ECs and ICs make such alignment approaches from one GPCR to another difficult at best. Thus, while it may be desirable to apply a consistent approach to, e.g., constitutive activation from one GPCR to another, because of the great diversity in sequence length, fidelity, etc from one GPCR to the next, a generally applicable, and readily successful mutational alignment approach is in essence not possible. In an analogy, such an approach is akin to having a traveler start a journey at point A by giving the traveler dozens of different maps to point B, without any scale or distance markers on any of the maps, and then asking the traveler to find the shortest and most efficient route to destination B only by using the maps. In such a situation, the task can be readily simplified by having (a) a common "placemarker" on each map, and (b) the ability to measure the distance from the place-marker to destination B - this, then, will allow the traveler to select the most efficient from starting-point A to destination B.

In essence, a feature of the invention is to provide such coordinates within human GPCRs

20

that readily allows for creation of a constitutively active form of the human GPCRs.

As those in the art appreciate, the transmembrane region of a cell is highly hydrophobic; thus, using standard hydrophobicity plotting techniques, those in the art are readily able to determine the TM regions of a GPCR, and specifically TM6 (this same approach is also applicable to determining the EC and IC regions of the GPCR). It has been discovered that within the TM6 region of human GPCRs, a common proline residue (generally near the middle of TM6), acts as a constitutive activation "marker." By counting 15 amino acids from the proline marker, the 16th amino acid (which is located in the IC3 loop), when mutated from its endogenous form to a non-endogenous form, leads to constitutive activation of the receptor. For convenience, we refer to this as the "Human GPCR Proline Marker" Algorithm. Although the non-endogenous amino acid at this position can be any of the amino acids, most preferably, the non-endogenous amino acid is lysine. While not wishing to be bound by any theory, we believe that this position itself is unique and that the mutation at this location impacts the receptor to allow for constitutive activation.

We note that, for example, when the endogenous amino acid at the 16th position is already lysine (as is the case with GPR4 and GPR32), then in order for X to be a non-endogenous amino acid, it must be other than lysine; thus, in those situations where the endogenous GPCR has an endogenous lysine residue at the 16th position, the non-endogenous version of that GPCR preferably incorporates an amino acid other than lysine, preferably alanine, histidine and arginine, at this position. Of further note, it has been determined that GPR4 appears to be linked to Gs and active in its endogenous form (data not shown).

Because there are only 20 naturally occurring amino acids (although the use of nonnaturally occurring amino acids is also viable), selection of a particular non-endogenous amino

acid for substitution at this 16th position is viable and allows for efficient selection of a non-endogenous amino acid that fits the needs of the investigator. However, as noted, the more preferred non-endogenous amino acids at the 16th position are lysine, histidine, arginine and alanine, with lysine being most preferred. Those of ordinary skill in the art are credited with the ability to readily determine proficient methods for changing the sequence of a codon to achieve a desired mutation.

It has also been discovered that occasionally, but not always, the proline residue marker will be preceded in TM6 by W2 (i.e., W2P¹AA₁₅X) where W is tryptophan and 2 is any amino acid residue.

Our discovery, amongst other things, negates the need for unpredictable and complicated sequence alignment approaches commonly used by the art. Indeed, the strength of our discovery, while an algorithm in nature, is that it can be applied in a facile manner to human GPCRs, with dexterous simplicity by those in the art, to achieve a unique and highly useful end-product, *i.e.*, a constitutively activated version of a human GPCR. Because many years and significant amounts of money will be required to determine the endogenous ligands for the human GPCRs that the Human Genome project is uncovering, the disclosed invention not only reduces the time necessary to positively exploit this sequence information, but at significant cost-savings. This approach truly validates the importance of the Human Genome Project because it allows for the utilization of genetic information to not only understand the role of the GPCRs in, *e.g.*, diseases, but also provides the opportunity to improve the human condition.

D. Screening of Candidate Compounds

1. Generic GPCR screening assay techniques

When a G protein receptor becomes constitutively active, it couples to a G protein (e.g.,

20

Gq, Gs, Gi, Go) and stimulates release and subsequent binding of GTP to the G protein. The G protein then acts as a GTPase and slowly hydrolyzes the GTP to GDP, whereby the receptor, under normal conditions, becomes deactivated. However, constitutively activated receptors, including the non-endogenous, human constitutively active GPCRs of the present invention, continue to exchange GDP for GTP. A non-hydrolyzable analog of GTP, [35S]GTPγS, can be used to monitor enhanced binding to G proteins present on membranes which express constitutively activated receptors. It is reported that [35S]GTPγS can be used to monitor G protein coupling to membranes in the absence and presence of ligand. An example of this monitoring, among other examples well-known and available to those in the art, was reported by Traynor and Nahorski in 1995. The preferred use of this assay system is for initial screening of candidate compounds because the system is generically applicable to all G protein-coupled receptors regardless of the particular G protein that interacts with the intracellular domain of the receptor.

B 2. Specific GPCR screening assay techniques

C Once candidate compounds are identified using the "generic" G protein-coupled receptor assay (i.e., an assay to select compounds that are agonists, partial agonists, or inverse agonists), further screening to confirm that the compounds have interacted at the receptor site is preferred. For example, a compound identified by the "generic" assay may not bind to the receptor, but may instead merely "uncouple" the G protein from the intracellular domain.

a. Gs and Gi.

Gs stimulates the enzyme adenylyl cyclase. Gi (and Go), on the other hand, inhibit this enzyme. Adenylyl cyclase catalyzes the conversion of ATP to cAMP; thus,

constitutively activated GPCRs that couple the Gs protein are associated with increased cellular levels of cAMP. On the other hand, constitutively activated GPCRs that couple the Gi (or Go) protein are associated with decreased cellular levels of cAMP. See, generally, "Indirect Mechanisms of Synaptic Transmission," Chpt. 8, From Neuron To Brain (3rd Ed.) Nichols, J.G. et al eds. Sinauer Associates, Inc. (1992). Thus, assays that detect cAMP can be utilized to determine if a candidate compound is, e.g., an inverse agonist to the receptor (i.e., such a compound would decrease the levels of cAMP). A variety of approaches known in the art for measuring cAMP can be utilized; a most preferred approach relies upon the use of anti-cAMP antibodies in an ELISA-based format. Another type of assay that can be utilized is a whole cell second messenger reporter system assay. Promoters on genes drive the expression of the proteins that a particular gene encodes. Cyclic AMP drives gene expression by promoting the binding of a cAMP-responsive DNA binding protein or transcription factor (CREB) which then binds to the promoter at specific sites called cAMP response elements and drives the expression of the gene. Reporter systems can be constructed which have a promoter containing multiple cAMP response elements before the reporter gene, e.g., β -galactosidase or luciferase. Thus, a constitutively activated Gs-linked receptor causes the accumulation of cAMP that then activates the gene and expression of the reporter protein. The reporter protein such as βgalactosidase or luciferase can then be detected using standard biochemical assays (Chen et al. 1995). With respect to GPCRs that link to Gi (or Go), and thus decrease levels of cAMP, an approach to the screening of, e.g., inverse agonists, based upon utilization of receptors that link to Gs (and thus increase levels of cAMP) is disclosed in the Example section with respect to GPR17 and GPR30.

WO 00/22129 PCT/US99/23938

- 26 -

b. Go and Gq.

Gq and Go are associated with activation of the enzyme phospholipase C, which in turn hydrolyzes the phospholipid PIP₂, releasing two intracellular messengers: diacycloglycerol (DAG) and inistol 1,4,5-triphoisphate (IP₃). Increased accumulation of IP₃ is associated with activation of Gq- and Go-associated receptors. *See, generally,* "Indirect Mechanisms of Synaptic Transmission," Chpt. 8, From Neuron To Brain (3rd Ed.) Nichols, J.G. et al eds. Sinauer Associates, Inc. (1992). Assays that detect IP₃ accumulation can be utilized to determine if a candidate compound is, *e.g.*, an inverse agonist to a Gq- or Go-associated receptor (*i.e.*, such a compound would decrease the levels of IP₃). Gq-associated receptors can also been examined using an AP1 reporter assay in that Gq-dependent phospholipase C causes activation of genes containing AP1 elements; thus, activated Gq-associated receptors will evidence an increase in the expression of such genes, whereby inverse agonists thereto will evidence a decrease in such expression, and agonists will evidence an increase in such expression. Commercially available assays for such detection are available.

E. Medicinal Chemistry

15

Generally, but not always, direct identification of candidate compounds is preferably conducted in conjunction with compounds generated via combinatorial chemistry techniques, whereby thousands of compounds are randomly prepared for such analysis. Generally, the results of such screening will be compounds having unique core structures; thereafter, these compounds are preferably subjected to additional chemical modification around a preferred core structure(s) to further enhance the medicinal properties thereof. Such techniques are

known to those in the art and will not be addressed in detail in this patent document.

F. Pharmaceutical Compositions

Candidate compounds selected for further development can be formulated into pharmaceutical compositions using techniques well known to those in the art. Suitable pharmaceutically-acceptable carriers are available to those in the art; for example, see Remington's Pharmaceutical Sciences, 16th Edition, 1980, Mack Publishing Co., (Oslo et al., eds.)

G. Other Utility

20

Although a preferred use of the non-endogenous versions of the disclosed human GPCRs is for the direct identification of candidate compounds as inverse agonists, agonists or partial agonists (preferably for use as pharmaceutical agents), these receptors can also be utilized in research settings. For example, in vitro and in vivo systems incorporating these receptors can be utilized to further elucidate and understand the roles of the receptors in the human condition, both normal and diseased, as well understanding the role of constitutive activation as it applies to understanding the signaling cascade. A value in these non-endogenous receptors is that their utility as a research tool is enhanced in that, because of their unique features, the disclosed receptors can be used to understand the role of a particular receptor in the human body before the endogenous ligand therefor is identified. Other uses of the disclosed receptors will become apparent to those in the art based upon, inter alia, a review of this patent document.

EXAMPLES

The following examples are presented for purposes of elucidation, and not limitation, of the present invention. Following the teaching of this patent document that a mutational cassette may be utilized in the IC3 loop of human GPCRs based upon a position relative to a proline residue in TM6 to constitutively activate the receptor, and while specific nucleic acid

. 15

and amino acid sequences are disclosed herein, those of ordinary skill in the art are credited with the ability to make minor modifications to these sequences while achieving the same or substantially similar results reported below. Particular approaches to sequence mutations are within the purview of the artisan based upon the particular needs of the artisan.

5 Example 1 Preparation of Endogenous Human GPCRs

A variety of GPCRs were utilized in the Examples to follow. Some endogenous human GPCRs were graciously provided in expression vectors (as acknowledged below) and other endogenous human GPCRs were synthesized *de novo* using publicly-available sequence information.

1. GPR1 (GenBank Accession Number: U13666)

The human cDNA sequence for GPR1 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR1 cDNA (1.4kB fragment) was excised from the pRcCMV vector as a NdeI-XbaI fragment and was subcloned into the NdeI-XbaI site of pCMV vector (see Figure 3). Nucleic acid (SEQ.ID.NO.: 1) and amino acid (SEQ.ID.NO.: 2) sequences for human GPR1 were thereafter determined and verified.

2. GPR4 (GenBank Accession Numbers: L36148, U35399, U21051)

The human cDNA sequence for GPR4 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR1 cDNA (1.4kB fragment) was excised from the pRcCMV vector as an ApaI(blunted)-XbaI fragment and was subcloned (with most of the 5' untranslated region removed) into HindIII(blunted)-XbaI site of pCMV vector. Nucleic acid (SEQ.ID.NO.: 3) and amino acid (SEQ.ID.NO.: 4) sequences for human GPR4 were thereafter determined and verified.

3. GPR5 (GenBank Accession Number: L36149)

The cDNA for human GPR5 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 64°C for 1 min; and 72 °C for 1.5 min. The 5' PCR primer contained an EcoRI site with the sequence: 5'-TATGAATTCAGATGCTCTAAACGTCCCTGC-3' (SEQ.ID.NO.: 5) and the 3' primer contained BamHI site with the sequence: 5'-TCCGGATCCACCTGCACCTGCGCCTGCACC-3' (SEQ.ID.NO.: 6).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI

site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 7) and amino acid (SEQ.ID.NO.:

8) sequences for human GPR5 were thereafter determined and verified.

4. GPR7 (GenBank Accession Number: U22491)

The cDNA for human GPR7 was generated and cloned into pCMV expression vector as follows: PCR condition- PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer contained a HindIII site with the sequence:

- 5'-GCAAGCTTGGGGGACGCCAGGTCGCCGGCT-3' (SEQ.ID.NO.: 9)
- 20 and the 3' primer contained a BamHI site with the sequence:
 - 5'-GCGGATCCGGACGCTGGGGGAGTCAGGCTGC-3' (SEQ.ID.NO.: 10).
 - The 1.1 kb PCR fragment was digested with HindIII and BamHI and cloned into HindIII-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 11) and amino acid (SEQ.ID.NO.:

12) sequences for human GPR7 were thereafter determined and verified.

5. GPR8 (GenBank Accession Number: U22492)

The cDNA for human GPR8 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

- 5'-CGGAATTCGTCAACGGTCCCAGCTACAATG-3' (SEQ.ID.NO.: 13).
- and the 3' primer contained a BamHI site with the sequence:
 - 5'-ATGGATCCCAGGCCCTTCAGCACCGCAATAT-3'(SEQ.ID.NO.: 14).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of PCMV expression vector. All 4 cDNA clones sequenced contained a possible polymorphism involving a change of amino acid 206 from Arg to Gln. Aside from this difference, nucleic acid (SEQ.ID.NO.: 15) and amino acid (SEQ.ID.NO.: 16) sequences for human GPR8 were thereafter determined and verified.

6. GPR9 (GenBank Accession Number: X95876)

The cDNA for human GPR9 was generated and cloned into pCMV expression vector as follows: PCR was performed using a clone (provided by Brian O'Dowd) as template and pfu polymerase (Stratagene) with the buffer system provided by the manufacturer supplemented with 10% DMSO, 0.25 μM of each primer, and 0.5 mM of each of the 4 nucleotides. The cycle condition was 25 cycles of: 94°C for 1 min; 56°C for 1 min; and 72 °C for 2.5 min. The 5' PCR primer contained an EcoRI site with the sequence:

5'-ACGAATTCAGCCATGGTCCTTGAGGTGAGTGACCACCAAGTGCTAAAT-3' (SEQ.ID.NO.: 17)

and the 3' primer contained a BamHI site with the sequence:

5'-GAGGATCCTGGAATGCGGGGAAGTCAG-3' (SEQ.ID.NO.: 18).

The 1.2 kb PCR fragment was digested with EcoRI and cloned into EcoRI-SmaI site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 19) and amino acid (SEQ.ID.NO.: 20) sequences for human GPR9 were thereafter determined and verified.

7. GPR9-6 (GenBank Accession Number: U45982)

The cDNA for human GPR9-6 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-TTAAGCTTGACCTAATGCCATCTTGTGTCC-3' (SEQ.ID.NO.: 21)

and the 3' primer contained a BamHI site with the sequence:

20

5'-TTGGATCCAAAAGAACCATGCACCTCAGAG-3' (SEQ.ID.NO.: 22).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 23) and amino acid (SEQ.ID.NO.: 24) sequences for human GPR9-6 were thereafter determined and verified.

8. GPR10 (GenBank Accession Number: U32672)

The human cDNA sequence for GPR10 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR10 cDNA (1.3kB fragment) was excised from the pRcCMV vector as an EcoRI-XbaI fragment and was subcloned into EcoRI-XbaI site of pCMV

vector. Nucleic acid (SEQ.ID.NO.: 25) and amino acid (SEQ.ID.NO.: 26) sequences for human GPR10 were thereafter determined and verified.

9. GPR15 (GenBank Accession Number: U34806)

The human cDNA sequence for GPR15 was provided in pCDNA3 by Brian O'Dowd (University of Toronto). GPR15 cDNA (1.5kB fragment) was excised from the pCDNA3 vector as a HindIII-Bam fragment and was subcloned into HindIII-Bam site of pCMV vector. Nucleic acid (SEQ.ID.NO.: 27) and amino acid (SEQ.ID.NO.: 28) sequences for human GPR15 were thereafter determined and verified.

10. GPR17 (GenBank Accession Number: Z94154)

The cDNA for human GPR17 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-CTAGAATTCTGACTCCAGCCAAAGCATGAAT-3' (SEQ.ID.NO.: 29) and the 3' primer contained a BamHI site with the sequence:

5'-GCTGGATCCTAAACAGTCTGCGCTCGGCCT-3' (SEQ.ID.NO.: 30).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI

site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 31) and amino acid (SEQ.ID.NO.: 32) sequences for human GPR17 were thereafter determined and verified.

11. GPR18 (GenBank Accession Number: LA2324)

The cDNA for human GPR18 was generated and cloned into pCMV expression

vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 54°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence:

5'-ATAAGATGATCACCCTGAACAATCAAGAT -3' (SEQ.ID.NO.: 33)

and the 3' primer contained an EcoRI site with the sequence:

5'-TCCGAATTCATAACATTTCACTGTTTATATTGC-3' (SEQ.ID.NO.: 34).

The 1.0 kb PCR fragment was digested with EcoRI and cloned into blunt-EcoRI site of pCMV expression vector. All 8 cDNA clones sequenced contained 4 possible polymorphisms involving changes of amino acid 12 from Thr to Pro, amino acid 86 from Ala to Glu, amino acid 97 from Ile to Leu and amino acid 310 from Leu to Met. Aside from these changes, nucleic acid (SEQ.ID.NO.: 35) and amino acid (SEQ.ID.NO.: 36) sequences for human GPR18 were thereafter determined and verified.

12. GPR20 (GenBank Accession Number: U66579)

The cDNA for human GPR20 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence:

20 5'-CCAAGCTTCCAGGCCTGGGGTGTGCTGG-3' (SEQ.ID.NO.: 37)

and the 3' primer contained a BamHI site with the sequence:

5'-ATGGATCCTGACCTTCGGCCCCTGGCAGA-3' (SEQ.ID.NO.: 38).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of

PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 39) and amino acid (SEQ.ID.NO.: 40) sequences for human GPR20 were thereafter determined and verified.

13. GPR21 (GenBank Accession Number: U66580)

The cDNA for human GPR21 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-GAGAATTCACTCCTGAGCTCAAGATGAACT-3' (SEQ.ID.NO.: 41)

- and the 3' primer contained a BamHI site with the sequence:
 - 5'-CGGGATCCCCGTAACTGAGCCACTTCAGAT-3' (SEQ.ID.NO.: 42).

The 1.1 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 43) and amino acid (SEQ.ID.NO.: 44) sequences for human GPR21 were thereafter determined and verified.

14. GPR22 (GenBank Accession Number: U66581)

The cDNA for human GPR22 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 50°C for 1 min; and 72 °C for 1.5 min. The 5' PCR primer was kinased with the sequence: 5'-TCCCCCGGGAAAAAAACCAACTGCTCCAAA-3' (SEQ.ID.NO.: 45) and the 3' primer contained a BamHI site with the sequence: 5'-TAGGATCCATTTGAATGTGGATTTGGTGAAA-3' (SEQ.ID.NO.: 46).

The 1.38 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 47) and amino acid (SEQ.ID.NO.: 48) sequences for human GPR22 were thereafter determined and verified.

15. GPR24 (GenBank Accession Number: U71092)

The cDNA for human GPR24 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contains a HindIII site with the sequence:

- 5'-GTGAAGCTTGCCTCTGGTGCCTGCAGGAGG-3' (SEQ.ID.NO.: 49) and the 3' primer contains an EcoRI site with the sequence:
- 5'-GCAGAATTCCCGGTGGCGTGTTGTGGTGCCC-3' (SEQ.ID.NO.: 50).

The 1.3 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. The nucleic acid (SEQ.ID.NO.: 51) and amino acid sequence (SEQ.ID.NO.: 52) for human GPR24 were thereafter determined and verified.

16. GPR30 (GenBank Accession Number: U63917)

The cDNA for human GPR30 was generated and cloned as follows: the coding sequence of GPR30 (1128bp in length) was amplified from genomic DNA using the primers:

- 20 5'-GGCGGATCCATGGATGTGACTTCCCAA-3' (SEQ.ID.NO.: 53) and
 - 5'-GGCGGATCCCTACACGGCACTGCTGAA-3' (SEQ.ID.NO.: 54).

The amplified product was then cloned into a commercially available vector, pCR2.1 (Invitrogen),

using a "TOPO-TA Cloning Kit" (Invitrogen, #K4500-01), following manufacturer instructions. The full-length GPR30 insert was liberated by digestion with BarnH1, separated from the vector by agarose gel electrophoresis, and purified using a Sephaglas Bandprep™ Kit (Pharmacia, #27-9285-01) following manufacturer instructions. The nucleic acid (SEQ.ID.NO.: 55) and amino acid sequence (SEQ.ID.NO.: 56) for human GPR30 were thereafter determined and verified.

17. GPR31 (GenBank Accession Number: U65402)

The cDNA for human GPR31 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 58°C for 1 min; and 72 °C for 2 min. The 5' PCR primer contained an EcoRI site with the sequence: 5'-AAGGAATTCACGGCCGGGTGATGCCATTCCC-3' (SEQ.ID.NO.: 57) and the 3' primer contained a BamHI site with the sequence: 5'-GGTGGATCCATAAACACGGGCGTTGAGGAC -3' (SEQ.ID.NO.: 58).

The 1.0 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 59) and amino acid (SEQ.ID.NO.: 60) sequences for human GPR31 were thereafter determined and verified.

18. GPR32 (GenBank Accession Number: AF045764)

The cDNA for human GPR32 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the

- 37 -

sequence:

- 5'-TAAGAATTCCATAAAAATTATGGAATGG-3' (SEQ.ID.NO.:243)
- and the 3' primer contained a BamHI site with the sequence:
- 5'-CCAGGATCCAGCTGAAGTCTTCCATCATTC-3' (SEQ.ID.NO.: 244).
- The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 245) and amino acid (SEQ.ID.NO.: 246) sequences for human GPR32 were thereafter determined and verified.

19. GPR40 (GenBank Accession Number: AF024687)

The cDNA for human GPR40 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min, 65°C for 1 min and 72 °C for 1 min and 10 sec. The 5' PCR primer contained an EcoRI site with the sequence

- 15 5'-GCAGAATTCGGCGGCCCCATGGACCTGCCCCC-3' (SEQ.ID.NO.: 247)
 - and the 3' primer contained a BamHI site with the sequence
 - 5'-GCTGGATCCCCCGAGCAGTGGCGTTACTTC-3' (SEQ.ID.NO.: 248).
 - The 1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 249) and amino acid (SEQ.ID.NO.: 250)
- 20 sequences for human GPR40 were thereafter determined and verified.

20. GPR41 (GenBank Accession Number AF024688)

The cDNA for human GPR41 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase

15

(Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 65°C for 1 min and 72 °C for 1 min and 10 sec. The 5' PCR primer contained an HindIII site with the sequence:

- 5'-CTCAAGCTTACTCTCTCACCAGTGGCCAC-3' (SEQ.ID.NO.: 251)
 and the 3' primer was kinased with the sequence
 5'-CCCTCCTCCCCGGAGGACCTAGC-3' (SEQ.ID.NO.: 252).
- The 1 kb PCR fragment was digested with HindIII and cloned into HindIII-blunt site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 253) and amino acid (SEQ.ID.NO.: 254)

 sequences for human GPR41 were thereafter determined and verified.

21. GPR43 (GenBank Accession Number AF024690)

The cDNA for human GPR43 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 10 sec. The 5' PCR primer contains an HindIII site with the sequence:

- 5'-TTTAAGCTTCCCCTCCAGGATGCTGCCGGAC-3' (SEQ.ID.NO.: 255) and the 3' primer contained an EcoRI site with the sequence:
- 5'-GGCGAATTCTGAAGGTCCAGGGAAACTGCTA-3' (SEQ.ID.NO. 256).
 The 1 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site
 of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 257) and amino acid (SEQ.ID.NO.: 258)
 sequences for human GPR43 were thereafter determined and verified.

22. APJ (GenBank Accession Number: U03642)

Human APJ cDNA (in pRcCMV vector) was provided by Brian O'Dowd

(University of Toronto). The human APJ cDNA was excised from the pRcCMV vector as an EcoRI-XbaI (blunted) fragment and was subcloned into EcoRI-SmaI site of pCMV vector.

Nucleic acid (SEQ.ID.NO.: 61) and amino acid (SEQ.ID.NO.: 62) sequences for human APJ were thereafter determined and verified.

23. BLR1 (GenBank Accession Number: X68149)

The cDNA for human BLR1 was generated and cloned into pCMV expression vector as follows: PCR was performed using thymus cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

- 5'-TGAGAATTCTGGTGACTCACAGCCGGCACAG-3' (SEQ.ID.NO.: 63):
- and the 3' primer contained a BamHI site with the sequence:

20

5'-GCCGGATCCAAGGAAAAGCAGCAATAAAAGG-3' (SEQ.ID.NO.: 64). The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 65) and amino acid (SEQ.ID.NO.: 66) sequences for human BLR1 were thereafter determined and verified.

24. CEPR (GenBank Accession Number: U77827)

The cDNA for human CEPR was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, $0.25 \,\mu\text{M}$ of each primer, and

0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-CAAAGCTTGAAAGCTGCACGGTGCAGAGAC-3' (SEQ.ID.NO.:67) and the 3' primer contained a BamHI site with the sequence:

5'-GCGGATCCCGAGTCACACCCTGGCTGGGCC-3' (SEQ.ID.NO.: 68).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 69) and amino acid (SEQ.ID.NO.: 70) sequences for human CEPR were thereafter determined and verified.

25. EBI1 (GenBank Accession Number: L31581)

The cDNA for human EBI1 was generated and cloned into pCMV expression vector as follows: PCR was performed using thymus cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-ACAGAATTCCTGTGTGGTTTTACCGCCCAG-3' (SEQ.ID.NO.: 71) and the 3' primer contained a BamHI site with the sequence:

5'-CTCGGATCCAGGCAGAAGAGTCGCCTATGG-3' (SEQ.ID.NO.: 72).

The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 73) and amino acid (SEQ.ID.NO.: 74) sequences for human EBI1 were thereafter determined and verified.

26. EBI2 (GenBank Accession Number: L08177)

The cDNA for human EBI2 was generated and cloned into pCMV expression

vector as follows: PCR was performed using cDNA clone (graciously provided by Kevin Lynch, University of Virginia Health Sciences Center; the vector utilized was not identified by the source) as template and pfu polymerase (Stratagene) with the buffer system provided by the manufacturer supplemented with 10% DMSO, 0.25 μM of each primer, and 0.5 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 60°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence: 5'-CTGGAATTCACCTGGACCACCACCAATGGATA-3' (SEQ.ID.NO.: 75) and the 3' primer contained a BamHI site with the sequence 5'-CTCGGATCCTGCAAAGTTTGTCATACAG TT-3' (SEQ.ID.NO.: 76).

The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 77) and amino acid (SEQ.ID.NO.: 78) sequences for human EBI2 were thereafter determined and verified.

27. ETBR-LP2 (GenBank Accession Number: D38449)

The cDNA for human ETBR-LP2 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1min; and 72 °C for 1.5 min. The 5' PCR contained an EcoRI site with the sequence:

5'-CTGGAATTCTCCTGCTCATCCAGCCATGCGG -3' (SEQ.ID.NO.: 79)
and the 3' primer contained a BamHI site with the sequence:
5'-CCTGGATCCCCACCCCTACTGGGGCCTCAG -3' (SEQ.ID.NO.: 80).
The 1.5 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI

site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 81) and amino acid (SEQ.ID.NO.: 82) sequences for human ETBR-LP2 were thereafter determined and verified.

28. GHSR (GenBank Accession Number: U60179)

The cDNA for human GHSR was generated and cloned into pCMV expression vector as follows: PCR was performed using hippocampus cDNA as template and TaqPlus Precision polymerase (Stratagene) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 68°C for 1 min; and 72 °C for 1 min and 10 sec. For first round PCR, the 5' PCR primer sequence was:

5'-ATGTGGAACGCGACGCCCAGCG-3' (SEQ.ID.NO.: 83) and the 3' primer sequence was:

5'-TCATGTATTAATACTAGATTCT-3' (SEQ.ID.NO.: 84).

Two microliters of the first round PCR was used as template for the second round PCR where the 5' primer was kinased with sequence:

- 5'-TACCATGTGGAACGCGACGCCCAGCGAAGAGCCGGGGT-3'(SEQ.ID.NO.:85)
 and the 3' primer contained an EcoRI site with the sequence:
 - 5'-CGGAATTCATGTATTAATACTAGATTCTGTCCAGGCCCG-3'(SEQ.ID.NO.:86).

The 1.1 kb PCR fragment was digested with EcoRI and cloned into blunt-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 87) and amino acid (SEQ.ID.NO.: 88) sequences

20 for human GHSR were thereafter determined and verified.

29. GPCR-CNS (GenBank Accession Number: AFO17262)

The cDNA for human GPCR-CNS was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth

polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72°C for 2 min. The 5' PCR primer contained a HindIII site with the sequence:

- 5 5'-GCAAGCTTGTGCCCTCACCAAGCCATGCGAGCC-3' (SEQ.ID.NO.: 89) and the 3' primer contained an EcoRI site with the sequence:
 - 5'-CGGAATTCAGCAATGAGTTCCGACAGAAGC-3' (SEQ.ID.NO.: 90).

The 1.9 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. All nine clones sequenced contained a potential polymorphism involving a S284C change. Aside from this difference, nucleic acid (SEQ.ID.NO.: 91) and amino acid (SEQ.ID.NO.: 92) sequences for human GPCR-CNS were thereafter determined and verified.

30. GPR-NGA (GenBank Accession Number: U55312)

The cDNA for human GPR-NGA was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 56°C for 1 min and 72°C for 1.5 min. The 5' PCR primer contained an EcoRI site with the sequence:

- 5'-CAGAATTCAGAGAAAAAAAGTGAATATGGTTTTT-3' (SEQ.ID.NO.: 93)
- 20 and the 3' primer contained a BamHI site with the sequence:
 - 5'-TTGGATCCCTGGTGCATAACAATTGAAAGAAT-3' (SEQ.ID.NO.: 94).
 - The 1.3 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 95) and amino acid (SEQ.ID.NO.:

96) sequences for human GPR-NGA were thereafter determined and verified.

31. H9 (GenBank Accession Number: U52219)

The cDNA for human HB954 was generated and cloned into pCMV expression vector as follows: PCR was performed using pituitary cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min, 62°C for 1 min and 72 °C for 2 min. The 5' PCR primer contains a HindIII site with the sequence: 5'-GGAAAGCTTAACGATCCCCAGGAGCAACAT-3' (SEQ.ID.NO.: 97) and the 3' primer contains a BamHI site with the sequence:

10 5'-CTGGGATCCTACGAGAGCATTTTTCACACAG-3' (SEQ.ID.NO.: 98).

The 1.9 kb PCR fragment was digested with HindIII and BamHI and cloned into HindIII-BamHI site of pCMV expression vector. When compared to the published sequences, a different isoform with 12 bp in frame insertion in the cytoplasmic tail was also identified and designated "H9b." Both isoforms contain two potential polymorphisms involving changes of amino acid P320S and amino acid G448A. Isoform H9a contained another potential polymorphism of amino acid S493N, while isoform H9b contained two additional potential polymorphisms involving changes of amino acid I502T and amino acid A532T (corresponding to amino acid 528 of isoform H9a). Nucleic acid (SEQ.ID.NO.: 99) and amino acid (SEQ.ID.NO.: 100) sequences for human H9 were thereafter determined and verified (in the section below, both isoforms were mutated in accordance with the Human GPCR Proline Marker Algorithm).

32. HB954 (GenBank Accession Number: D38449)

The cDNA for human HB954 was generated and cloned into pCMV expression

vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 58°C for 1 min and 72°C for 2 min. The 5' PCR contained a HindIII site with the sequence:

- 5 5'-TCCAAGCTTCGCCATGGGACATAACGGGAGCT -3' (SEQ.ID.NO.: 101)
 and the 3' primer contained an EcoRI site with the sequence:
 5'-CGTGAATTCCAAGAATTTACAATCCTTGCT -3' (SEQ.ID.NO.: 102).
- The 1.6 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 103) and amino acid (SEQ.ID.NO.: 104) sequences for human HB954 were thereafter determined and verified.

33. HG38 (GenBank Accession Number: AF062006)

The cDNA for human HG38 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 56°C for 1 min and 72°C for 1 min and 30 sec. Two PCR reactions were performed to separately obtain the 5' and 3' fragment. For the 5' fragment, the 5' PCR primer contained an HindIII site with the sequence: 5'-CCCAAGCTTCGGGCACCATGGACACCTCCC-3' (SEQ.ID.NO.: 259) and the 3' primer contained a BamHIsite with the sequence:

5'-ACAGGATCCAAATGCACAGCACTGGTAAGC-3' (SEQ.ID.NO.: 260).

This 5' 1.5 kb PCR fragment was digested with HindIII and BamHI and cloned into an HindIII-BamHI site of pCMV. For the 3' fragment, the 5' PCR primer was kinased with the sequence:

5'-CTATAACTGGGTTACATGGTTTAAC-3' (SEQ.ID.NO. 261)

and the 3' primer contained an EcoRI site with the sequence:

5'-TTTGAATTCACATATTAATTAGAGACATGG-3' (SEQ.ID.NO.: 262).

The 1.4 kb 3' PCR fragment was digested with EcoRI and subcloned into a blunt-EcoRI site of pCMV vector. The 5' and 3' fragments were then ligated together through a common EcoRV site to generate the full length cDNA clone. Nucleic acid (SEQ.ID.NO.: 263) and amino acid (SEQ.ID.NO.: 264) sequences for human HG38 were thereafter determined and verified.

34. HM74 (GenBank Accession Number: D10923)

The cDNA for human HM74 was generated and cloned into pCMV expression vector as follows: PCR was performed using either genomic DNA or thymus cDNA (pooled) as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

- 5'-GGAGAATTCACTAGGCGAGGCGCTCCATC-3' (SEQ.ID.NO.: 105)
- and the 3' primer was kinased with the sequence:
 - 5'-GGAGGATCCAGGAAACCTTAGGCCGAGTCC-3' (SEQ.ID.NO.:106).

The 1.3 kb PCR fragment was digested with EcoRI and cloned into EcoRI-SmaI site of pCMV expression vector. Clones sequenced revealed a potential polymorphism involving a N94K change. Aside from this difference, nucleic acid (SEQ.ID.NO.: 107) and amino acid (SEQ.ID.NO.: 108) sequences for human HM74 were thereafter determined and verified.

35. MIG (GenBank Accession Numbers: AFO44600 and AFO44601)

The cDNA for human MIG was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and TaqPlus Precision

polymerase (Stratagene) for first round PCR or pfu polymerase (Stratagene) for second round PCR with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM (TaqPlus Precision) or 0.5 mM (pfu) of each of the 4 nucleotides. When pfu was used, 10% DMSO was included in the buffer. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for: (a) 1 min for first round PCR; and (b) 2 min for second round PCR. Because there is an intron in the coding region, two sets of primers were separately used to generate overlapping 5' and 3' fragments. The 5' fragment PCR primers were: 5'-ACCATGGCTTGCAATGGCAGTGCGGCCAGGGGGCACT-3' (external sense) (SEQ.ID.NO.: 109)

10 and

5'-CGACCAGGACAAACAGCATCTTGGTCACTTGTCTCCGGC-3'(internal antisense) (SEQ.ID.NO.: 110).

The 3' fragment PCR primers were:

- 5'-GACCAAGATGCTGTTTGTCCTGGTCGTGGTGTTTTGGCAT-3' (internal sense)
- 15 (SEQ.ID.NO.: 111) and
 - 5'-CGGAATTCAGGATCGGTCTCTTGCTGCGCCT-3' (external antisense with an EcoRI site) (SEQ.ID.NO.: 112).
 - The 5' and 3' fragments were ligated together by using the first round PCR as template and the kinased external sense primer and external antisense primer to perform second round PCR. The 1.2 kb PCR fragment was digested with EcoRI and cloned into the blunt-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 113) and amino acid (SEQ.ID.NO.: 114) sequences for human MIG were thereafter determined and verified.

36. OGR1 (GenBank Accession Number: U48405)

15

20

The cDNA for human OGR1 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-GGAAGCTTCAGGCCCAAAGATGGGGAACAT-3' (SEQ.ID.NO.: 115): and the 3' primer contained a BamHI site with the sequence: 5'-GTGGATCCACCCGCGGAGGACCCAGGCTAG -3' (SEQ.ID.NO.: 116).

The 1.1 kb PCR fragment was digested with BamHI and cloned into the EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 117) and amino acid (SEQ.ID.NO.: 118) sequences for human OGR1 were thereafter determined and verified.

37. Serotonin 5HT_{2A}

The cDNA encoding endogenous human 5HT_{2A} receptor was obtained by RT-PCR using human brain poly-A⁺ RNA; a 5' primer from the 5' untranslated region with an Xho I restriction site:

5'-GACCTCGAGTCCTTCTACACCTCATC-3' (SEQ.ID.NO: 119)
and a 3' primer from the 3' untranslated region containing an Xba I site:
5'-TGCTCTAGATTCCAGATAGGTGAAAACTTG-3' (SEQ.ID.NO: 120)

PCR was performed using either TaqPlus™ precision polymerase (Stratagene) or rTth™ polymerase (Perkin Elmer) with the buffer system provided by the manufacturers, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 57°C for 1 min; and 72 °C for 2 min. The 1.5 kb PCR fragment was digested with Xba I and subcloned into Eco RV-Xba I site of pBluescript. The resulting cDNA clones were fully

sequenced and found to encode two amino acid changes from the published sequences. The first one was a T25N mutation in the N-terminal extracellular domain; the second is an H452Y mutation. Because cDNA clones derived from two independent PCR reactions using Taq polymerase from two different commercial sources (TaqPlusTM from Stratagene and rTthTM Perkin Elmer) contained the same two mutations, these mutations are likely to represent sequence polymorphisms rather than PCR errors. With these exceptions, the nucleic acid (SEQ.ID.NO.: 121) and amino acid (SEQ.ID.NO.: 122) sequences for human 5HT_{2A} were thereafter determined and verified.

38. Serotonin 5HT_{2C}

- The cDNA encoding endogenous human 5HT_{2C} receptor was obtained from human brain poly-A⁺ RNA by RT-PCR. The 5' and 3' primers were derived from the 5' and 3' untranslated regions and contained the following sequences:
 - 5'-GACCTCGAGGTTGCTTAAGACTGAAGC-3' (SEQ.ID.NO.: 123)
 - 5'-ATTTCTAGACATATGTAGCTTGTACCG-3' (SEQ.ID.NO.: 124)
- Nucleic acid (SEQ.ID.NO.: 125) and amino acid (SEQ.ID.NO.: 126) sequences for human 5HT_{2C} were thereafter determined and verified.

39. V28 (GenBank Accession Number: U20350)

The cDNA for human V28 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained a HindIII site with the sequence: 5'-GGTAAGCTTGGCAGTCCACGCCAGGCCTTC-3' (SEQ.ID.NO.: 127)

and the 3' primer contained an EcoRI site with the sequence:

5'-TCCGAATTCTCTGTAGACACAAGGCTTTGG-3' (SEQ.ID.NO.: 128)

The 1.1 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 129) and amino acid (SEQ.ID.NO.:

5 130) sequences for human V28 were thereafter determined and verified.

Example 2 PREPARATION OF NON-ENDOGENOUS HUMAN GPCRS

1. Site-Directed Mutagenesis

Mutagenesis based upon the Human GPCR Proline Marker approach disclosed herein was performed on the foregoing endogenous human GPCRs using Transformer Site-Directed Mutagenesis Kit (Clontech) according to the manufacturer instructions. For this mutagenesis approach, a Mutation Probe and a Selection Marker Probe (unless otherwise indicated, the probe of SEQ.ID.NO.: 132 was the same throughout) were utilized, and the sequences of these for the specified sequences are listed below in Table B (the parenthetical number is the SEQ. ID.NO.).

For convenience, the codon mutation incorporated into the human GPCR is also noted, in standard form:

Table B

	Receptor Identifier (Codon Mutation)	Mutation Probe Sequence (5'-3') (SEQ.ID.NO.)	Selection Marker Probe Sequence (5'-3') (SEQ.ID.NO.)
20	(F245K)	GATCTCCAGTAGGCAT <u>AAG</u> T GGACAATTCTGG (131)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAG (132)
	GPR4 (K223A)	AGAAGGCCAAGATC <u>GCG</u> CGG CTGGCCCTCA (133)	TCTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
25	GPR5 (V224K)	CGGCGCCACGAAAAA GCTCATCTTC	TGTCAGAAGT

ı		[(134)	<u> </u>
	GPR7	GCCAAGAAGCGGGTGAAGTT	CTCCTTCGGTCCTCCTATCGT
		CCTGGTGGTGGCA	TGTCAGAAGT
	(T250K)	(135)	10101012101
l			<u> </u>
ĺ	GPR8	CAGGCGGAAGGTCC	CTCCTTCGGTCCTCCTATCGT
	•	TGGTCCTCGT	TGTCAGAAGT
	(T259K)	(136)	
30	GPR9	CGGCGCCTGCGGGCCAAGCG	CTCCTTCGGTCCTCCTATCGT
- ~ Y		GCTGGTGGTGGTG	TGTCAGAAGT
1	(M254K)	(137)	
j	GPR9-6	CCAAGCACAAAGCCAAGAAA	CTCCTTCGGTCCTCCTATCGT
	-	GTGACCATCAC	TGTCAGAAGT
- 1	(L241K)	(138)	
٠. ١			
1	GPR10	GCGCCGGCGCACCAAATGCT	CTCCTTCGGTCCTCCTATCGT
34	(F276K)	TGCTGGTGGT	TGTCAGAAGT
21	(F270K)	(139)	
ſ	GPR15	CAAAAAGCTGAAGAAATCT <u>A</u>	CTCCTTCGGTCCTCCTATCGT
	(1240K)	<u>AG</u> AAGATCATCTTTATTGTCG	TGTCAGAAGT
	(12 +014)	(140)	
	GPR17	CAAGACCAAGGCA <u>AAA</u> CGCA	CTCCTTCGGTCCTCCTATCGT
	(V234K)	TGATCGCCAT	TGTCAGAAGT
l	(122 129	(141)	
40	GPR18	GTCAAGGAGAAGTCC <u>AAA</u> AG	CTCCTTCGGTCCTCCTATCGT
	(I231K)	GATCATCATC	TGTCAGAAGT
- 1	(125111)	(142)	
1	GPR20	CGCCGCGTGCGGGCCAAGCA	CTCCTTCGGTCCTCCTATCGT
- [(M240K)	GCTCCTGCTC	TGTCAGAAGT
ĺ	(1727-012)	(143)	
- 1	GPR21	CCTGATAAGCGCTAT <u>AAA</u> AT	CTCCTTCGGTCCTCCTATCGT
44	(A251K)	GGTCCTGTTTCGA	TGTCAGAAGT
Ί	((144)	
	GPR22	GAAAGACAAAAGAGAGTC <u>A</u>	CTCCTTCGGTCCTCCTATCGT
	(F312K)	<u>AG</u> AGGATGTCTTTATTG	TGTCAGAAGT
Į		(145)	cmeemee cmeeme meem
Į	GPR24	CGGAGAAAGAGGGTG <u>AAA</u> C	CTCCTTCGGTCCTCCTATCGT
	(T304K)	GCACAGCCATCGCC	TGTCAGAAGT
		(146)	1. 1. 1
50	GPR30	alternate approach; see below	alternate approach; see below
l	(L258K)		
	GPR31	AAGCTTCAGCGGGCCAAGGC	CTCCTTCGGTCCTCCTATCGT
-	(Q221K)	ACTGGTCACC	TGTCAGAAGT
į		(147)	
Ī	GPR32	CATGCCAACCGGCCCGCGAG	ACCAGCAGCAGCCTCGCGGG
55	(K255A)	GCTGCTGCTGGT	CCGGTTGGCATG
- 7		(279)	(280)
ļ	GPR40	CGGAAGCTGCGGGCC <u>AAA</u> TG	CTCCTTCGGTCCTCCTATCGT
ļ	(A223K)	GGTGGCCGGC	TGTCAGAAGT
- 1		(265)	
Ĭ	GPR41	CAGAGGAGGGTG <u>AAG</u> GGCT	CTCCTTCGGTCCTCCTATCGT
		GTTGGCG	TGTCAGAAGT

(A223K)	(266)	
GPR43	GGCGGCGCCGAGCCAAGGGG	CTCCTTCGGTCCTCCTATCGT
(V221K)	CTGGCTGTGG (267)	TGTCAGAAGT
APJ 5 (L247K)	alternate approach; see below	alternate approach; see below
BLR1	CAGCGGCAGAAGGCAAAAA	CTCCTTCGGTCCTCCTATCGT
(V258K)	GGGTGGCCATC (148)	TGTCAGAAGT
CEPR (L258K)	CGGCAGAAGGCG <u>AAG</u> CGCAT GATCCTCGCG (149)	TGTCAGAAGT
		· · · · · · · · · · · · · · · · · · ·
0 EBI1 (1262K)	GAGCGCAACAAGGCCAAAA AGGTGATCATC (150)	TGTCAGAAGT
EBI2 (L243K)	GGTGTAAACAAAAAGGCT <u>AA</u> AAACACAATTATTCTTATT (151)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
ETBR-LP2 5 (N358K)	GAGAGCCAGCTCAAGAGCAC CGTGGTG (152)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
GHSR (V262K)	CCACAAGCAAACC <u>AAG</u> AAAA TGCTGGCTGT (153)	TGTCAGAAGT
GPCR-CNS (N491K)	CTAGAGAGTCAGATGAAGTG TACAGTAGTGGCAC (155)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
20 GPR-NGA (1275K)	CGGACAAAAGTGAAAACT <u>AA</u> AAAGATGTTCCTCATT (156)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
H9a and H9b (F236K)	GCTGAGGTTCGCAAT <u>AAA</u> CT AACCATGTTTGTG (157)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
HB954 25 (H265K)	GGGAGGCCGAGCTGAAAGCC ACCCTGCTC (158)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
HG38 (V765K)	GGGACTGCTCTATGAAAAA CACATTGCCCTG (268)	CATCAAGTGTATCATGTGCC AAGTACGCCC (154)
HM74 (1230K)	CAAGATCAAGAGAGCC <u>AAA</u> A CCTTCATCATG (159)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
MIG (T273K)	CCGGAGACAAGTG <u>AAG</u> AAG ATGCTGTTTGTC (160)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
OGR1 (Q227K)	GCAAGGACCAGATC <u>AAG</u> CGG CTGGTGCTCA (161)	CTCCTTCGGTCCTCTATCGT TGTCAGAAGT
Serotonin 5HT _{2A}	alternate approach; see below	alternate approach; see below
Serotonin 5HT _{2C} (S310K)	alternate approach; see below	alternate approach; see below

V28	CAAGAAAGCCAAAGCC <u>AAG</u>	CTCCTTCGGTCCTCCTATCGT
(1230K)	AAACTGATCCTTCTG	TGTCAGAAGT
(1230K)	(162)	

The non-endogenous human GPCRs were then sequenced and the derived and verified nucleic acid and amino acid sequences are listed in the accompanying "Sequence Listing" appendix.

5 to this patent document, as summarized in Table C below:

Table C

	Mutated GPCR	Nucleic Acid Sequence	Amino Acid Sequence
		Listing	Listing
	GPR1	SEQ.ID.NO.: 163	SEQ.ID.NO.: 164
_ ;	(F245K)		
10	GPR4	SEQ.ID.NO.: 165	SEQ.ID.NO.: 166
	(K223A)		
	GPR5	SEQ.ID.NO.: 167	SEQ.ID.NO.: 168
	(V224K)	}	·
	GPR7	SEQ.ID.NO.: 169	SEQ.ID.NO.: 170
15	(T250K)		
	GPR8	SEQ.ID.NO.: 171	SEQ.ID.NO.: 172
	(T259K)		<u> </u>
	GPR9	SEQ.ID.NO.: 173	SEQ.ID.NO.: 174
	(M254K)		
20	GPR9-6	SEQ.ID.NO.: 175	SEQ.ID.NO.: 176
	(L241K)	• •	·
	GPR10	SEQ.ID.NO.: 177	SEQ.ID.NO.: 178
	(F276K)		
	GPR15	SEQ.ID.NO.: 179	SEQ.ID.NO.: 180
-25	(I240K)		•
į	GPR17	SEQ.ID.NO.: 181	SEQ.ID.NO.: 182
	(V234K)		
	GPR18	SEQ.ID.NO.: 183	SEQ.ID.NO.: 184
	(I231K)		
30	GPR20	SEQ.ID.NO.: 185	SEQ.ID.NO.: 186
	(M240K)		
	GPR21	SEQ.ID.NO.: 187	SEQ.ID.NO.: 188
	(A251K)		
	GPR22	SEQ.ID.NO.: 189	SEQ.ID.NO.: 190
3\$	(F312K)		· ·
ĺ	GPR24	SEQ.ID.NO.: 191	SEQ.ID.NO.: 192
Į	(T304K))		
.	GPR30	SEQ.ID.NO.: 193	SEQ.ID.NO.: 194

(L258K)		
GPR31	SEQ.ID.NO.: 195	SEQ.ID.NO.: 196
(Q221K)		
GPR32	SEQ.ID.NO.: 269	SEQ.ID.NO.: 270
5 (K255A)	522.2	
GPR40	SEO.ID.NO.: 271	SEQ.ID.NO.: 272
(A223K)	020,25,10,12,1	
GPR41	SEQ.ID.NO.: 273	SEQ.ID.NO.: 274
(A223K)		
10 GPR43 .	SEQ.ID.NO.: 275	SEQ.ID.NO.: 276
(V221K)		
APJ	SEQ.ID.NO.: 197	SEQ.ID.NO.: 198
(L247K)		0F0 F0 NO. 200
BLR1	SEQ.ID.NO.: 199	SEQ.ID.NO.: 200
15 (V258K)	SEQ.ID.NO.: 201	SEQ.ID.NO.: 202
CEPR (L258K)	SEQ.ID.NO.: 201	
EBII	SEQ.ID.NO.: 203	SEQ.ID.NO.: 204
(1262K)	. 315Q.117.1140 203	554
20 EBI2	SEQ.ID.NO.: 205	SEQ.ID.NO.: 206
(L243K)	BEQ.ID.I.(0.: 203	
ETBR-LP2	SEQ.ID.NO.: 207	SEQ.ID.NO.: 208
(N358K)	· ·	· ·
GHSR	SEQ.ID.NO.: 209	SEQ.ID.NO.: 210
2\$ (V262K)		
GPCR-CNS	SEQ.ID.NO.: 211	SEQ.ID.NO.: 212
(N491K)		
GPR-NGA	SEQ.ID.NO.: 213	SEQ.ID.NO.: 214
(I275K)		SEQ.ID.NO.: 216
30 H9a	SEQ.ID.NO.: 215	SEQ.ID.NO.: 216
(F236K)	SEQ.ID.NO.: 217	SEQ.ID.NO.: 218
H9b	SEQ.ID.NO.: 217	SEQ.ID.NO.: 218
(F236K) HB954	SEQ.ID.NO.: 219	SEQ.ID.NO.: 220
	3EQ.ID.140 219	
35 (H265K) HG38	SEQ.ID.NO.: 277	SEQ.ID.NO.: 278
(V765K)	SEQ.ID.140 211	
HM74	SEQ.ID.NO.: 221	SEQ.ID.NO.: 222
(I230K)	3EQ.12.110 221	
40 MIG	SEQ.ID.NO.: 223	SEQ.ID.NO.: 224
(T273K)		
OGR1	SEQ.ID.NO.: 225	SEQ.ID.NO.: 226
(Q227K)	•	
Serotonin 5HT _{2A}	SEQ.ID.NO.: 227	SEQ.ID.NO.: 228
45 (C322K)		
Serotonin 5HT _{2C}	SEQ.ID.NO.: 229	SEQ.ID.NO.: 230
(S310K)		1
V28	SEQ.ID.NO.: 231	SEQ.ID.NO.: 232
	320.23.10 231	
(I230K)		

2. Alternate Mutation Approaches for Employment of the Proline Marker Algorithm: APJ; Serotonin 5HT_{2A}; Serotonin 5HT_{2C}; and GPR30

Although the above site-directed mutagenesis approach is particularly preferred, other approaches can be utilized to create such mutations; those skilled in the art are readily credited with selecting approaches to mutating a GPCR that fits within the particular needs of the artisan.

a. APJ

Preparation of the non-endogenous, human APJ receptor was accomplished by mutating L247K. Two oligonucleotides containing this mutation were synthesized:

5'- GGCTTAAGAGCATCATCGTGGTGCTGGTG-3' (SEQ.ID.NO.: 233)

0 5'-GTCACCACCAGCACCACGATGATGCTCTTAAGCC-3' (SEQ.ID.NO.: 234)

The two oligonucleotides were annealed and used to replace the Nael-BstEII fragment of human, endogenous APJ to generate the non-endogenous, version of human APJ.

b. Serotonin 5HT₂₄

cDNA containing the point mutation C322K was constructed by utilizing the restriction enzyme site Sph I which encompasses amino acid 322. A primer containing the C322K mutation: 5'-CAAAGAAAGTACTGGGCATCGTCTTCTTCCT-3' (SEQ.ID.NO: 235) was used along with the primer from the 3' untranslated region of the receptor: 5'-TGCTCTAGATTCCAGATAGGTGAAAA CTTG-3' (SEQ.ID.NO.: 236) to perform PCR (under the conditions described above). The resulting PCR fragment was then used to replace the 3' end of endogenous 5HT_{2A} cDNA through the T4 polymerase blunted Sph I site.

c. Serotonin 5HT_{2C}

The cDNA containing a S310K mutation was constructed by replacing the Sty I restriction fragment containing amino acid 310 with synthetic double stranded oligonucleotides that encode

the desired mutation. The sense strand sequence utilized had the following sequence:

5'-CTAGGGGCACCATGCAGGCTATCAACAATGAAAGAAAGCTAAGAAAGTC-3'
(SEQ. ID.NO.: 237)

and the antisense strand sequence utilized had the following sequence:

5'-CAAGGACTTTCTTAGCTTTTCATTGTTGATAGCCTGCATGGTGCCC-3' (SEQ. ID. NO.: 238)

d. GPR30

Prior to generating non-endogenous GPR30, several independent pCR2.1/GPR30 isolates were sequenced in their entirety in order to identify clones with no PCR-generated mutations. A clone having no mutations was digested with EcoR1 and the endogenous GPR30 cDNA fragment was transferred into the CMV-driven expression plasmid pCI-neo (Promega), by digesting pCI-Neo with EcoR1 and subcloning the EcoR1-liberated GPR30 fragment from pCR2.1/GPR30, to generate pCI/GPR30. Thereafter, the leucine at codon 258 was mutated to a lysine using a Quick-ChangeTM Site-Directed Mutagenesis Kit (Stratagene, #200518), according to manufacturer's instructions, and the following primers:

5'-CGGCGGCAGAAGGCGAAACGCATGATCCTCGCGGT-3' (SEQ.ID.NO.: 239) and 5'-ACCGCGAGGATCATGCGTTTCGCCTTCTGC CGCCG-3' (SEQ.ID.NO.: 240)

Example 3

Receptor (Endogenous and Mutated) Expression

20

10

Although a variety of cells are available to the art for the expression of proteins, it is most preferred that mammalian cells be utilized. The primary reason for this is predicated upon practicalities, i.e., utilization of, e.g., yeast cells for the expression of a GPCR, while possible,

introduces into the protocol a non-mammalian cell which may not (indeed, in the case of yeast, does not) include the receptor-coupling, genetic-mechanism and secretary pathways that have evolved for mammalian systems – thus, results obtained in non-mammalian cells, while of potential use, are not as preferred as that obtained from mammalian cells. Of the mammalian cells, COS-7, 293 and 293T cells are particularly preferred, although the specific mammalian cell utilized can be predicated upon the particular needs of the artisan.

Unless otherwise noted herein, the following protocol was utilized for the expression of the endogenous and non-endogenous human GPCRs. Table D lists the mammalian cell and number utilized (per 150mm plate) for GPCR expression.

10

15

Table D

Receptor Name	Mammalian Cell
(Endogenous or Non-	(Number Utilized)
Endogenous)	·
GPR17	293 (2 x 10 ⁴)
GPR30	293 (4 x 10 ⁴)
APJ	COS-7 (5X10 ⁶)
ETBR-LP2	293 (1 x 10 ⁷)
	293T (1 x 10 ⁷)
GHSR	293 (1 x 10 ⁷)
	293T (1 x 10 ⁷)
MIG	293 (1 x 10 ⁷)
Serotonin 5HT _{2A}	293T (1 x 10 ⁷)
Serotonin 5HT _{2c}	293T (1 x 10 ⁷)

20

On day one, mammalian cells were plated out. On day two, two reaction tubes were prepared (the proportions to follow for each tube are per plate): tube A was prepared by mixing 20µg DNA (e.g., pCMV vector; pCMV vector with endogenous receptor cDNA, and pCMV vector with non-endogenous receptor cDNA.) in 1.2ml serum free DMEM (Irvine Scientific,

Irvine, CA); tube B was prepared by mixing 120µl lipofectamine (Gibco BRL) in 1.2ml serum free DMEM. Tubes A and B were then admixed by inversions (several times), followed by incubation at room temperature for 30-45min. The admixture is referred to as the "transfection mixture". Plated cells were washed with 1XPBS, followed by addition of 10ml serum free DMEM. 2.4ml of the transfection mixture was then added to the cells, followed by incubation for 4hrs at 37°C/5% CO₂. The transfection mixture was then removed by aspiration, followed by the addition of 25ml of DMEM/10% Fetal Bovine Serum. Cells were then incubated at 37°C/5% CO₂. After 72hr incubation, cells were then harvested and utilized for analysis.

1. Gi-Coupled Receptors: Co-Transfection with Gs-Coupled Receptors

In the case of GPR30, it has been determined that this receptor couples the G protein Gi.

Gi is known to inhibit the enzyme adenylyl cyclase, which is necessary for catalyzing the conversion of ATP to cAMP. Thus, a non-endogenous, constitutively activated form of GPR30 would be expected to be associated with decreased levels of cAMP. Assay confirmation of a non-endogenous, constitutively activated form of GPR30 directly via measurement of decreasing levels of cAMP, while viable, can be preferably measured by cooperative use of a Gs-coupled receptor. For example, a receptor that is Gs-coupled will stimulate adenylyl cyclase, and thus will be associated with an increase in cAMP. The assignee of the present application has discovered that the orphan receptor GPR6 is an endogenous, constitutively activated GPCR. GPR6 couples to the Gs protein. Thus when co-transfected, one can readily verify that a putative GPR30-mutation leads to constitutive activation thereof: i.e., an endogenous, constitutively activated GPR6/endogenous, non-constitutively activated GPR30 cell will evidence an elevated level of cAMP when compared with an endogenous, constitutively active GPR6/non-endogenous, constitutively activated GPR30 (the latter evidencing a comparatively lower level of cAMP).

Assays that detect cAMP can be utilized to determine if a candidate compound is e.g., an inverse agonist to a Gs-associated receptor (i.e., such a compound would decrease the levels of cAMP) or a Gi-associated receptor (or a Go-associated receptor) (i.e., such a candidate compound would increase the levels of cAMP). A variety of approaches known in the art for measuring cAMP can be utilized; a preferred approach relies upon the use of anti-cAMP antibodies. Another approach, and most preferred, utilizes a whole cell second messenger reporter system assay. Promoters on genes drive the expression of the proteins that a particular gene encodes. Cyclic AMP drives gene expression by promoting the binding of a cAMP-responsive DNA binding protein or transcription factor (CREB) which then binds to the promoter at specific sites called cAMP response elements and drives the expression of the gene. Reporter systems can be constructed which have a promoter containing multiple cAMP response elements before the reporter gene, e.g., \$\beta\$-galactosidase or luciferase. Thus, an activated receptor such as GPR6 causes the accumulation of cAMP which then activates the gene and expression of the reporter protein. Most preferably, 293 cells are cotransfected with GPR6 (or another Gs-linked receptor) and GPR30 (or another Gi-linked receptor) plasmids, preferably in a 1:1 ratio, most preferably in a 1:4 ratio. Because GPR6 is an endogenous, constitutively active receptor that stimulates the production of cAMP, GPR6 strongly activates the reporter gene and its expression. The reporter protein such as β-galactosidase or luciferase can then be detected using standard biochemical assays (Chen et al. 1995). Cotransfection of endogenous, constitutively active GPR6 with endogenous, non-constitutively active GPR30 evidences an increase in the luciferase reporter protein. Conversely, co-transfection of endogenous, constitutively active GPR6 with non-endogenous, constitutively active GPR30 evidences a drastic decrease in expression of luciferase. Several reporter plasmids are known and available in the art for measuring a second messenger assay. It is considered well within the

skilled artisan to determine an appropriate reporter plasmid for a particular gene expression based primarily upon the particular need of the artisan. Although a variety of cells are available for expression, mammalian cells are most preferred, and of these types, 293 cells are most preferred. 293 cells were transfected with the reporter plasmid pCRE-Luc/GPR6 and non-endogenous, constitutively activated GPR30 using a Mammalian Transfection™ Kit (Stratagene, #200285) CaPO₄ precipitation protocol according to the manufacturer's instructions (*see*, 28 Genomics 347 (1995) for the published endogenous GPR6 sequence). The precipitate contained 400ng reporter, 80ng CMV-expression plasmid (having a 1:4 GPR6 to endogenous GPR30 or non-endogenous GPR30 ratio) and 20ng CMV-SEAP (a transfection control plasmid encoding secreted alkaline phosphatase). 50% of the precipitate was split into 3 wells of a 96-well tissue culture dish (containing 4X10⁴ cells/well); the remaining 50% was discarded. The following morning, the media was changed. 48 hr after the start of the transfection, cells were lysed and examined for luciferase activity using a Luclite™ Kit (Packard, Cat. # 6016911) and Trilux 1450 Microbeta™ liquid scintillation and luminescence counter (Wallac) as per the vendor's instructions. The data were analyzed using GraphPad Prism 2.0a (GraphPad Software Inc.).

With respect to GPR17, which has also been determined to be Gi-linked, a modification of the foregoing approach was utilized, based upon, *inter alia*, use of another Gs-linked endogenous receptor, GPR3 (*see* 23 Genomics 609 (1994) and 24 Genomics 391 (1994)). Most preferably, 293 cells are utilized. These cells were plated-out on 96 well plates at a density of 2 x 10⁴ cells per well and were transfected using Lipofectamine Reagent (BRL) the following day according to manufacturer instructions. A DNA/lipid mixture was prepared for each 6-well transfection as follows: 260ng of plasmid DNA in 100µl of DMEM were gently mixed with 2µl of lipid in 100µl of DMEM (the 260ng of plasmid DNA consisted of 200ng of a 8xCRE-Luc

15

20

reporter plasmid (see below), 50ng of pCMV comprising endogenous receptor or non-endogenous receptor or pCMV alone, and 10ng of a GPRS expression plasmid (GPRS in pcDNA3 (Invitrogen)). The 8XCRE-Luc reporter plasmid was prepared as follows: vector SRIF- β -gal was obtained by cloning the rat somatostatin promoter (-71/+51) at BgIV-HindIII site in the pβgal-Basic Vector (Clontech). Eight (8) copies of cAMP response element were obtained by PCR from an adenovirus template AdpCF126CCRE8 (see 7 Human Gene Therapy 1883 (1996)) and cloned into the SRIF- β -gal vector at the Kpn-BgIV site, resulting in the 8xCRE- β -gal reporter vector. The 8xCRE-Luc reporter plasmid was generated by replacing the beta-galactosidase gene in the 8xCRE-β-gal reporter vector with the luciferase gene obtained from the pGL3-basic vector (Promega) at the HindIII-BamHI site. Following 30min. incubation at room temperature, the DNA/lipid mixture was diluted with 400 µl of DMEM and 100µl of the diluted mixture was added to each well. 100 µl of DMEM with 10% FCS were added to each well after a 4hr incubation in a cell culture incubator. The next morning the transfected cells were changed with 200 µl/well of DMEM with 10% FCS. Eight (8) hours later, the wells were changed to 100 µl /well of DMEM without phenol red, after one wash with PBS. Luciferase activity were measured the next day using the LucLite™ reporter gene assay kit (Packard) following manufacturer instructions and read on a 1450 MicroBetaTM scintillation and luminescence counter (Wallac).

Figure 4 evidences that constitutively active GPR30 inhibits GPR6-mediated activation of CRE-Luc reporter in 293 cells. Luciferase was measured at about 4.1 relative light units in the expression vector pCMV. Endogenous GPR30 expressed luciferase at about 8.5 relative light units, whereas the non-endogenous, constitutively active GPR30 (L258K), expressed luciferase at about 3.8 and 3.1 relative light units, respectively. Co-transfection of endogenous GPR6 with endogenous GPR30, at a 1:4 ratio, drastically increased luciferase

10

expression to about 104.1 relative light units. Co-transfection of endogenous GPR6 with non-endogenous GPR30 (L258K), at the same ratio, drastically decreased the expression, which is evident at about 18.2 and 29.5 relative light units, respectively. Similar results were observed with respect to GPR17 with respect to co-transfection with GPR3, as set forth in Figure 5.

Example 3 ASSAYS FOR DETERMINATION OF CONSTITUTIVE ACTIVITY OF NON-ENDOGENOUS GPCRS

A. Membrane Binding Assays

1. [35S]GTPγS Assay

When a G protein-coupled receptor is in its active state, either as a result of ligand binding or constitutive activation, the receptor couples to a G protein and stimulates the release of GDP and subsequent binding of GTP to the G protein. The alpha subunit of the G protein-receptor complex acts as a GTPase and slowly hydrolyzes the GTP to GDP, at which point the receptor normally is deactivated. Constitutively activated receptors continue to exchange GDP for GTP. The non-hydrolyzable GTP analog, [35S]GTPγS, can be utilized to demonstrate enhanced binding of [35S]GTPγS to membranes expressing constitutively activated receptors. The advantage of using [35S]GTPγS binding to measure constitutive activation is that: (a) it is generically applicable to all G protein-coupled receptors; (b) it is proximal at the membrane surface making it less likely to pick-up molecules which affect the intracellular cascade.

The assay utilizes the ability of G protein coupled receptors to stimulate [35S]GTPγS binding to membranes expressing the relevant receptors. The assay can, therefore, be used in the direct identification method to screen candidate compounds to known, orphan and constitutively activated G protein-coupled receptors. The assay is generic and has application

to drug discovery at all G protein-coupled receptors.

The [35S]GTPγS assay was incubated in 20 mM HEPES and between 1 and about 20mM MgCl₂ (this amount can be adjusted for optimization of results, although 20mM is preferred) pH 7.4, binding buffer with between about 0.3 and about 1.2 nM [35S]GTPγS (this amount can be adjusted for optimization of results, although 1.2 is preferred) and 12.5 to 75 μg membrane protein (e.g. COS-7 cells expressing the receptor; this amount can be adjusted for optimization, although 75μg is preferred) and 1 μM GDP (this amount can be changed for optimization) for 1 hour. Wheatgerm agglutinin beads (25 μl; Amersham) were then added and the mixture was incubated for another 30 minutes at room temperature. The tubes were then centrifuged at 1500 x g for 5 minutes at room temperature and then counted in a scintillation counter.

A less costly but equally applicable alternative has been identified which also meets the needs of large scale screening. Flash platesTM and WallacTM scintistrips may be utilized to format a high throughput [35S]GTPγS binding assay. Furthermore, using this technique, the assay can be utilized for known GPCRs to simultaneously monitor tritiated ligand binding to the receptor at the same time as monitoring the efficacy via [35S]GTPγS binding. This is possible because the Wallac beta counter can switch energy windows to look at both tritium and 35S-labeled probes. This assay may also be used to detect other types of membrane activation events resulting in receptor activation. For example, the assay may be used to monitor 32P phosphorylation of a variety of receptors (both G protein coupled and tyrosine kinase receptors). When the membranes are centrifuged to the bottom of the well, the bound [35S]GTPγS or the 32P-phosphorylated receptor will activate the scintillant which is coated of the wells. Scinti® strips (Wallac) have been used to demonstrate this principle. In addition, the assay also has utility for measuring ligand binding to receptors using radioactively labeled ligands. In a similar manner, when the radiolabeled bound

15

20

ligand is centrifuged to the bottom of the well, the scintistrip label comes into proximity with the radiolabeled ligand resulting in activation and detection.

Representative results of graph comparing Control (pCMV), Endogenous APJ and Non-Endogenous APJ, based upon the foregoing protocol, are set forth in Figure 6.

2. Adenylyl Cyclase

A Flash Plate™ Adenylyl Cyclase kit (New England Nuclear; Cat. No. SMP004A) designed for cell-based assays was modified for use with crude plasma membranes. The Flash Plate wells contain a scintillant coating which also contains a specific antibody recognizing cAMP. The cAMP generated in the wells was quantitated by a direct competition for binding of radioactive cAMP tracer to the cAMP antibody. The following serves as a brief protocol for the measurement of changes in cAMP levels in membranes that express the receptors.

Transfected cells were harvested approximately three days after transfection. Membranes were prepared by homogenization of suspended cells in buffer containing 20mM HEPES, pH 7.4 and 10mM MgCl₂. Homogenization was performed on ice using a Brinkman Polytron™ for approximately 10 seconds. The resulting homogenate was centrifuged at 49,000 X g for 15 minutes at 4°C. The resulting pellet was then resuspended in buffer containing 20mM HEPES, pH 7.4 and 0.1 mM EDTA, homogenized for 10 seconds, followed by centrifugation at 49,000 X g for 15 minutes at 4°C. The resulting pellet can be stored at -80°C until utilized. On the day of measurement, the membrane pellet was slowly thawed at room temperature, resuspended in buffer containing 20mM HEPES, pH 7.4 and 10mM MgCL₂ (these amounts can be optimized, although the values listed herein are prefereed), to yield a final protein concentration of 0.60mg/ml (the resuspended membranes were placed on ice until use).

cAMP standards and Detection Buffer (comprising 2 μ Ci of tracer [125] cAMP (100 μ l] to

11 ml Detection Buffer) were prepared and maintained in accordance with the manufacturer's instructions. Assay Buffer was prepared fresh for screening and contained 20mM HEPES, pH 7.4, 10mM MgCl₂, 20mM (Sigma), 0.1 units/ml creatine phosphokinase (Sigma), 50 µM GTP (Sigma), and 0.2 mM ATP (Sigma); Assay Buffer can be stored on ice until utilized. The assay was initiated by addition of 50ul of assay buffer followed by addition of 50ul of membrane suspension to the NEN Flash Plate. The resultant assay mixture is incubated for 60 minutes at room temperature followed by addition of 100ul of detection buffer. Plates are then incubated an additional 2-4 hours followed by counting in a Wallac MicroBeta scintillation counter. Values of cAMP/well are extrapolated from a standard cAMP curve which is contained within each assay plate. The foregoing assay was utilized with respect to analysis of MIG.

B. Reporter-Based Assays

1. CREB Reporter Assay (Gs-associated receptors)

A method to detect Gs stimulation depends on the known property of the transcription factor CREB, which is activated in a cAMP-dependent manner. A PathDetect CREB trans
15 Reporting System (Stratagene, Catalogue # 219010) was utilized to assay for Gs coupled activity in 293 or 293T cells. Cells were transfected with the plasmids components of this above system and the indicated expression plasmid encoding endogenous or mutant receptor using a Mammalian Transfection Kit (Stratagene, Catalogue #200285) according to the manufacurer's instructions. Briefly, 400 ng pFR-Luc (luciferase reporter plasmid containing Gal4 recognition sequences), 40 ng pFA2-CREB (Gal4-CREB fusion protein containing the Gal4 DNA-binding domain), 80 ng CMV-receptor expression plasmid (comprising the receptor) and 20 ng CMV-SEAP (secreted alkaline phosphatase expression plasmid; alkaline phosphatase activity is measured in the media of transfected cells to control for variations in

transfection efficiency between samples) were combined in a calcium phosphate precipitate as per the Kit's instructions. Half of the precipitate was equally distributed over 3 wells in a 96-well plate, kept on the cells overnight, and replaced with fresh medium the following morning. Forty-eight (48) hr after the start of the transfection, cells were treated and assayed for luciferase activity as set forth with resepct to the GPR30 system, above. This assay was used with respect to GHSR.

2. AP1 reporter assay (Gq-associated receptors)

Ae method to detect Gq stimulation depends on the known property of Gq-dependent phospholipase C to cause the activation of genes containing AP1 elements in their promoter. A Pathdetect AP-1 cis-Reporting System (Stratagene, Catalogue # 219073) was utilized following the protocl set forth above with respect to the CREB reporter assay, except that the components of the calcium phosphate precipitate were 410 ng pAP1-Luc, 80 ng receptor expression plasmid, and 20 ng CMV-SEAP. This assay was used with respect to ETBR-LP2

C. Intracellular IP3 Accumulation Assay

On day 1, cells comprising the serotonin receptors (endogenous and mutated) were plated onto 24 well plates, usually 1×10^5 cells/well. On day 2 cells were transfected by firstly mixing 0.25 ug DNA in 50 ul serumfree DMEM/well and 2 ul lipofectamine in 50 µl serumfree DMEM/well. The solutions were gently mixed and incubated for 15-30 min at room temperature. Cells were washed with 0.5 ml PBS and 400 µl of serum free media was mixed with the transfection media and added to the cells. The cells were then incubated for 3-4 hrs at 37° C/5%CO₂ and then the transfection media was removed and replaced with 1ml/well of regular growth media. On day 3 the cells were labeled with 3 H-myo-inositol. Briefly, the media was removed the cells were washed with 0.5 ml PBS. Then 0.5 ml inositol-free/serumfree media (GIBCO BRL) was added/well with 0.25 µCi of 3 H-myo-inositol/well

and the cells were incubated for 16-18 hrs o/n at 37°C/5%CO2. On Day 4 the cells were washed with 0.5 ml PBS and 0.45 ml of assay medium was added containing inositolfree/serum free media 10 µM pargyline 10 mM lithium chloride or 0.4 ml of assay medium and 50 ul of 10x ketanserin (ket) to final concentration of 10µM. The cells were then incubated for 30 min at 37°C. The cells were then washed with 0.5 ml PBSand 200 ul of fresh/icecold stop solution (1M KOH; 18 mM Na-borate; 3.8 mM EDTA) was added/well. The solution was kept on ice for 5-10 min or until cells were lysed and then neutralized by 200 µl of fresh/ice cold neutralization sol. (7.5 % HCL). The lysate was then transferred into 1.5 ml eppendorf tubes and 1 ml of chloroform/methanol (1:2) was added/tube. The solution was vortexed for 15 sec and the upper phase was applied to a Biorad AG1-X8 anion exchange resin (100-200 mesh). Firstly, the resin was washed with water at 1:1.25 W/V and 0.9 ml of upper phase was loaded onto the column. The column was washed with 10 mls of 5 mM myo-inositol and 10 ml of 5 mM Na-borate/60mM Na-formate. The inositol tris phosphates were eluted into scintillation vials containing 10 ml of scintillation cocktail with 2 ml of 0.1 M formic acid/ 1 M ammonium formate. The columns were regenerated by washing with 10 ml of 0.1 M formic acid/3M ammonium formate and rinsed twice with dd H₂O and stored at 4°C in water.

Figure 7 provides an illustration of IP3 production from the human 5-HT_{2A} receptor that incorporates the C322K mutation. While these results evidence that the Proline Mutation Algorithm approach constitutively activates this receptor, for purposes of using such a receptor for screening for identification of potential therapeutics, a more robust difference would be preferred. However, because the activated receptor can be utilized for understanding and elucidating the role of constitutive activation and for the identification of compounds that

can be further examined, we believe that this difference is itself useful in differentiating between the endogenous and non-endogenous versions of the human 5HT_{2A} receptor.

D. Result Summary

The results for the GPCRs tested are set forth in Table E where the Per-Cent Increase indicates the percentage difference in results observed for the non-endogenous GPCR as compared to the endogenous GPCR; these values are followed by parenthetical indications as to the type of assay utilized. Additionally, the assay sytem utilized is parenthetically listed (and, in cases where different Host Cells were used, both are listed). As these results indicate, a variety of assays can be utilized to determine constitutive activity of the non-endogenous versions of the human GPCRs.

Those skilled in the art, based upon the foregoing and with reference to information available to the art, are creditied with theability to selelect and/ot maximize a particular assay approach that suites the particular needs of theinvestigator.

Table E

	Receptor Identifier	Per-Cent Difference
15	(Codon Mutation)	
	GPR17	74.5
	(V234K)	(CRE-Luc)
	GPR30	71.6
	(L258K)	(CREB)
20	APJ	49.0
	(L247K)	(GTP _γ S)
*	ETBR-LP2	48.4(AP1-Luc - 293)
	(N358K)	61 1(AP1-Luc = 293T)

GHSR	58.9(CREB - 293)
(V262K)	35.6(CREB - 293T)

20

25

MIG	39 (cAMP)
(I230K)	'
Serotonin 5HT _{2A}	33.2 (IP ₃)
(C322K)	
Serotonin 5HT _{2C}	39.1(IP ₃)
(S310K)	

Example 6

Tissue Distribution of Endogenous Orphan GPCRs

Using a commercially available human-tissue dot-blot format, endogenous orphan GPCRs were probed for a determination of the areas where such receptors are localized. Except as indicate below, the entire receptor cDNA (radiolabelled) was used as the probe: radiolabeled probe was generated using the complete receptor cDNA (excised from the vector) using a Prime-It II™ Random Primer Labeling Kit (Stratagene, #300385), according to manufacturer's instructions. A human RNA Master Blot™ (Clontech, #7770-1) was hybridized with the GPCR radiolabeled probe and washed under stringent conditions according manufacturer's instructions. The blot was exposed to Kodak BioMax Autoradiography film overnight at -80°C.

Representative dot-blot format results are presented in Figure 8 for GPR1 (8A), GPR30 (8B), and APJ (8C), with results being summarized for all receptors in Table F

Table F

20

10

GPCR	Tissue Distribution
	(highest levels, relative to other tissues in
	the dot-blot)
GPR1	Placenta, Ovary, Adrenal

GPR4	Denode highest in YTand T. A.1. 1	
GFR4	Broad; highest in Heart, Lung, Adrenal,	
CDDS	Thyroid, Spinal Cord	
GPR5	Placenta, Thymus, Fetal Thymus	
CDD 7	Lesser levels in spleen, fetal spleen	
GPR7	Liver, Spleen, Spinal Cord, Placenta	
GPR8	No expression detected	
GPR9-6	Thymus, Fetal Thymus	
	Lesser levels in Small Intestine	
GPR18	Spleen, Lymph Node, Fetal Spleen, Testis	
GPR20	Broad	
GPR21	Broad; very low abundance	
GPR22	Heart, Fetal Heart	
·	Lesser levels in Brain	
GPR30	Stomach	
GPR31	Broad	
BLR1	Spleen	
CEPR	Stomach, Liver, Thyroid, Putamen	
EBI1	Pancreas	
	Lesser levels in Lymphoid Tissues	
EBI2	Lymphoid Tissues, Aorta, Lung, Spinal Cord	
ETBR-LP2	Broad; Brain Tissue	
GPCR-CNS	Brain	
	Lesser levels in Testis, Placenta	
GPR-NGA	Pituitary	
	Lesser levels in Brain	
Н9	Pituitary	
HB954	Aorta, Cerebellum	
	Lesser levels in most other tissues	
HM74	Spleen, Leukocytes, Bone marrow, Mammary	
	Glands, Lung, Trachea	
MIG	Low levels in Kidney, Liver, Pancreas, Lung,	
	Spleen	
ORG1	Pituitary, Stomach, Placenta	
V28	Brain, Spleen, Peripheral Leukocytes	
	, , , , , , , , , , , , , , , , , , ,	

Based upon the foregoing information, it is noted that human GPCRs can also be assessed for distribution in diseased tissue; comparative assessments between "normal" and diseased tissue can then be utilized to determine the potential for over-expression or under-expression of a particular receptor in a diseased state. In those circumstances where it is desirable to utilize the non-endogenous versions of the human GPCRs for the purpose of screening to directly identify

5

10

15

20

25

candidate compounds of potential therapeutic relevance, it is noted that inverse agonists are useful in the treatment of diseases and disorders where a particular human GPCR is over-expressed, whereas agonists or partial agonists are useful in the treatment of diseases and disorders where a particular human GPCR is under-expressed.

As desired, more detailed, cellular localization of the recepotrs, using techniques well-known to those in the art (e.g., in-situ hybridization) can be utilized to identify particular cells within these tissues where the receptor of interest is expressed.

It is intended that each of the patents, applications, and printed publications mentioned in this patent document be hereby incorporated by reference in their entirety.

As those skilled in the art will appreciate, numerous changes and modifications may be made to the preferred embodiments of the invention without departing from the spirit of the invention. It is intended that all such variations fall within the scope of the invention.

Although a variety of expression vectors are available to those in the art, for purposes of utilization for both the endogenous and non-endogenous human GPCRs, it is most preferred that the vector utilized be pCMV. This vector has been deposited with the American Type Culture Collection (ATCC) on October 13, 1998 (10801 University Blvd., Manassas, VA 20110-2209 USA) under the provisions of the Budapest Treaty for the International Recognition of the Deposit of Microorganisms for the Purpose of patent Procedure. The vector was tested by the ATCC on _______, 1998 and determined to be viable on _______, 1998. The ATCC has assigned the following deposit number to pCMV: _______.

PCT/US99/23938

- 72 -

CLAIMS

What is claimed is:

1. A constitutively active, non-endogenous version of an endogenous human orphan G protein-coupled receptor (GPCR) comprising the following amino acid residues (carboxy-terminus to amino-terminus orientation) transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the non-endogenous GPCR:

P1 AA15 X

wherein:

- (1) P¹ is an amino acid residue located within the TM6 region of the nonendogenous GPCR, where P¹ is selected from the group consisting of (i) the endogenous orphan GPCR proline residue, and (ii) a nonendogenous amino acid residue other than proline;
- of (a) the 15 endogenous amino acid residues of the endogenous orphan GPCR, (b) 15 non-endogenous amino acid residues, and (c) a combination of 15 amino acid residues, the combination comprising at least one endogenous amino acid residue of the endogenous orphan GPCR and at least one non-endogenous amino acid residue, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the GPCR is proline; and
- (2) X is a non-endogenous amino acid residue located within the IC3 region of said non-endogenous GPCR.
- 2. The non-endogenous human GPCR of claim 1 wherein P¹ is the endogenous proline

10

15

20

residue.

- The non-endogenous human GPCR of claim! wherein P¹ is a non-endogenous amino acid residue other than a proline residue.
- 4. The non-endogenous human GPCR of claim 1 wherein AA₁₅ are the 15 endogenous amino acid residues of the endogenous GPCR.
- 5. The non-endogenous human GPCR of claim 1 wherein X is selected from the group consisting of lysine, hisitidine, arganine and alanine residues, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is selected from the group consisting of histidine, arginine and alanine.
- The non-endogenous human GPCR of claim 1 wherein X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is an amino acid other than lysine.
- 7. The non-endogenous human GPCR of claim 4 wherein X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR
 15 is lysine, X is an amino acid other than lysine.
 - 8. The non-endogenous, human GPCR of claim 1 wherein P¹ is a proline residue and X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is an amino acid other than lysine.
 - 9. A host cell comprising the non-endogenous human GPCR of claim 1.
- 20 10. The material of claim 9 wherein said host cell is of mammalian origin.
 - 11. The non-endogenous human GPCR of claim 1 in a purified and isolated form.
 - 12. A nucleic acid sequence encoding a constitutively active, non-endogenous version of an endogenous human orphan G protein-coupled receptor (GPCR) comprising the following

nucleic acid sequence region transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the orphan GPCR:

wherein:

5

(1) P^{codon} is a nucleic acid encoding region within the TM6 region of the non-endogenous GPCR, where P^{codon} encodes an amino acid selected from the group consisting of (i) the endogenous GPCR proline residue, and (ii) a non-endogenous amino acid residue other than proline;

10

(2) (AA-codon)₁₅ are 15 codons encoding 15 amino acid residues selected from the group consisting of (a) the 15 endogenous amino acid residues of the endogenous orphan GPCR, (b) 15 non-endogenous amino acid residues, and (c) a combination of 15 amino acid residues, the combination comprising at least one endogenous amino acid residue of the endogenous orphan GPCR and at least one non-endogenous amino acid residue, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the orphan GPCR is proline; and

15

(3) X_{codon} is a nucleic acid encoding region residue located within the IC3 region of said non-endogenous human GPCR, where X_{codon} encodes a non-endogenous amino acid.

20

- 13. The nucleic acid sequence of claim 12 wherein P^{codon} encodes an endogenous proline residue.
- 14. The nucleic acid sequence of claim 12 wherein P^{codon} encodes a non-endogenous

10

- amino acid residue other than a proline residue.
- 15. The nucleic acid sequence of claim 12 wherein X_{codon} encodes a non-endogenous amino acid selected from the group consisting of lysine, histidine, arginine and alanine, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X_{codon} encodes an amino acid selected from the group consisiting of histidine, arginine and alanine.
- 16. The nucleic acid sequence of claim 13 wherein X_{codon} encodes a non-endogenous lysine amino acid excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X_{codon} encodes an amino acid selected from the group consisiting of histidine, arginine and alanine.
- 17. The nucleic acid sequence of claim 12 wherein X_{codon} is selected from the group consisting of AAA, AAG, GCA, GCG, GCC and GCU.
- 18. The nucleic acid sequence of claim 12 wherein X_{codon} is selected from the group consisting of AAA and AAG.
- 15 19. The nucleic acid sequence of claim 12 wherein P^{codon} is selected from the group consisting of CCA, CCC, CCG and CCU, and X_{codon} is selected from the group consisting of AAA and AAG.
 - 20. A vector comprising the nucleic acid sequence of claim 12.
 - 21. A plasmid comprising the nucleic acid sequence of claim 12.
- 20 22. A host cell comprising the nucleic acid sequence of claim 21.
 - 23. The nucleic acid sequence of claim 12 in a purified and isolated form.
 - 24. A method for selecting for alteration an endogenous amino acid residue within the third intracellular loop of a human G protein-coupled receptor ("GPCR"), said receptor

comprising a transmembrane 6 region and an intracellular loop 3 region, which endogenous amino acid, when altered to a non-endogenous amino acid, constitutively activates said human GPCR, comprising the following steps:

- (a) identifying an endogenous proline residue within the transmembrane 6 region of a human GPCR;
- (b) identifying, by moving in a direction of the carboxy-terminus region of said GPCR towards the amino-terminus region of said GPCR, the endogenous, 16th amino acid residue from said proline residue;
- (c) altering the endogenous residue of step (b) to a non-endogenous amino acid

 residue to create a non-endogenous version of an endogenous human GPCR;

 and
 - (d) determining whether the non-endogenous human GPCR of step (c) is constitutively active.
- The method of claim 24 wherein the amino acid residue that is two residues from said proline residue in the transmembrane 6 region, in a carboxy-terminus to aminoterminus direction, is tryptophan.
 - 26. A constitutively active, non-endogenous human GPCR produced by the process of claim 24.
- A constitutively active, non-endogenous human GPCR produced by the process ofclaim 25.
 - 28. An algorithmic approach for creating a non-endogenous, constitutively active version of an endogenous human G protein coupled receptor (GPCR), said endogenous GPCR comprising a transmembrane 6 region and an intracellular loop 3 region, the


algorithmic approach comprising the steps of:

- (a) selecting an endogenous human GPCR comprising a proline residue in the transmembrane-6 region;
- identifying, by counting 16 amino acid residues from the proline residue of step (a), in a carboxy-terminus to amino-terminus direction, an endogenous amino acid residue;
- (c) altering the identified amino acid residue of step (b) to a non-endogenous amino acid residue to create a non-endogenous version of the endogenous human GPCR; and
- 10 (d) determining if the non-endogenous version of the endogenous human GPCR of step (c) is constitutively active.
 - 29. The algorithmic approach of claim 28 wherein the amino acid residue that is two residues from said proline residue in the transmembrane 6 region, in a carboxy-terminus to amino-terminus direction, is tryptophan.
- 15 30. A constitutively active, non-endogenous human GPCR produced by the algorithmic approach of claim 28.
 - 31. A constitutively active, non-endogenous human GPCR produced by the algorithmic approach of claim 29.
- 32. A method for directly identifying a compound selected from the group consisting of inverse agonists, agonists and partial agonists to a non-endogenous, constitutively activated human G protein coupled receptor, said receptor comprising a transmembrane-6 region and an intracellular loop-3 region, comprising the steps of:
 - (a) selecting an endogenous human GPCR;

- (b) identifying a proline residue within the transmembrane-6 region of the GPCR of step (a);
- (c) identifying, in a carboxy-terminus to amino-terminus direction, the endogenous, 16th amino acid residue from the proline residue of step (b);
- 5 (d) altering the endogenous amino acid of step (c) to a non-endogenous amino acid;
 - (e) confirming that the non-endogenous GPCR of step (d) is constitutively active;
 - (f) contacting a candidate compound with the non-endogenous, constitutivelyactivated GPCR of step (e); and
- 10 (g) determining, by measurement of the compound efficacy at said contacted receptor, whether said compound is an inverse agonist, agonist or partial agonist of said receptor.
 - 33. The method of claim 32 wherein the non-endogenous amino acid of step (d) is lysine.
 - 34. A compound directly identified by the method of claim 32.
- 15 35. The method of claim 32 wherein the directly identified compound is an inverse agonist.
 - 36. The method of claim 32 wherein the directly identified compound is an agonist.--
 - The method of claim 32 wherein the directly identified compound is a partial agonist.
 - 38. A composition comprising the inverse agonist of claim 35.
- 20 39. A composition comprising the agonist of claim 36.
 - 40. A composition comprising the partial agonist of claim 37.
 - 41. A method for directly identifying an inverse agonist to a non-endogenous,

constitutively activated human G protein coupled receptor ("GPCR"), said GPCR comprising a transmembrane-6 region and an intracellular loop-3 region, comprising the steps of:

- (a) selecting an endogenous human GPCR;
- (b) identifying a proline residue within the transmembrane-6 region of the GPCR of step (a);
- (c) identifying, in a carboxy-terminus to amino-terminus direction, the endogenous, 16th amino acid residue from the proline residue of step (b);
- (d) altering the endogenous amino acid of step (c) to a non-endogenous lysine residue;
- (e) confirming that the non-endogenous GPCR of step (d) is constitutively active;
- 10 (f) contacting a candidate compound with the non-endogenous, constitutivelyactivated GPCR of step (e); and
 - (g) determining, by measurement of the compound efficacy at said contacted receptor, whether said compound is an inverse agonist of said receptor.
 - 42. An inverse agonist directly identified by the method of claim 37.
- 15 43. A composition comprising an inverse agonist of claim 38.



EXTRACELLULAR




FIGURE 2

pCMV Sequence and Restriction Site





FIGURE 3A

TTTGCTCAGAAGAAATGCCATCTAGTGATGATGAGGCTACTGCTGACCTCTCAACATTCTACTCCTCCAAAAAAAGAAGAAGA AAACGAGTCTTCTTTACGGTAGATCACTACTCCGATGACGACTGAGAGTTGTAAGATGAGGAGGTTTTTTCTTCTCT LLRRNAI...GTC.LSTFYSSIFCSEEMPSSDDEATADSQHSTPP K K K FAOKKCHLVHMRLLLTLNILLOKRRE KSLLFAM. HHHP. QQSEVN. EELF QESSIGDLSSSAVASE. CEYGGF KA. FFHWRTIILSSSVRLMRSRWF EELF Sty I AAGGTAGAAGACCCCAAGGACTTTCCTTCAGAATTGCTAAGTTTTTTGAGTCATGCTGTGTTTAGTAATAGAACTCTTGC TTCCATCTTCTGGGGTTCCTGAAAGGAAGTCTTAACGATTCAAAAAAACTCAGTACGACACAAATCATTATCTTGAGAACG K G R R P Q G L S F R I A K F F E S C C V . . . I K V E D P K D F P S E L L S F L S H A V F S N R R . K T P R T F L Q N C . V F . V M L C L V I E VIELL PLLGWPSEKLIALNKSDHQT.YYFEQ TSSGLSKGESNSLKKL.ATNLLLVRA TSSGLSKGESNSLKKL.ATNLLLVRA TTGCTTTGCTATTTACACCACAAAGGAAAAAGCTGCACTGCTATACAAGAAAATTATGGAAAAAATATTCTGTAACCTTTA + 560 AACGAAACGATAAATGTGGTGTTTCCTTTTTCGACGTGACGATATGTTCTTTTAATACCTTTTTATAAGACATTGGAAAT LLCYLHHKGKSCTAIQENYGKIF CFAIYTTKEKAALLYKKIMEKYS LALLFTPQRKKLHCYTRKLWKNIL K C W L P F L Q V A I C S F ... PFINGL Y L F I I S F Y E T V K V L F N H F F 'I R Y G K S S Y V G C L F F S C Q. AKSN Asel TAAGTAGGCATAACAGTTATAATCATAACATACTGTTTTTTCTTACTCCACACAGGCATAGAGTGTCTGCTATTAATAAC ATTCATCCGTATTGTCAATATTAGTATTGTATGACAAAAAAGAATGAGGTGTGTCCGTATCTCACAGACGATAATTATTG OL.S.HTVFSYSTOA.S HNSYNHNILFFLTPHRHRV ITVIIITYCFFLLHTGIE HRHRV SAI C Y A Y C N Y D Y C V T K E . E V C A Y L T Q . . Y S L C L L . L . H S N K R V G C L C L T D A I L L I P M V T I I M V Y Q K K K S W V P M S H R S N I V · Rsa I TATGCTCAAAAATTGTGTACCTTTAGCTTTTTAATTTGTAAAGGGGTTAATAAGGAATATTTGATGTATAGTGCCTTGAC ATACGAGTTTTTAACACATGGAAATCGAAAAATTAAACATTTCCCCAATTATTCCTTATAAACTACATATCACGGAACTG S GIFDV CLD VNKEYLMYSALT CSKIVYL.LFNL YAQKLCTFSFLI HLKNCVPLAF.F N L c K G ν P . FYKGLIRNI. HEFITYR. SKLKYLP. YPINSTYHRS A.FNHVKLKKIQLPTLLSYKIYLAKV ISLFQTGKAK. NTFPNILFIQHITGQS FIGURE 3B








FIGURE 3D




Hae III	Hae III	Hae III
TGAGCAAAAGGCCAGCAAA	AGGCCAGGAACCGTA	AAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGA
ACTCGTTTTCCGGTCGTTT	CCGGTCCTTGGCAT	TTTTCCGGCGCAACGACCGCAAAAAGGTATCCGAGGCGGGGGGACT
AKGQQQ EQKASK VSKRPAK	R P G T V	K K A A L L A F F H R L R P P D K R P R C W R F S I G S A P L K G R V A G V F P . A P P P .
HAFPWCF SCFALL LLGAF		FAANSANKWLSRGGS FLGRQQRKEMPEAGRV FPRTAPTKGYAGGGQ
		TGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTG
GCTCGTAGTGTTTTTAGCT	GCGAGTTCAGTCTCC	ACCGCTTTGGGCTGTCCTGATATTTCTATGGTCCGCAAAGGGGGAC
EHHKNR TSITK!D RASOKS	RSSQR AQVRG TLKSE	
L M V F I S R A D C F D V	A. T.L.P.	
		GCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTG 1920 CGGCGAATGGCCTATGGACAGGCGGAAAGAGGGAAGCCCTTCGCAC
	L L F R P S C S D P	C R L P D T C P P F S L R E A W A A Y R I P V R L S P F G K R
0	PNRGC	GSVPYRDAKRGEPLT DRKGSVQGGKERRSAH AA. RIGTRREGKPFRP
		Apal I
		AGTTCGGTGTAGGTCGTTCGCTCCAAGCTGGGCTGTGTGCACGAACC 2000 TCAAGCCACATCCAGCAAGCGAGGTTCGACCCGACACACGTGCTTGG
ALSQCS RFLNAH GAFSMLT	AVGIS	SSV. V ^A VRSKLGCVHEP VRCRSFAPSWAVCTN JFGVGRSLQAGLCART
,	QLYRU ATPIE SYTD	ETYTTRELSPOTCS G TRHLDNAGLOATH V F G
•		,Nai I
CCCCGTTCAGCCCGACCGC	TGCGCCTTATCCGG	TAACTATEGTETTGAGTECAACEGGTAAGACACGACTTATEGECAE
		ATTGATAGCAGAACTCAGGTTGGGCCATTCTGTGCTGAATAGCGGTG
PVQPDR PPFSPTA PRSARP	C A L S G	NYRLESNPYRHDLSP
GT. GSR GNLGVA GREARGS	Q A K D P A G . G T	L RRSDLGTLCSKDGS VITKLGVRYSVV.RW YSDDQTWGPLVRSIAV FIGURE 3

Hae III TGGCAGCAGCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAAC + 2160 ACCRTCGTCGGTGACCATTGTCCTAATCGTCTCGCTCCATACATCCGCCACGATGTCTCAAGAACTTCACCACCGGATTG GNRISRARY V GGATEF V T G L A E R G M . A V L Q S . Q D . Q S E V C R R C Y R V G G A T E F L K W W P.N 0 0 P L S S GGLT A A A V P L I L A L Q C C G S T V P N A S R P U O Y C S . C L S T Y A T S C L E Q STHLRH. TRS TTA. TACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTC + 2240 ATGCCGATGTGATCTTCCTGTCATAAACCATAGACGCGAGACGACTTCGGTCAATGGAAGCCTTTTTCTCAACCATGGAG CALLKPVTFGKRVG ALC.SQLPSEKELV Y G Y T R R T V T A T L E G Q Y 1 A L C . S Q L P R S A E A S Y L S RKKS K D S IWYL NPICARSFG T D A S Q Q L W N G E S F LQYS Q RREASA RRF + 2320 AGSGGF F V C K Q Q I T R R K K F A V V F L R W F F C L D P. A. N. K. P. P ASSRLRAEKKD V A L Q A A D Y A Q RQT NHRW. R Q YRHNKQKCAAS ACF BspH I CTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTGGTCATG 2400 GAGTTCTTCTAGGAAACTAGAAAAGATGCCCCAGACTGCGAGTCACCTTGCTTTTGAGTGCAATTCCCTAAAACCAGTAC G S D A Q W N E N S R G L T L S G T K T H \ ¨Τ ̈́H ̈̈V K GLT G F S S F R ŔSVERK T L R D F S S G K I K E V P D S A . F I R O D K R R P R V S L HFSFER RLF P TQRETSRFSVN ELLD KSRK. LSKP. Dra I Dra 1 R L S K R I F T . I L L N . K . S F K S I . D Y Q K G S S P R S F . I K N E V L N Q S I I K K D L H L D P F K L K M K F . I N L KY EIIKKDLHLD N L FHLKL LIYS IRKF ÐК F P D E G L ILF DLTYIL F. UL ' ' .
ILRFYIH SGK LNFIFN.


FIGURE 36






Apal I ACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTTACTTTCACCAGCGTTT 3280 TGGCGACAACTCTAGGTCAAGCTACATTGGGTGAGCACGTGGGTTGACTAGAAGTCGTAGAAAATGAAAGTGGTCGCAAA PTRAPN. SSASFTFT CNPLVHPTDLQHLLLSP VTHSCTQLIFSIFYFH (Y R C . D P V R C N P L T A V E I Q F D V T H S V R A G L Q D E A D K V K STCGVSR.CRK EHVWS1KLMK. G S T C CTGGGTGAGCAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGAATAAGGGCGAACACGGAAATGTTGAATACTCATACTC GACCCACTCGTTTTTGTCCTTCCGTTTTACGGCGTTTTTTCCCTTATTCCCGCTGTGCCTTTACAACTTATGAGTATGAG L G E Q K Q E G K H P Q K R E EGK H P Q K R E . G R | K A K C R K K G N K G D T E M L N T H T PHAFVPLC FAAFFPILAVRFHQISMS CSPLIGCFLSYPR LFAFHRLFPFLPS CPF LPSVSINF Hinc II Spe I Asel TTCCTTTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGCGCGTTGACATTGATTATTGACTAGTTATTAA AAGGAAAAAGTTATAATAACTTCGTAAATAGTCCCAATAACAGAGTACGCGCAACTGTAACTAATAACTGATCAATAATT FLFQYY, SIYQGYCLMRVDIDY, LVI SFFNIIEAFIRVIVSCALTLIID. LL LPFSILLKHLSGLLSHAR. H. LLTSY. CRK.Y.QLM..P.QRMRTSMS.QST EKKLIISANILTITEHANVNIIS.N GKEINNFCKDPNND.ARQCQNNVL. Hae III Bgl I TAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCC ATCATTAGTTAATGCCCCAGTAATCAAGTATCGGGTATATACCTCAAGGCGCAATGTATTGAATGCCATTTACCGGGCGG VINYGY 1 S S G V P R Y I T Y G K P SITGSLVH SPYMEFRV Τ. N G P P LL.NRP..NMAWIHLEANCLKRYI TIL.PTMLEYGMYPTGR.MV.PLH YYDIVPDNT.LGYISNRTVYSVTF I A RR HGA

Aat II TGGCTGACCGCCCAACGACCCCCCCCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCC ACCGACTGGCGGGTTGCTGGGGGGGGGGTAACTGCAGTTATTACTGCATACAAGGGTATCATTGCGGTTATCCCTGAAAGG A D R P T T P A H . R O . . R M F W L T A Q R P P P I D V N N D V C : G . P P N D P R P L T S I M T Y V Y H R I N G . Y GGGMSTLLSTHE G M T V G I P POGGLSGRGN A D I I A Bgl I Rsa I Aat Ji ATTGACGTCAATGGGTGGACTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCC TAACTGCAGTTACCCACCTGATAAATGCCATTTGACGGGTGAACCGTCATGTAGTTCACATAGTATACGGTTCATGCGGG L F T V N C P L G S T S S V S Y A K Y A Y L R . T A H L A V H Q V Y H M P S T P PLSGVQCYMLHIMHW TFQGSPLVDLTDYAL RYVAWKATC.TY.IG H S T L P H V I . ! OR. HIS. KRYVAWKATC. Rsa I Hae III Bgil Aat II CCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCA GIM MPST.PYGTFL LCPVHDLMGLS YAQYMTLWDFP ALCP PY ROR. PIDVNDGK RNVDIVTFPGGPMIGLVHG.PVKRSP QR.HRYIARRANHGTCSRIPSE.K GISTLSPLHGAQC.AWYMVKHSKGVQ Nco I BsaA I Sty I SnaB I GTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTG CGFGSTSMG H L R I S H R Y Y H G D A V L A V H Q W A W I I Y V L V I A I T H V H R F W Q Y I N G R G . V D V Y . D D S N G H H H P K P L V D I P T S L P C R R I L . R . . W P S A T K A T C . H A H I A T L.R. WPSATKAT TMAIVMTIRNQCY C. HAH MLPRP






Expression plamid

FIGURE 4








FIGURE 6




FIGURE 1

FIGURE 8A





FIGURE 8B






FIGURE 8C

PCT/US99/23938

40

1

SEQUENCE LISTING

```
(1) GENERAL INFORMATION:
                            Behan, Dominic P.
          (i) APPLICANT:
                            Chalmers, Derek T.
                            Liaw, Chen W.
5
                                        Non-Endogenous, Constitutively
          (ii) TITLE OF INVENTION:
                                        Activated Human G Protein-Coupled
                                        Orphan Receptors
          (iii) NUMBER OF SEQUENCES: 280
10
          (iv) CORRESPONDENCE ADDRESS:
              (A) ADDRESSEE: Arena Pharmaceuticals, Inc.
                                 6166 Nancy Ridge Drive
              (B) STREET:
                               San Diego
              (C) CITY:
                                 CA
               (D) STATE:
15
                                 USA
               (E) COUNTRY:
                                  92122
              (F) ZIP:
           (v) COMPUTER READABLE FORM:
               (A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
               (B) COMPUTER:
20
               (C) OPERATING SYSTEM: PC-DOS/MS-DOS
               (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
           (vi) CURRENT APPLICATION DATA:
               (A) APPLICATION NUMBER: US
               (B) FILING DATE:
25
               (C) CLASSIFICATION:
           (viii) ATTORNEY/AGENT INFORMATION:
               (A) NAME: Burgoon, Richard P.
               (B) REGISTRATION NUMBER: 34,787
           (ix) TELECOMMUNICATION INFORMATION:
30
               (A) TELEPHONE: (619) 453-7200
                                   (619) 453-7210
               (B) TELEFAX:
     (2) INFORMATION FOR SEQ ID NO:1:
           (i) SEQUENCE CHARACTERISTICS:
               (A) LENGTH: 1068 base pairs.
35
               (B) TYPE: nucleic acid
               (C) STRANDEDNESS: single
                (D) TOPOLOGY: linear
            (ii) MOLECULE TYPE: DNA (genomic)
```

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

	TATTACTCTC	TGGAGTCTGA	TTTGGAGGAG	AAAGTCCAGC	TGGGAGTTGT	TCACTGGGTC	120
	TCCCTGGTGT	TATATTGTTT	GGCTTTTGTT	CTGGGAATTC	CAGGAAATGC	CATCGTCATT	180
	TGGTTCACGG	GGCTCAAGTG	GAAGAAGACA	GTCACCACTC	TGTGGTTCCT	CAATCTAGCC	240
	ATTGCGGATT	TCATTTTCT	TCTCTTTCTG	CCCCTGTACA	TCTCCTATGT	GGCCATGAAT	300
5	TTCCACTGGC	CCTTTGGCAT	CTGGCTGTGC	AAAGCCAATT	CCTTCACTGC	CCAGTTGAAC	360
	ATGTTTGCCA	GTGTTTTTT	CCTGACAGTG	ATCAGCCTGG	ACCACTATAT	CCACTTGATC	420
	CATCCTGTCT	TATCTCATCG	GCATCGAACC	CTCAAGAACT	CTCTGATTGT	CATTATATTC	480
	ATCTGGCTTT	TGGCTTCTCT	AATTGGCGGT	CCTGCCCTGT	ACTTCCGGGA	CACTGTGGAG	540
	TTCAATAATC	ATACTCTTTG	CTATAACAAT	TTTCAGAAGC	ATGATCCTGA	CCTCACTTTG	600
0	ATCAGGCACC	ATGTTCTGAC	TTGGGTGAAA	TTTATCATTG	GCTATCTCTT	CCCTTTGCTA	660
	ACAATGAGTA	TTTGCTACTT	GTGTCTCATC	TTCAAGGTGA	AGAAGCGAAC	AGTCCTGATC	720
	TCCAGTAGGC	ATTTCTGGAC	AATTCTGGTT	GTGGTTGTGG	CCTTTGTGGT	TTGCTGGACT	780
	CCTTATCACC	TGTTTAGCAT	TTGGGAGCTC	ACCATTCACC	ACAATAGCTA	TTCCCACCAT	840
	GTGATGCAGG	CTGGAATCCC	CCTCTCCACT	GGTTTGGCAT	TCCTCAATAG	TTGCTTGAAC	900
15	CCCATCCTTT	ATGTCCTAAT	TAGTAAGAAG	TTCCAAGCTC	GCTTCCGGTC	CTCAGTTGCT	960
	GAGATACTCA	AGTACACACT	GTGGGAAGTC	AGCTGTTCTG	GCACAGTGAG	TGAACAGCTC	1020
	AGGAACTCAG	AAACCAAGAA	TCTGTGTCTC	CTGGAAACAG	CTCAATAA		1068

(3) INFORMATION FOR SEQ ID NO:2:

20

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 355 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Glu Asp Leu Glu Glu Thr Leu Phe Glu Glu Phe Glu Asn Tyr Ser

Tyr Asp Leu Asp Tyr Tyr Ser Leu Glu Ser Asp Leu Glu Glu Lys Val 20 25 30

30 Gln Leu Gly Val Val His Trp Val Ser Leu Val Leu Tyr Cys Leu Ala 35 40 45

	Phe	Val 50	Leu	Gly	Ile	Pro	Gly 55	Asn	Ala	Ile	Val	Ile 60	Trp	Phe	Thr	Gly
	Leu 65	Lys	Trp	Lys	Lys	Thr 70	Val	Thr	Thr	Leu	Trp 75	Phe	Leu	Asn	Leu	Ala 80
5	Ile	Ala	Asp	Phe	Ile 85	Phe	Leu	Leu	Phe	Leu 90	Pro	Leu	Tyr	Ile	Ser 95	Tyr
	Val	Ala	Met	Asn 100	Phe	His	Trp	Pro	Phe 105	Gly	Ile	Trp	Leu	Cys 110	Lys	Ala
10	Asn	Ser	Phe 115	Thr	Ala	Gln	Leu	Asn 120	Met	Phe	Ala	Ser	Val 125	Phe	Phe	Leu
	Thr	Val 130	Ile	Ser	Leu	Asp	His 135	Tyr	Ile	His	Leu	Ile 140	His	Pro	Val	Leu
	Ser 145	His	Arg	His	Arg	Thr 150	Leu	Lys	Asn	Ser	Leu 155	Ile	Val	Ile	Ile	Phe 160
15	Ile	Trp	Leu	Leu	Ala 165	Ser	Leu	Ile	Gly	Gly 170	Pro	Ala	Leu	Tyr	Phe 175	Arg
	Asp	Thr	Val	Glu 180	Phe	Asn	Asn	His	Thr 185	Leu	Cys	Tyr	Asn	Asn 190	Phe	Gln
20	Lys	His	Asp 195	Pro	Asp	Leu	Thr	Leu 200		Arg	His	His	Val 205	Leu	Thr	Trp
	Val	Lys 210	Phe	Ile	Ile	Gly	Tyr 215	Leu	Phe	Pro	Leu	Leu 220	Thr	Met	Ser	Ile
	225					230	Phe				235					240
25	Ser	Ser	Arg	His	Phe 245		Thr	Ile	Leu	Val 250	Val	Val	Val	Ala	Phe 255	Val
				260			His		265			,		270		
30			275				His	280					285			
•		290					Leu 295		•			300				
	305					310					315					320
35					325	;	Leu			330					335	
	Ser	Glu	Gln	Leu	Arg	Asn	Ser	Glu	Thr	Lys	Asn	Leu	Cys	Leu	Leu	Glu

PCT/US99/23938

4

340 345 350

Thr Ala Gln 355

(4) INFORMATION FOR SEQ ID NO:3:

5 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1089 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- 10 (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

	ATGGGCAACC	ACACGTGGGA	GGGCTGCCAC	GTGGACTCGC	GCGTGGACCA	CCTCTTTCCG	60
	CCATCCCTCT	ACATCTTTGT	CATCGGCGTG	GGGCTGCCCA	CCAACTGCCT	GGCTCTGTGG	120
	GCGGCCTACC	GCCAGGTGCA	ACAGCGCAAC	GAGCTGGGCG	TCTACCTGAT	GAACCTCAGC	180
15	ATCGCCGACC	TGCTGTACAT	CTGCACGCTG	CCGCTGTGGG	TGGACTACTT	CCTGCACCAC	240
	GACAACTGGA	TCCACGGCCC	CGGGTCCTGC	AAGCTCTTTG	GGTTCATCTT	CTACACCAAT	300
•	ATCTACATCA	GCATCGCCTT	CCTGTGCTGC	ATCTCGGTGG	ACCGCTACCT	GGCTGTGGCC	360
	CACCCACTCC	GCTTCGCCCG	CCTGCGCCGC	GTCAAGACCG	CCGTGGCCGT	GAĢCTCCGTG	420
	GTCTGGGCCA	CGGAGCTGGG	CGCCAACTCG	GCGCCCCTGT	TCCATGACGA	GCTCTTCCGA	480
20	GACCGCTACA	ACCACACCTT	CTGCTTTGAG	AAGTTCCCCA	TGGAAGGCTG	GGTGGCCTGG	540
•	ATGAACCTCT	ATCGGGTGTT	CGTGGGCTTC	CTCTTCCCGT	GGGCGCTCAT	GCTGCTGTCG	600
	TACCGGGGCA	TCCTGCGGGC	CGTGCGGGC	AGCGTGTCCA	CCGAGCGCCA	GGAGAAGGCC	660
	AAGATCAAGC	GGCTGGCCCT	CAGCCTCATC	GCCATCGTGC	TGGTCTGCTT	TGCGCCCTAT	720
•	CACGTGCTCT	TGCTGTCCCG	CAGCGCCATC	TACCTGGGCC	GCCCCTGGGA	CTGCGGCTTC	780
25	GAGGAGCGCG	TCTTTTCTGC	ATACCACAGC	TCACTGGCTT	TCACCAGCCT	CAACTGTGTG	840
	GCGGACCCCA	TCCTCTACTG	CCTGGTCAAC	GAGGGCGCCC	GCAGCGATGT	GGCCAAGGCC	900
	CTGCACAACC	TGCTCCGCTT	TCTGGCCAGC	GACAAGCCCC	AGGAGATGGC	CAATGCCTCG	960
	CTCACCCTGG	AGACCCCACT	CACCTCCAAG	AGGAACAGCA	CAGCCAAAGC	CATGACTGGC	1020
	AGCTGGGCGG	CCACTCCGCC	TTCCCAGGGG	GACCAGGTGC	AGCTGAAGAT	GCTGCCGCCA	1080
30	GCACAATGA						1089

(5) INFO	RMAT:	ION I	FOR S	SEQ 1	D NO	0:4:									
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 362 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 															
	(ii) MOLECULE TYPE: protein															-
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:														٠	
	Met 1	Gly	Asn	His	Thr 5	Trp	Glu	Gly	Суз	His 10	Val	Asp	Ser	Arg	Val 15	Asp
	His	Leu	Phe	Pro 20	Pro	Ser	Leu	Tyr	Ile 25	Phe	Val	Ile	Gly ·	Val 30	Gly	Leu
	Pro	Thr	Asn 35		Leu	Ala	Leu	Trp 40	Ala	Ala	Tyr	Arg	Gln 45	Val	Gln	Gln
	Arg	Asn 50	Glu	Leu	Gly	Val	T yr 55	Leu	Met	Asn	Leu	ser 60	Ile	Ala	Asp	Leu
	Leu 65	Tyr	Ile	Cys	Thr	Leu 70	Pro	Leu	Trp	Val	Asp 75	Tyr	Phe	Leu	His	His 80
	Asp	Asn	Trp	Ile	His 85	Gly	Pro	Gly	Ser	Cys	ГÀЗ	Leu	Phe	Gly	Phe 95	Ile
	Phe	Tyr	Ţħr	Asn 100	Ile	Tyr	Ile	Ser	Ile 105	Ala	Phe	Leu	CÀa	110 Cys	Ile	Ser
	Val	Asp	Arg 115	Tyr	Leu	Ala	Val	Ala 120		Pro	Leu	Arg	Phe 125	Ala	Arg	Leu
	Arg	Arg	Val	Lys	Thr	Ala	Val 135	Ala	Val	Ser		Val 140	Val	Trp	Ala	Thr
	GI.	Len	GIV	Δla	Δsn	Ser	Ala	Pro	Leu	Phe	His	Asp	Glu	Leu	Phe	Arq

Asp Arg Tyr Asn His Thr Phe Cys Phe Glu Lys Phe Pro Met Glu Gly 1,70 Trp Val Ala Trp Met Asn Leu Tyr Arg Val Phe Val Gly Phe Leu Phe Pro Trp Ala Leu Met Leu Leu Ser Tyr Arg Gly Ile Leu Arg Ala Val Arg Gly Ser Val Ser Thr Glu Arg Gln Glu Lys Ala Lys Ile Lys Arg Leu Ala Leu Ser Leu Ile Ala Ile Val Leu Val Cys Phe Ala Pro Tyr

	225	230			23	35		240					
	His Val Leu	Leu Leu Sei 245	r Arg S	er Ala	Ile Ty 250	yr Leu Gl	y Arg Pro 255	Trp					
5	Asp Cys Gly	Phe Glu Glu 260	ı Arg V	al Phe 265	Ser Al	la Tyr Hi	s Ser Ser 270	Leu					
	Ala Phe Thr	Ser Leu Ası		al Ala 80	Asp Pr	ro Ile Le 28		Leu					
	Val Asn Glu 290	Gly Ala Arg	g Ser A 295	sp Val	Ala Ly	ys Ala Le 300	eu His Asn	Leu					
10	Leu Arg Phe 305	Leu Ala Se:		ys Pro	Gln Gl	lu Met Al 15	.a Asn Ala	Ser 320					
	Leu Thr Leu	Glu Thr Pro	o Leu T	hr Ser	Lys Ai	rg Asn Se	er Thr Ala 335	Lys					
15	Ala Met Thr	Gly Ser Tr	p Ala A	la Thr 345	Pro Pi	ro Ser Gl	In Gly Asp 350	Gln					
	Val Gln Leu 355	Lys Met Le		ro Ala 60	Gln								
	(6) INFORMATION E	FOR SEQ ID	NO:5:	•	•								
20	(i) SEQUENCE CHARACTERISTICS:												
•	(ii) MOLECT	JLE TYPE: D	NA (gen	omic)									
25	(xi) SEQUE	NCE DESCRIP	TION: S	SEQ ID	NO ; 5 :	•							
	TATGAATTCA GATGC	rctaa acgtc	CCTGC			•		. 30					
	(7) INFORMATION	FOR SEQ ID	NO:6:			٠.							
30	(A) LEI (B) TYI (C) STI	CE CHARACTE NGTH: 30 ba PE: nucleic RANDEDNESS: POLOGY: lin	se pair acid single	rs			·.						
	(ii) MOLEC	ULE TYPE: I	NA (ger	nomic)		٠.							
	(xi) SEQUE	NCE DESCRII	TION: S	SEQ ID	NO:6:		•						
25		NCCTC CCCC	CCACC			•		3					

(8) INFORMATION FOR SEQ ID NO: 7:

141	SECTIONCE	CHARACTERISTICS:
(1)	SEUUENCE	CHARACIERISTICS.

- (A) LENGTH: 1002 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- 5 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

	ATGGAGTCCT	CAGGCAACCC	AGAGAGCACC	ACCTTTTTT	ACTATGACCT	TCAGAGCCAG	60
	CCGTGTGAGA	ACCAGGCCTG	GGTCTTTGCT	ACCCTCGCCA	CCACTGTCCT	GTACTGCCTG	120
0	GTGTTTCTCC	TCAGCCTAGT	GGGCAACAGC	CTGGTCCTGT	GGGTCCTGGT	GAAGTATGAG	180
	AGCCTGGAGT	CCCTCACCAA	CATCTTCATC	CTCAACCTGT	GCCTCTCAGA	CCTGGTGTTC	240
	GCCTGCTTGT	TGCCTGTGTG	GATCTCCCCA	TACCACTGGG	GCTGGGTGCT	GGGAGACTTC	300
	CTCTGCAAAC	TCCTCAATAT	GATCTTCTCC	ATCAGCCTCT	ACAGCAGCAT	CTTCTTCCTG	360
	ACCATCATGA	CCATCCACCG	CTACCTGTCG	GTAGTGAGCC	CCCTCTCCAC	CCTGCGCGTC	420
15	CCCACCCTCC	GCTGCCGGGT	GCTGGTGACC	ATGGCTGTGT	GGGTAGCCAG	CATCCTGTCC	480
	TCCATCCTCG	ACACCATCTT	CCACAAGGTG	CTTTCTTCGG	GCTGTGATTA	TTCCGAACTC	540
	ACGTGGTACC	TCACCTCCGT	CTACCAGCAC	AACCTCTTCT	TCCTGCTGTC	CCTGGGGATT	600
	ATCCTGTTCT	GCTACGTGGA	GATCCTCAGG	ACCCTGTTCC	GCTCACGCTC	CAAGCGGCGC	660
	CACCGCACGG	TCAAGCTCAT	CTTCGCCATC	GTGGTGGCCT	ACTTCCTCAG	CTGGGGTCCC	720
20	TACAACTTCA	CCCTGTTTCT	GCAGACGCTG	TTTCGGACCC	AGATCATCCG	GAGCTGCGAG	780
	GCCAAACAGC	AGCTAGAATA	CGCCCTGCTC	ATCTGCCGCA	ACCTCGCCTT	CTCCCACTGC	840
	TGCTTTAACC	CGGTGCTCTA	TGTCTTCGTG	GGGGTCAAGT	TCCGCACACA	CCTGAAACAT	900
	GTTCTCCGGC	AGTTCTGGTT	CTGCCGGCTG	CAGGCACCCA	GCCCAGCCTC	GATCCCCCAC	960
	тесетесте	CCTTCGCCTA	TGAGGGCGCC	TCCTTCTACT	GA	• •	1002

25 (9) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 333 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
- 30 (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

·	Met 1	Glu	Ser	Ser	Gly 5	Asn	Pro	Glu	Ser	Thr 10	Thr	Phe	Phe	Tyr	Tyr 15	Asp
	Leu	Gln	Ser	Gln 20	Pro	Cys	Glu	Asn	Gln 25	Ala	Trp	Vaİ	Phe	Ala 30	Thr	Lou
5	Ala	Thr	Thr 35	Val	Leu	Tyr	Cys	Leu 40	Val	Phe	Leu	Leu	Ser 45	Leu	Val	Gly
	Asn	Ser 50	Leu	Val	Leu	Trp	Val 55	Leu	Val	Lys	Tyr	Glu 60	Ser	Leu	Glu	Ser
10	Leu 65	Ţħr	Asn	Ile	Phe	Ile 70	Leu	Asn	Leu	Cys	Leu 75	Ser	Asp	Leu	Val	Phe 80
	Ala	Сув	Leu	Leu	Pro 85	Val	Trp	Ile	Ser	Pro 90	Tyr	His	Trp	Gly	Trp 95	Val
	Leu	Gły	Asp	Phe 100		Cys	Lys,	Leu	Leu 105	Asn	Met	Ile	Phe	Ser 110	Ile	Ser
15	Leu	Tyr	Ser 115	Ser	Ile	Phe	Phe	Leu 120	Thr	Ile	Met	Thr	Ile 125	His	Arg	Tyr
		Ser 130	Val	Val	Ser	Pro	Leu 135	Ser	Thr	Leu	Arg	Val 140	Pro	Thr	Leu	Arg
20	Cys 145	Arg	Val	Leu	Val	Thr 150	Met	Ala	Val	Trp	Val 155	Ala	Ser	Ile	Leu	Ser 160
	Ser	Ile	Leu	Asp	Thr 165	Ile	Phe	His	Lys	Val 170	Leu	Ser	Ser	Gly	Cys 175	,Asp
	Tyr	Ser	Glu	Leu 180	Thr	Trp	Tyr	Leu	Thr 185		Val	Tyr	Gln	His 190	Asn	Leu
25	Phe	Phe	Leu 195	Leu	Ser	Leu	Gly	Ile 200	Ile	Leu	Phe	Cys	Tyr 205	Val	Glu	Ile
	Leu	Arg 210	Thr	Leu	Phe	Arg	Ser 215	Arg	Ser	Lys	Arg	Arg 220	His	Arg	Thr	Val
30	Lys 225	Leu	Ile	Phe	Ala	11e 230	Val	Val	Ala	Tyr	Phe 235	Leu	Ser	Trp	Gly	Pro 240
·	Tyr	Asn	Phe	Thr	Leu 245	Phe	Leu	Gln	Thr	Leu 250	Phe	Arg	Thr	Gln	Ile 255	Ile
	Arg	Ser	Cys	Glu 260	Ala	Lys	Gln	Gln	Leu 265	Glu	Tyr	Ala	Leu	Leu 270	Ile	Cys
35	Arg	Asn	Leu 275	Ala	Phe	Ser	His	Суз 280	Cys	Phe	Asn	Pro	Val 285	Leu	Tyr	Val

	Phe Va	l Gly Val O	Lys Phe	295	Thr	His	Leu	Lys	His 300	Val	Leu	Arg	Gln	
	Phe Tr	p Phe Cys	Arg Let		Ala	Pro	Ser	Pro 315	Ala	Ser	Ile	Pro	His 320	
5	Ser Pr	o Gly Ala	Phe Ala	Tyr	Glu	Gly	Ala 330	Ser	Phe	Tyr				
	(10) INFORM	ATION FOR	SEQ ID	NO:9	:									
10	(, (,	EQUENCE CI A) LENGTH B) TYPE: 1 C) STRANDI D) TOPOLOG	: 30 bas nucleic EDNESS:	e pa acid sing	irs									
	· (ii)	MOLECULE :	TYPE: DN	IA (g	enomi	ic)		•	. •		•			
	(xi)	SEQUENCE I	DESCRIPT	CION:	SEQ	ID N	NO: 9	:						
15	GCAAGCTTGG	GGGACGCCA(G GTCGCC	GGCT:		•								30
	(11) INFORM	ATION FOR	SEQ ID	NO:1	Ő:	,						•		•
20	· ()	EQUENCE CI A) LENGTH B) TYPE: 1 C) STRANDI D) TOPOLOG	: 31 bas nucleic EDNESS:	e par acid sing	irs									
	(ii)	MOLECULE :	TYPE: DN	IA (ge	enomi	ic)								
	(xi)	SEQUENCE I	DESCRIPT	: NOI	SEQ	ID 1	10:10	0:						
	GCGGATCCGG	ACGCTGGGG	G AGTCAG	GCTG	С		*							31
25	(12) INFORM	ATION FOR	SEQ ID	NO:1	L:					•				
30	· (, (; ()	EQUENCE CHA) LENGTHB) TYPE: IC) STRANDI	: 987 ba nucleic EDNESS:	se pa acid sing	airs									
	(ii)	MOLECULE :	rype: DN	IA (g	enomi	ic)	•							
	(xi)	SEQUENCE I	DESCRIPI	: NOI:	SEQ	ID 1	NO:1	1:			,			
	ATGGACAACG	CCTCGTTCT(C GGAGCO	CTGG	ccc	GCCA!	ACG (CATC	GGCC	C GC	BACCO	cggcc	€	60
	CTGAGCTGCT	CCAACGCGT	GACTCT	rggcg	CCG	CTGC	CGG (CGCC	CTGC	C GC	STGG	CTGT	A 3	L20
35	CCAGTTGTCT	ACGCGGTGAT	r CTGCGC	CGTG	GGT	CTGG	CGG (GCAA	CTCCC	SC CC	STGC	OATDI	2 1	LB0

	GTGTTGCTGC GGGCGCCCCG CATGAAGACC GTCACCAACC TGTTCATCCT CAACCTGGCC	240
	ATCGCCGACG AGCTCTTCAC GCTGGTGCTG CCCATCAACA TCGCCGACTT CCTGCTGCGG	300
	CAGTGGCCCT TCGGGGAGCT CATGTGCAAG CTCATCGTGG CTATCGACCA GTACAACACC	360
	TTCTCCAGCC TCTACTTCCT CACCGTCATG AGCGCCGACC GCTACCTGGT GGTGTTGGCC	420
5	ACTGCGGAGT CGCGCCGGGT GGCCGGCCGC ACCTACAGCG CCGCGCGCG GGTGAGCCTG	480
	GCCGTGTGGG GGATCGTCAC ACTCGTCGTG CTGCCCTTCG CAGTCTTCGC CCGGCTAGAC	540
	GACGAGCAGG GCCGGCGCA GTGCGTGCTA GTCTTTCCGC AGCCCGAGGC CTTCTGGTGG	600
	CGCGCGAGCC GCCTCTACAC GCTCGTGCTG GGCTTCGCCA TCCCCGTGTC CACCATCTGT	660
	GTCCTCTATA CCACCCTGCT GTGCCGGCTG CATGCCATGC	720
0	GCCCTGGAGC GCGCCAAGAA GCGGGTGACC TTCCTGGTGG TGGCAATCCT GGCGGTGTGC	780
	CTCCTCTGCT GGACGCCCTA CCACCTGAGC ACCGTGGTGG CGCTCACCAC CGACCTCCCG	840
	CAGACGCCGC TGGTCATCGC TATCTCCTAC TTCATCACCA GCCTGACGTA CGCCAACAGC	900
	TGCCTCAACC CCTTCCTCTA CGCCTTCCTG GACGCCAGCT TCCGCAGGAA CCTCCGCCAG	960
	CTGATAACTT GCCGCGCGC AGCCTGA	987
5	(13) INFORMATION FOR SEQ ID NO:12:	
	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 328 amino acids	
	(B) TYPE: amino acid (C) STRANDEDNESS:	
20 -		
	(ii) MOLECULE TYPE: protein	٠.
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
	Met Asp Asn Ala Ser Phe Ser Glu Pro Trp Pro Ala Asn Ala Ser (Gly
25	Pro Asp Pro Ala Leu Ser Cys Ser Asn Ala Ser Thr Leu Ala Pro 20 25 30	Leu ·
	Pro Ala Pro Léu Ala Val Ala Val Pro Val Val Tyr Ala Val Ile 35 40 45	Суз
30	Ala Val Gly Leu Ala Gly Asn Ser Ala Val Leu Tyr Val Leu Leu 50 55 60	Arg
	Ala Pro Arg Met Lys Thr Val Thr Asn Leu Phe Ile Leu Asn Leu 65 70 75	Ala 80

															4		
		Ile	Ala	Asp	Glu	Leu 85	Phe	Thr	Leu		Leu 90	Pro	Ile	Asn	Île	Ala 95	Asp
		Phe	Leu	Leu	Arg 100	Gln	Trp	Pro	Phe	Gly 105	Glu	Leu	Met	Cys	Lys 110	Leu	Ile
5		val -	Ala	Ile 115	Asp	Gln	Tyr	Asn	Thr 120	Phe	Ser	Ser	Leu	Tyr 125	Phe	Leu	Thr
		Val	Met 130	Ser	Ala	Asp	Arg	Tyr 135	Leu	Val	Val	Leu	Ala 140	Thr	Ala	Glu	Ser
0		Arg 145	Arg	Val	Ala	Gİy	Arg 150	Thr	Tyr	Ser	Ala	Ala 155	Arg	Ala	Val	Ser	Leu 160
	,	Ala	Val	Trp	Gly	Ile 165	Val	Thr	Leu	Val	Val 170	Leu	Pro	Phe	Ala	Val 175	Phe
		Ala	Arg	Leu	Asp 180	Asp	Glu	Gln	Gly	Arg 185	Arg	Gln	Cys	Val	Leu 190	Val	Phe
15		Pro	Gln	Pro 195	Glu	Ala	Phe	Trp	Trp 200	Arg	Ala	Ser	Arg	Leu 205	Tyr	Thr	Leu
		Val	Leu 210	Gly	Phe	Ala	Ile	Pro 215	Val	.Ser	Thr		Cys 220		Leu	Tyr	Thr
20		Thr 225	Leu	Leu	Cys	Arg	Leu 230	His	Ala	Met	Arg	Leu 235		Ser	His	Ala	Lys 240
		Ala	Leu	Glu	Arg	Ala 245		Lys	Arg		Thr 250	Phe	Leu	Val	Val	Ala 255	Ile
		Leu	Ala	Val	Cys 260	Leu	Leu	Cys	Trp	Thr 265	Pro	Tyr	His	Leu	Ser 270	Thr	Val
25		Val	Ala	Leu 275	Thr	Thr	Asp	Leu	Pro 280	Gln	Thr	Pro	Leu	Val 285	Ile	Ala	Ile
		Ser	Tyr 290	Phe	Ile	Thr	Ser	Leu 295	Thr	Tyr	Ala	Asn	Ser 300	Cys	Leu	Asn	Pro
30		Phe 305		Tyr	Ala	. Phe	Leu 310	Asp	Ala	Ser	Phe	Arg 315	Arg	Asn	Leu	Arg	Gln 320
	٠.	Leu	Ile	Thr	Cys	Arg 325	Ala	Ala	Ala								
	(14)	INF	ORMA'	TION	FOR	SEQ	ID I	NO:1	3 :								

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
 (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single (D) TOPOLOGY: linear

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	٠.
	CGGAATTCGT CAACGGTCCC AGCTACAATG	30
	(15) INFORMATION FOR SEQ ID NO:14:	
5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
10 -	<pre>(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:</pre>	
•	ATGGATCCCA GGCCCTTCAG CACCGCAATA T	31
	(16) INFORMATION FOR SEQ ID NO:15:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1002 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
	ATGCAGGCCG CTGGGCACCC AGAGCCCCTT GACAGCAGGG GCTCCTTCTC CCTCCCCACG	60
	ATGGGTGCCA ACGTCTCTCA GGACAATGGC ACTGGCCACA ATGCCACCTT CTCCGAGCCA	120
	CTGCCGTTCC TCTATGTGCT CCTGCCCGCC GTGTACTCCG GGATCTGTGC TGTGGGGCTG	180
	ACTGGCAACA CGGCCGTCAT CCTTGTAATC CTAAGGGCGC CCAAGATGAA GACGGTGACC	240
25	AACGTGTTCA TCCTGAACCT GGCCGTCGCC GACGGGCTCT TCACGCTGGT ACTGCCCGTC	300
	AACATCGCGG AGCACCTGCT GCAGTACTGG CCCTTCGGGG AGCTGCTCTG CAAGCTGGTG	360
	CTGGCCGTCG ACCACTACAA CATCTTCTCC AGCATCTACT TCCTAGCCGT GATGAGCGTG	420
	GACCGATACC TGGTGGTGCT GGCCACCGTG AGGTCCCGCC ACATGCCCTG GCGCACCTAC	480
	CGGGGGGCGA AGGTCGCCAG CCTGTGTGTC TGGCTGGGCG TCACGGTCCT GGTTCTGCCC	540
30	TTCTTCTCTT TCGCTGGCGT CTACAGCAAC GAGCTGCAGG TCCCAAGCTG TGGGCTGAGC	600
	TTCCCGTGGC CCGAGCGGGT CTGGTTCAAG GCCAGCCGTG TCTACACTTT GGTCCTGGGC	660

TTCGTGCTGC CCGTGTGCAC CATCTGTGTG CTCTACACAG ACCTCCTGCG CAGGCTGCGG

	GCCGTGCGGC	TCCGCTCT	GG AGC	CAAGGCT	CTAGGCA	AGG CCAG	GCGGAA	A GGTGAC	CGTC	780
	CTGGTCCTCG	TCGTGCTG	GC CGT	GTGCCTC	CTCTGCT	GGA CGCC	CTTCC	A CCTGGC	CTCT	840
	GTCGTGGCCC	TGACCACG	GA CCT	GCCCAG	ACCCCAC	TGG TCAT	CAGTAT	GTCCTA	.CGTC	900
	ATCACCAGCC	TCACGTAC	GC CAA	CTCGTGC	CTGAACC	CCT TCCT	CTACGO	CTTŢCT	AGAT	960
5	GACAACTTCC	GGAAGAAC	TT CCG	CAGCATA	TTGCGGT	GCT GA				1002
	(17) INFORM	MATION FO	R SEQ	ID NO:1	5:					
10		SEQUENCE (A) LENGT (B) TYPE: (C) STRAN (D) TOPOL MOLECULE	H: 333 amino DEDNES	amino acid S: ot rele	acids vant					
	(xi)	SEQUENCE	DESCR	RIPTION:	SEQ ID	NO:16:				
- 15	Met Gl	ln Ala Al	a Gly 5	His Pro	Glu Pro	Leu Asr	Ser A		Ser 15	Phe
	Ser Le	eu Pro Th 20		Gly Ala	Asn Val	Ser Glr	Asp A	Asn Gly 30	Thr	Gly
	His As	sn Ala Th 35	r Phe	Ser Glu	Pro Leu 40	Pro Phe		Tyr Val 45	Leu	Leu
20	Pro A	la Val Ty O	r Ser	Gly Ile 55	Cys Ala	Val Gly	/ Leu '	Thr Gly	Asn	Thr
	Ala V	al Ile Le	eu Val	Ile Leu 70	Arg Ala	Pro Lys 75	Met 1	Lys Thr	Val	Thr 80
25	Asn V	al Phe I	le Leu 85	Asn Leu	Ala Val	Ala Ası 90	Gly :	Leu Phe	Thr 95	Leu ·
	•		00		105	5		110		
	Gly G	lu Leu Lo 115	eu Cys	Lys Leu	Val Let 120	ı Ala Va	l Asp	His Tyr 125	Asn	Ile
30		er Ser I 30	le Tyr	Phe Leu 135		Met Se	r Val . - 140	Asp Arg	Tyr	.Leu
	Val V 145	al Leu A	la Thr	Val Arg	Ser Arg	g His Me 15		Trp Arg	Thr	Tyr 160
35	Arg G	ly Ala L	ys Val 165	Ala Ser	Leu Cy	s Val Tr	p Leu	Gly Val	Thr 175	Val

•		Leu	Val	Leu	Pro 180	Phe	Phe	Ser	Phe	Ala 185	Gly	Val	Tyr	Ser	Asn 190	Glu	Leu	
		Gln	Val	Pro 195	Ser	Cys	Gly		Ser .200	Phe	Pro	Trp	Pro	Glu 205	Arg	Val	Trp	
5			Lys 210	Ala	Ser	Arg	Val	Tyr 215	Thr	Leu	Val	Leu	Gly 220	Phe	Val	Leu	Pro	
		Val 225	Cys	Thr	Ile	Сув	Val 230	Leu	Tyr	Thr	Asp	Leu 235	Leu	Arg	Arg	Leu	Arg 240	
0		Ala	Val	Arg	Leu	Arg 245	Ser	Gly	Ala	Lys	Ala 250		Gly	Lys	Ala	Arg 255	Arg	
		Lys	Val	Thr	Val 260	Leu	Val	Leu	Val	Val 265	Leu	Ala	Val	Cys	Leu 270	Leu	Cys	
		Trp	Thr	Pro 275	Phe	His	Leu	Ala	Ser 280	Val	Val	Ala	Leu	Thr 285	Thr	Asp	Leu	
5	-		290		-			295					300				Leu	
		305	,		•		310				-	315				Leu	Asp 320	
20	•	Asp	Asn	Phe	Arg	Lys 325		Phe	Arg	Ser	Ile 330		Arg	Cys				
	(18)		ORMA									•	-	-				
		(1	(A (B) LE) TY	NGTH PE :	: 48 nucl	bas eic	e pa acid	irs				٠					
25) ST) TO				sing ar	le	•								
			.i) M :i) S						•		NO - 1	7.						
	ACGA			•							•		TAAA	?				4
30			ORMA															
		(i) LE	NGTE	1: 27	bas	se pa	irs									
35			(0		RANI	EDN	ESS:	acio sino ear							٠			
		(:	Li) N	OLE	CULE	TYPI	E: DI	NA (c	genot	nic)							٠.	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

GAGGATCCTG GAATGCGGGG AAGTCAG

27

(20) INFORMATION FOR SEQ ID NO:19:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1107 base pairs
- (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

10	ATGGTCCTTG	AGGTGAGTGA	CCACCAAGTG	CTAAATGACG	CCGAGGTTGC	CGCCCTCCTG	60
	GAGAACTTCA	GCTCTTCCTA	TGACTATGGA	GAAAACGAGA	GTGACTCGTG	CTGTACCTCC	120
	CCGCCCTGCC	CACAGGACTT	CAGCCTGAAC	TTCGACCGGG	CCTTCCTGCC	AGCCCTCTAC	180
	AGCCTCCTCT	TTCTGCTGGG	GCTGCTGGGC	AACGGCGCGG	TGGCAGCCGT	GCTGCTGAGC	240
	CGGCGGACAG	CCCTGAGCAG	CACCGACACC	TTCCTGCTCC	ACCTAGCTGT	AGCAGACACG	300
15	CTGCTGGTGC	TGACACTGCC	GCTCTGGGCA	GTGGACGCTG	CCGTCCAGTG	GGTCTTTGGC	360
	TCTGGCCTCT	GCAAAGTGGC	AGGTGCCCTC	TTCAACATCA	ACTTCTACGC	AGGAGCCCTC	420
	CTGCTGGCCT	GCATCAGCTT	TGACCGCTAC	CTGAACATAG	TTCATGCCAC	CCAGCTCTAC	480
	CGCCGGGGGC	ccccccccc	CGTGACCCTC	ACCTGCCTGG	CTGTCTGGGG	GCTCTGCCTG	540
	CTTTTCGCCC	TCCCAGACTT	CATCTTCCTG	TCGGCCCACC	ACGACGAGCG	CCTCAACGCC	600
20	ACCCACTGCC	AATACAACTT	CCCACAGGTG	GGCCGCACGG	CTCTGCGGGT	GCTGCAGCTG	660
	GTGGCTGGCT	TTCTGCTGCC	CCTGCTGGTC	ATGGCCTACT	GCTATGCCCA	CATCCTGGCC	720
	GTGCTGCTGG	TTTCCAGGGG	CCAGCGGCGC	CTGCGGGCCA	TGCGGCTGGT	GGTGGTGGTC	780
	GTGGTGGCCT	TTGCCCTCTG	CTGGACCCCC	TATCACCTGG	TGGTGCTGGT	GGACATCCTC	840
	ATGGACCTGG	GCGCTTTGGC	CCGCAACTGT	GGCCGAGAAA	GCAGGGTAGA	CGTGGCCAAG	900
25	TCGGTCACCT	CAGGCCTGGG	CTACATGCAC	TGCTGCCTCA	ACCCGCTGCT	CTATGCCTTT	960
	GTAGGGGTCA	AGTTCCGGGA	GCGGATGTGG	ATGCTGCTCT	TGCGCCTGGG	CTGCCCCAAC	1020
	CAGAGAGGGC	TCCAGAGGCA	GCCATCGTCT	TCCCGCCGGG	ATTCATCCTG	GTCTGAGACC	1080
	TCAGAGGCCT	CCTACTCGGG	CTTGTGA				1107

(21) INFORMATION FOR SEQ ID NO:20:

5	(i)	(A) (B) (C)	LEN TYP STR	E CH. GTH: E: a: ANDE	368 mino DNES	ami aci S:	no a d	cids		-						
e				LE T												
				CE D											_	
	Met 1	Val	Leu	Glu	Val 5	Ser	Asp	His	Gln	Val 10	Leu	Asn	Asp	Ala	Glu 15	Val
10	Ala	Ala	Leu	Leu 20	Glu	Asn	Phe	Ser	Ser 25	Ser	Tyr	Asp	Tyr	Gly 30	Glu	Asn
	Glu	Ser	Asp 35	Ser	Суз	Cys	Thr	Ser	Pro	Pro	Cys	Pro	Gln 45	Asp	Phe	Ser
15	Leu	Asn 50	Phe	Asp	Arg	Ala	Phe 55	Leu	Pro	Ala	Leu	Tyr 60	Ser	Leu	Leu	Phe
	Leu 65	Leu	Gly	Leu	Leu	Gly 70	Asn	Gly	Ala	Val	Ala 75	Ala	Val	Leu	Leu	Ser 80
	Arg	Arg	Thr	Ala	Leu 85	Ser	Ser	Thr	Asp	Thr 90	Phe	Leu	Leu	His	Leu 95	Ala
20	Val	Ala	Asp	Thr 100	Leu	Leu	Val	Leu	Thr 105	Leu	Pro	Lėu	Trp	Ala 110	Val	Asp
•	Ala	Ala	Val 115	Gln	Trp	Val	Phe	Gly 120	Ser	Gly	Leu	Суз	Lys 125	Val	Ala	Gly
25	Ala	Leu 130		Asn	Ile	Asn	Phe 135	Tyr	Ala	Gly	Ala	Leu 140	Leu	Leu	Ala	Cys
	Ile 145		Phe	Asp	Arg	Tyr 150	Leu	Asn	Ile	Val	His 155	Ala	Thr	Gln	Leu	Tyr 160
	Arg	Arg	Gly	Pro	Pro 165		Arg	Val	Thr	Leu 170	Thr	Cys	Leu	, Ala	Val 175	Trp
30	Gly	Leu	Cys	Leu 180		Phe	Ala	Leu	Pro 185	Asp	Phe	lle	Phe	Leu 190	Ser	Ala
	His	His	Asp	Glu	Arg	Leu	Asn	Ala 200	Thr	His	Cys	Gln	Тут 205	Asn	Phe	Pro
35	Gln	Val 210		/ Arg	Thr	Ala	Leu 215		, Val	L Lev	ı. Glr	1 Let 220	ı Val	Ala	Gly	Phe
	Leu 225		ı Pro) Leu	Let	1 Val		: Ala	а Туз	r Cys	235	Ala	a His	: Ile	e Leu	240

	Val Leu	. Leu		Ser 245	Arg	Gly	Gln	Arg	Arg 250	Leu	Arg	Ala	Met	Arg 255	Leu	
	Val Val	Val	Val 260	Val	Val	Ala	Phe	Ala 265	Leu	Cys	Trp	Thr	Pro 270	Tyr	His	
5	Leu Val	Val 275		Val	Asp	Ile	Leu 280		Asp	Leu	Gly	Ala 285	Leu	Ala	Arg	.•
	Asn Cys		Arg	Glu	Ser	Arg 295	Val	Asp	Val	Ala	Lys 300	Ser	Val	Thr	Ser	
10	Gly Let 305	ı Gly	Tyr	Met	His 310	Cys	Cys	Leu	Asn	Pro 315	Leu	Leu	туг	Ala	Phe 320	
	Val Gly	y Val	Lys	Phe 325	Arg	Glu	Arg	Met	Trp 330	Met	Leu	Leu	Leu	Arg 335	Leu	
	Gly Cys	s Pro	Asn 340	Gln	Arg	Gly	Leu	Gln 345	Arg	Gln	Pro	Ser	Ser 350	Ser	Arg	
15	Arg As	9 Ser 355	Ser	Trp	Ser	Glu	Thr 360	Ser	Glu	Ala	Ser	Tyr 365	Ser	Gly	Leu	•.
	(22) INFOR	MATIO	N FOR	R SEG	Q ID	NO:	21:	·								٠.
20	()	EQUENCA) LEI B) TY: C) ST: D) TO:	NGTH: PE: 1 RANDI	: 30 nucle EDNE:	bas eic SS:	e pa acid sing	irs									*
	(ii)	MOLEC	ULE ?	TYPE	: DN	A (g	enom	ic)								
	(xi)	SEQUE	NCE 1	DESC	RIPT	ION:	SEQ	ID.	NO : 2	1:						
25	TTAAGCTTGA								٠				•			30
	(23) INFORM	ATION EQUEN							-					٠		
30	((A) LE B) TY C) ST D) TO	NGTH PE: RAND	: 30 nucl EDNE	bas eic SS:	e pa ació sing	irs L								٠.	
	(ii)	MOLEC	ULE	TYPE	: DN	IA (g	genon	nic}			,					
	(xi)	SEQUE	NCE	DESC	RIP	CION:	: SEÇ) ID	NO: 2	22 :						
	TTGGATCCAA	AAGAA	CCAT	G CA	ACCTO	CAGAC	3.									30
35	(24) INFORM	ATION	FOR	SEÇ) ID	NO:	23:									

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1074 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- 5 (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

	ATGGCTGATG	ACTATGGCTC	TGAATCCACA	TCTTCCATGG	AAGACTACGT	TAACTTCAAC	60
	TTCACTGACT	TCTACTGTGA	GAAAAACAAT	GTCAGGCAGT	TTGCGAGCCA	TTTCCTCCCA	120
	CCCTTGTACT	GGCTCGTGTT	CATCGTGGGT	GCCTTGGGCA	ACAGTCTTGT	TATCCTTGTC	180
10	TACTGGTACT	GCACAAGAGT	GAAGACCATG	ACCGACATGT	TCCTTTTGAA	TTTGGCAATT	240
	GCTGACCTCC	TCTTTCTTGT	CACTCTTCCC	TTCTGGGCCA	TTGCTGCTGC	TGACCAGTGG	300
	AAGTTCCAGA	CCTTCATGTG	CAAGGTGGTC	AACAGCATGT	ACAAGATGAA	CTTCTACAGC	360
	TGTGTGTTGC	TGATCATGTG	CATCAGCGTG	GACAGGTACA	TTGCCATTGC	CCAGGCCATG	420
	AGAGCACATA	CTTGGAGGGA	GAAAAGGCTT	TTGTACAGCA	AAATGGTTTG	CTTTACCATC	480
15	TGGGTATTGG	CAGCTGCTCT	CTGCATCCCA	GAAATCTTAT	ACAGCCAAAT	CAAGGAGGAA	540
	TCCGGCATTG	CTATCTGCAC	CATGGTTTAC	CCTAGCGATG	AGAGCACCAA	ACTGAAGTCA	600
	GCTGTCTTGA	CCCTGAAGGT	CATTCTGGGG	TTCTTCCTTC	CCTTCGTGGT	CATGGCTTGC	660
	TGCTATACCA	TCATCATTCA	CACCCTGATA	CAAGCCAAGA	AGTCTTCCAA	GCACAAAGCC	720
	CTAAAAGTGA	CCATCACTGT	CCTGACCGTC	TTTGTCTTGT	CTCAGTTTCC	CTACAACTGC	780
20	ATTTTGTTGG	TGCAGACCAT	TGACGCCTAT	GCCATGTTCA	TCTCCAACTG	TGCCGTTTCC	840
	ACCAACATTG	ACATCTGCTT	CCAGGTCACC	CAGACCATCG	CCTTCTTCCA	CAGTTGCCTG.	900
	AACCCTGTTC	TCTATGTTTT	TGTGGGTGAG	AGATTCCGCC	GGGATCTCGT	GAAAACCCTG	960
	AAGAACTTGG	GTTGCATCAG	CCAGGCCCAG	TGGGTTTCAT	TTACAAGGAG	AGAGGGAAGC	1020
	TTGAAGCTGT	CGTCTATGTT	GCTGGAGACA	ACCTCAGGAG	CACTCTCCCT	CTGA	1074

- 25 (25) INFORMATION FOR SEQ ID NO:24:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 357 amino acids(B) TYPE: amino acid
 - (C) STRANDEDNESS:
- 30 (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein

(vi)	SECUENCE	DESCRIPTION:	SEQ	ID	NO:24:
------	----------	--------------	-----	----	--------

	(X1	, 32	QULI			· 										
	Met 1	Ala	Asp	Asp	Tyr 5	Gly	Ser	Glu	Ser	Thr 10	Ser	Ser	Met	Glu	Asp 15	Tyr
5	Val	Asn	Phe	Asn 20	Phe	Thr	Asp	Phe	Туr 25	Cys	Glu	Lys	Asn	Asn 30	Val	Arg
	Gln		Ala 35	Ser	His	Phe	Leu	Pro 40	Pro	Leu	Tyr	Trp	Leu 45	Val	Phe	Ile
	Val	Gly 50	Ala	Leu	Gly	Asn	Ser 55	Leu	Val	Ile	Leu	Val 60	Tyr	Trp	Tyr	Cys
10	Thr 65	Arg	Val	Lys	Thr	Met 70	Thr	Asp	Met	Phe	Leu 75	Leu	Asn	Leu	Ala	Ile 80
	Ala	Asp	Leu	Leu	Phe 85	Leu	۷al	Thr	Leu	Pro 90	Phe	Trp	Ala	Ile	Ala 95	Ala
15	Ala	Asp	Gln	Trp 100	Lys	Phe	Gln	Thr	Phe 105	Met	Cys	Lys	Val	Val 110	Asn	Ser
	Met	Tyr	Lys 115	Met	Asn	Phe	Tyr	Ser 120	Cys	Val	Leu	Leu	11e 125	Met	Cys	Ile
	Ser	Val 130		Arg	Tyr	Ile	Ala 135	Ile	Ala	Gln	Ala	Met 140	Arg	Ala	His	Thr
20	Trp		Glu	Lys	Arg	Leu 150		Tyr	Ser	Lys	Met 155	Val	Cys	Phe	Thr	Ile 160
٠	Trp	Val	Leu	Ala	Ala 165		Leu	Cys	Ile	Pro 170	Glu	Ile	Leu	Tyr	Ser 175	Gln
25	Ile	Lys	Glu	Glu 180		Gly	Ile	Ala	11e	Cys	Thr	Met	Val	Tyr 190	Pro	Ser
	Asp	Glu	Ser 195		Lys	Leu	Lya	Ser 200	Ala	Val	Leu	Thr	Leu 205	Lys	Val	Ile
	Leu	Gly 210		Phe	Leu	Pro	Phe 215		. Val	. Met	Ala	Cys 220	Cys	туг	Thr	Ile
30	11e 225		e His	Thr	Leu	11e 230	Glr	a Ala	Lys	. Lys	Ser 235	Sei	Lys	His	. Lys	240
	Lev	ı Lys	s Val	Ţħi	r Ile 245		· Val	Lev	ı Thi	val 250	Phe	e Vai	l Lev	ı Sei	255	Phe
35	Pro	ту:	r Ası	260		e Lev	ı Leı	ı Va	l Glr 26	n Thi	c Ile	e Ası	o Ala	270	c Ala	a Met
	Phe	e Il	e Sei 27!		n Cys	s Ala	a Vai	1 Se:		r Ası	n Ile	a As	p. Ile 28	e Cys	s Phe	e Gln

10

15

Val	Thr	Gln	Thr	Ile	Ala		Phe	His	Ser	Cys	Leu 300	Asn	Pro	Val	Leu
_	290 Val	5 % -	17- 7	61.	Cl.v	295	Dhe	Ara	Ara	Asn			Lvs	Thr	Leu
305	vaı	Pne	vai	GIY	310	ALG	FIIC	n. g	, ra	315	Dou	• • • • • • • • • • • • • • • • • • • •	_,,		320
Lys	Asn	Leu	Gly	Cys 325	Ile	Ser	Gln	Ala	Gln 330	Trp	Val	Ser	Phe	Thr 335	Arg
Arg	Glu	Gly	Ser 340	Leu	Lys	Leu	Ser	Ser 345	Met	Leu	Leu	Glu	Thr 350	Thr	Ser
Gly	Ala	Leu 355	Ser	Leu					•				•	•	

(26) INFORMATION FOR SEQ ID NO:25:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1110 base pairs
 - (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

	ATGGCCTCAT	CGACCACTCG	GGGCCCCAGG	GTTTCTGACT	TATTTTCTGG	GCTGCCGCCG	60
20	GCGGTCACAA	CTCCCGCCAA	CCAGAGCGCA	GAGGCCTCGG	CGGGCAACGG	GTCGGTGGCT	120
	GGCGCGGACG	CTCCAGCCGT	CACGCCCTTC	CAGAGCCTGC	AGCTGGTGCA	TCAGCTGAAG	180
	GGGCTGATCG	TGCTGCTCTA	CAGCGTCGTG	GTGGTCGTGG	GGCTGGTGGG	CAACTGCCTG	240
	CTGGTGCTGG	TGATCGCGCG	GGTGCCGCGG	CTGCACAACG	TGACGAACTT	CCTCATCGGC	300
	AACCTGGCCT	TGTCCGACGT	GCTCATGTGC	ACCGCCTGCG	TGCCGCTCAC	GCTGGCCTAT	360
25	GCCTTCGAGC	CACGCGGCTG	GGTGTTCGGC	GGCGGCCTGT	GCCACCTGGT	CTTCTTCCTG	420
	CAGCCGGTCA	CCGTCTATGT	GTCGGTGTTC	ACGCTCACCA	CCATCGCAGT	GGACCGCTAC	480
	GTCGTGCTGG	TGCACCCGCT	GAGGCGCGCA	TCTCGCTGCG	CCTCAGCCTA	CGCTGTGCTG	540
	GCCATCTGGG	CGCTGTCCGC	GGTGCTGGCG	CTGCCGCCCG	CCGTGCACAC	CTATCACGTG	600
	GAGCTCAAGC	CGCACGACGT	GCGCCTCTGC	GAGGAGTTCT	GGGGCTCCCA	GGAGCGCCAG	660
30	CGCCAGCTCT	ACGCCTGGGG	GCTGCTGCTG	GTCACCTACC	TGCTCCCTCT	GCTGGTCATC	720
	CTCCTGTCTT	ACGTCCGGGT	GTCAGTGAAG	CTCCGCAACC	GCGTGGTGCC	GGGCTGCGTG	780
	ACCCAGAGCC	AGGCCGACTG	GGACCGCGCT	CGCCGCCGGC	GCACCTTCTG	CTTGCTGGTG	840

WO 00/22129 PCT/US99/23938

21

	GTGGTCG	TGG 1	rggte	TTCG	C CG	TCTG	CTGG	CTG	CCGC	TGC	ACGI	CTTC	AA C	CTGC	TGCG	G	900
	GACCTCG	ACC C	CCAC	GCCA	T CG	ACCC	TTAC	GCC	TTTG	GGC	TGGT	GCAG	CT G	CTCT	GCCA	.C	960
	TGGCTCG	CCA I	GAGT	TCGG	C CT	GCTA	CAAC	ccc	TTCA	TCT	ACCC	CTGG	CT G	CACG	ACAG	C 1	.020
	TTCCGCG	AGG A	GCTG	CGCA	A AC	TGTT	GGTC	GCT	TGGC	CCC	GCAA	GATA	GC C	cccc	ATGG	C 1	080
5	CAGAATA	TGA C	CGTC	AGCG	T GG	TCAT	CTGA						•			1	110
	(27) IN	FORMA	TION	FOR	SEQ	ID	NO:2	6 :									
10		(B	QUEN L) LE L) TY L) ST L) TO	NGTH PE: RAND	: 36 amin EDNE	9 am o ac SS:	ino ·	acid	s								
	(ii) M	OLEC	ULE '	TYPE	: pr	otei	n									
	(xi) S	EQUE	NCE	DESC	RIPT	ION:	SEQ	ID I	NO:2	6 :						
15 .	Me 1	t Ala	Ser	Ser	Thr 5	Thr	Arg	Gly	Pro	Arg 10	Val	Ser	Asp		Phe 15	Ser	
	Gl	y Leu	Pro	Pro 20	Ala	Val	Thr	Thr	Pro 25	Ala	Asn	Gln	Ser	Ala 30	Glu	Ala	
	Se	r Ala	Gly 35	Asn	Gly	Ser	Val	Ala 40	Gly	Ala	Asp	Ala	Pro 45	Ala	Val	Thr	
20	Pr	o Phe 50	Gln	Ser	Leu	Gln	Leu 55	Val	His	Gln	Leu	Lys 60	Gly	Leu	Ile	Val	٠
	Le: 65	ı Leu	Tyr	Ser	Val	Val 70	.Val	Val	Val	Gly	Leu 75	Val	Gly	Asn	Cys	Leu 80	
25	Le	ı Val	Leu	Val	Ile 85	Ala	Arg	Val	.Pro	Arg 90	Leu	His	Asn	Val	Thr 95	Asn	
	Pho	e Leu	Ile	Gly 100	Asn	Leu	Ala	Leu	Ser 105	Asp	Val	Leu	Met	Cys 110	Thr	Ala	
	Су	s Val	Pro 115	Leu	Thr	Leu	Ala	Tyr 120	Ala	Phe	Glu	Pro	Arg 125	Gly	Trp	Val	
30	Phe	e Gly 130	_	Gly	Leu	Сув	His 135	Leu	Val	Phe	Phe	Leu 140	Gln	Pro	Val	Thr	
	Va. 14!	Tyr	Val	Ser	Val	Phe 150	Thr	Leu	Thr	Thr	Ile 155	Ala	Val	Asp	Arg	Tyr 160	
35	· Va	l Val	Leu	Val	His 165	Pro	Leu	Arg		Ala 170		Arg	Cys	Ala	Ser 175		

WO 00/22129 PCT/US99/23938

$\boldsymbol{\neg}$	$^{\circ}$
L	Z

Tyr Ala Val Leu Ala Ile Trp Ala Leu Ser Ala Val Leu Ala Leu Pro

					180					185					190		
٠		Pro	Ala	Val 195	His	Thr	Tyr	His	Val 200	Glu	Leu	Lys	Pro	His 205	Asp	Val	Arg
5		Leu	Cys 210	Glu	Glu	Phe	Trp	Gly 215	Ser	Gŀn	Glu	Arg	Gln 220	Arg	Gln	Leu	Tyr
		Ala 225	Trp	Gly	Leu	Leu	Leu 230	Val	Thr	Tyr	Leu	Leu 235	Pro	Leu	Leu	Val	Ile 240
10		Leu	Leu	Ser	Tyr	Val 245	Arg	Val	Ser	Val	Lys 250	Leu	Arg	Asn	Arg	Val 255	Val
		Pro	Gly	Cys	Val 260	Thr	Gln	Ser	Gln	Ala 265	Asp	Trp	Asp	Arg	Ala 270	Arg	Arg
		Arg	Arg	Thr 275	Phe	Cys	Leu	Leu	Val 280	Val	Val	Val	Val	Val 285	Phe	Ala	Val
15		-Cys	Trp 290	Leu	Pro	Leu	His	Val 295	Phe	Asn	Leu	Leu	Arg 300	Asp	Leu	Asp	Pro
		His 305	Ala	Ile	Asp	Pro	Tyr 310	Ala	Phe	Gly	Leu	Val 315	Gln	Leu	Leu	Cys	His 320
20		Trp	Leu	Ala		Ser 325	Ser	Ala	Cys	Tyr	Asn 330	Pro	Phe	Ile	Tyr	Ala 335	Trp
		Leu	His	_	Ser 340	Phe	Arg	Glu	Glu	Leu 345	Arg ·	Lys	Leu	Leu	Val 350	Ala	Trp
		Pro	Arg	Lys 355	Ile	Ala	Pro		Gly 360	Gln	Asn	Met	Thr	Val 365	Ser	Val	Val
25		Ile					٠.										
	(28)	INFO	RMAT	CION	FOR	SEQ	ID N	10:27	:								
30		(i)	(A) (B) (C)	LEN TYP STR	E CHIGTH: PE: TI ANDE	108 ucle DNES	3 ba ic a S: s	se p cid singl	airs		-						٠.
		(ii	.) MC	LECU	LE I	YPE:	DNA	(ge	nomi	c)							
		laci	١ ٥٠	OTTOX	ים שיטו	vec en	TDTT	ONT.	CEO.	TD N	m . 27						

35 ATGGACCCAG AAGAAACTTC AGTTTATTTG GATTATTACT ATGCTACGAG CCCAAACTCT

GACATCAGGG AGACCCACTC CCATGTTCCT TACACCTCTG TCTTCCTTCC AGTCTTTTAC

	ACAGCTGTGT	TCCTGACTGG	AGTGCTGGGG	AACCTTGTTC	TCATGGGAGC	GTTGCATTTC	180
	AAACCCGGCA	GCCGAAGACT	GATCGACATC	TTTATCATCA	ATCTGGCTGC	CTCTGACTTC	240
	ATTTTTCTTG	TCACATTGCC	TCTCTGGGTG	GATAAAGAAG	CATCTCTAGG	ACTGTGGAGG	300
	ACGGGCTCCT	TCCTGTGCAA	AGGGAGCTCC	TACATGATCT	CCGTCAATAT	GCACTGCAGT	360
5	GTCCTCCTGC	TCACTTGCAT	GAGTGTTGAC	CGCTACCTGG	CCATTGTGTG	GCCAGTCGTA	420
•	TCCAGGAAAT	TCAGAAGGAC	AGACTGTGCA	TATGTAGTCT	GTGCCAGCAT	CTGGTTTATC	480
	TCCTGCCTGC	TGGGGTTGCC	TACTCTTCTG	TCCAGGGAGC	TCACGCTGAT	TGATGATAAG	540
	CCATACTGTG	CAGAGAAAAA	GGCAACTCCA	ATTAAACTCA	TATGGTCCCT	GGTGGCCTTA	600
	ATTTTCACCT	TTTTTGTCCC	TTTGTTGAGC	ATTGTGACCT	GCTACTGTTG	CATTGCAAGG	660
0	AAGCTGTGTG	CCCATTACCA	GCAATCAGGA	AAGCACAACA	AAAAGCTGAA	GAAATCTATA	720
	AAGATCATCT	TTATTGTCGT	GGCAGCCTTT	CTTGTCTCCT	GGCTGCCCTT	CAATACTTTC	780
	AAGTTCCTGG	CCATTGTCTC	TGGGTTGCGG	CAAGAACACT	ATTTACCCTC	AGCTATTCTT	840
	CAGCTTGGTA	TGGAGGTGAG	TGGACCCTTG	GCATTTGCCA	ACAGCTGTGT	CAACCCTTTC	900
	ATTTACTATA	TCTTCGACAG	CTACATCCGC	CGGGCCATTG	TCCACTGCTT	GTGCCCTTGC	960
5	CTGAAAAACT	ATGACTTTGG	GAGTAGCACT	GAGACATCAG	ATAGTCACCT	CACTAAGGCT	1020
٠	CTCTCCACCT	TCATTCATGC	AGAAGATTTT	GCCAGGAGGA	GGAAGAGGTC	TGTGTCACTC	1080
	TAA						1083

(29) INFORMATION FOR SEQ ID NO:28:

20

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 360 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Met Asp Pro Glu Glu Thr Ser Val Tyr Leu Asp Tyr Tyr Tyr Ala Thr 1 5 10 15

Ser Pro Asn Ser Asp Ile Arg Glu Thr His Ser His Val Pro Tyr Thr 20 25 30

30 Ser Val Phe Leu Pro Val Phe Tyr Thr Ala Val Phe Leu Thr Gly Val 35 40 45

	Leu	Gly 50	Asn	Leu	Val	Leu	Met 55	Gly	Ala	Leu	His	Phe 60	Lys	Pro	Gly	Ser
	Arg 65	Arg	Leu	Ile	Asp	Ile 70	Phe	Ile	Ile	Asn	Leu 75	Ala	Ala	Ser	Asp	Phe 80
5	Ile	Phe	Leu	Val	Thr 85	Leu	Pro	Leu	Trp	Val 90	Asp	Lys	Glu	Ala	Ser 95	Leu
	Gly	Leu	Trp	Arg 100	Thr	Gly	Ser	Phe	Leu 105	Суѕ	Lys	Gly	Ser	Ser 110	Tyr	Met
0	Ile	Ser	Val 115	Asn	Mėt	His	Cys	Ser 120	Val	Leu	Leu	Leu	Thr 125	Суѕ	Met	Ser
	Val	Asp 130	Arg	Tyr	Leu	Ala	11e 135	Val	Trp	Pro	Val	Val 140	Ser	Arg	Lys	Phe
	Arg 145	Arg	Thr	Asp	Cys	Ala 150	Tyr	Val	Val	Cys	Ala 155	Ser	Ile	Trp	Phe	Ile 160
.5	Ser	Cys	Leu	Leu	Gly 165	Leu	Pro	Thr	Leu	Leu 170	Ser	Arg	Glu	Leu	Thr 175	Leu
•	Ile	Asp	Asp	Lys 180	Pro	Tyr	Cys	Ala	Glu 185	Lys	Lys	Ala	Thr	Pro 190	Ile	Lys
20	Leu	Ile	Trp 195	Ser	Leu	Val	Ala	Leu 200	Ile	Phe	Thr	Phe	Phe 205	Val	Pro	Leu
	Leu	Ser 210	Ile	Val	Thr	Суз	Tyr 215	Cys	Cys	Ile	Ala	Arg 220	Lys	Leu	Cys	Ala
	His 225	Tyr	Gln	Gln	Ser	Gly 230	Lys	His	Asn	Lys	Lys 235	Leu	Lys	Lys	Ser	Ile 240
25	Lys	Ile	Ile	Phe	Ile 245	Val	Val	Ala	Ala	Phe 250	Leu	Val	Ser	Trp	Leu 255	Pro
				260			Leu		265					270		
30		-	275				Ile	280					285			
		290			-		Ser 295					300	•			
. •	305	_				310					315					320
35		-	. •		325		Gly		-	330					335	
	Leu	Thr	Lys	Ala	Leu	Ser	Thr	Phe	Ile	His	Ala	Glu	Asp	Phe	Ala	Arg

PCT/US	99/2	39:	38
--------	------	-----	----

WO 0	0/22129	9
------	---------	---

	340	345		350	
	Arg Arg Lys Arg Ser Val Ser I 355	Jeu 160			
	(30) INFORMATION FOR SEQ ID NO:29:	:			
5	(i) SEQUENCE CHARACTERISTICS (A) LENGTH: 31 base pair (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	cs .			
10	(ii) MOLECULE TYPE: DNA (ger	nomic)			
	(xi) SEQUENCE DESCRIPTION: S	SEQ ID NO:	29:		
	CTAGAATTCT GACTCCAGCC AAAGCATGAA	r	٠.	3	11
	(31) INFORMATION FOR SEQ ID NO:30	:			
15	(i) SEQUENCE CHARACTERISTIC: (A) LENGTH: 30 base pai (B) TYPE: nucleic acid (C) STRANDEDNESS: singl (D) TOPOLOGY: linear	rs	. •		
	(ii) MOLECULE TYPE: DNA (ge	nomic)			
20	(xi) SEQUENCE DESCRIPTION:	SEQ ID NO:	30:		
	GCTGGATCCT AAACAGTCTG CGCTCGGCCT			*	30
	(32) INFORMATION FOR SEQ ID NO:31	.:			
25	(i) SEQUENCE CHARACTERISTIC (A) LENGTH: 1020 base p (B) TYPE: nucleic acid (C) STRANDEDNESS: singl (D) TOPOLOGY: linear	airs			· ·
	(ii) MOLECULE TYPE: DNA (ge	enomic)		•	
	(xi) SEQUENCE DESCRIPTION:	•		. •	
30	ATGAATGGCC TTGAAGTGGC TCCCCCAGGT				60
	GAGCAATGTG GCCAGGAGAC GCCACTGGAG			•	
	GATTTTATCC TGGCTTTAGT TGGCAATACC				180
	AAGTCCGGGA CCCCGGCCAA CGTGTTCCTG				240
	GTGCTGGTCC TGCCCACCCG CCTGGTCTAC	CACTTCTCT	G GGAACCACTG	GCCATTTGGG	300

	GAAATCGC	AT G	CCGT	CTCAC	CGG	3CTT	CCTC	TTC:	racc:	ICA	ACATO	STAC	GC C	AGCA'	CTA	3	60
	TTCCTCAC	CT G	CATC	AGCGC	CG	ACCG!	TTTC	CTG	GCCA:	ľTG	TGCA	CCGG	ST C	AAGT	CCT	2 4	20
	AAGCTCCG	CA G	GCCC	CTCTA	CG	CACA	CCTG	GCC.	rgtg	CCT	TCCT	STGG	T G	GTGG	rggc:	г . 4	80
	GTGGCCAT	GG C	cccg	CTGCT	GG?	rgago	CCCA	CAG	ACCG:	rgc .	AGAC	CAAC	CA C	ACGG	rggt	2 5	40
5	TGCCTGCA	GC T	GTAC	CGGGA	. GA/	AGGC	CTCC	CAC	CATG	ccc	TGGT	STCC	T G	GCAG	rggc	6	00
	TTCACCTT	cc c	GTTC/	ATCAC	CAC	CGGT	CACC	TGC	racc:	rgc ·	TGAT	CATC	CG C	AGCC	rgcgo	G 6	60
•	CAGGGCCT	gĊ G'	rgtgo	GAGAA	GCC	CCT	CAAG	ACC	AAGG	CAG	TGCG	CATG	AT C	GCCA:	ragto	3 7	20
	CTGGCCAT	CT TO	CTG	STCTG	CT	rcgr	SCCC	TAC	CACG	CA.	ACCG	CTCC	T C	racg:	rgcto	5 7	80
	CACTACCG	CA G	CATO	GGGC	CT	CTG	CGCC	ACC	CAGCO	SCA '	TCCT	GCC	CT GO	GCAA/	ACCG	8	40
10	ATCACCTC	CT G	CCTC	ACCAG	CCI	CAA	CGGG	GCA	CTCG	ACC (CCATO	CATG	TA T	FTCT:	rcgro	9. 3	00
	GCTGAGAA	GT T	CCGC	CACGC	CC	rgtg	CAAC	TTG	CTCTC	GTG (GCAA	AAGG	T C	AAGG	GCCC	3 9	60
	CCCCCAG	CT T	CGAAC	GGAA	AA.	CCAA	CGAG	AGC"	rcgci	rga (GTGC	CAAG	C A	BAGC'	rgtg	10	20
	(33) INF	ORMA'	rion	FOR	SEQ	ID 1	NO : 32	2:						•			
15	·	(A) (B) (C) (D)	LEN TYI STI TOI	CE CH NGTH: PE: a RANDE POLOG	339 mino DNES Y: I	e am: o ac: SS: not:	ino a id relev	acids vant			*		*				•
٠		•		JLE T		_					٠						
20				NCE D	-						•		•			,	٠.
	Met 1	Asn	Gly	Leu	Glu 5	Val	Ala	Pro	Pro	Gly 10	Leu	Ile	Thr	Asn	Phe 15	Ser	
	Leu	Ala	Thr	Ala 20	Glu	Gln	Cys	Gly	Gln 25	Glu	Thr	Pro	Leu	Glu 30	Asn	Met	
25	Leu	Phe	Ala 35	Ser	Phe	Ţyr	Leu	Leu 40	Asp	Phe	Ile	Leu	Ala 45	Leu	Val	Gļy	
	Asn	Thr 50	Leu	Ala	Leu	Trp	Leu 55	Phe	Ile	Arg	Asp	His 60	Lys	Ser	Gly	Thr	
30	Pro 65	Ala	Asn	Val	Phe	Leu 70	Met	His	Leu	Ala	Val 75	Ala	Asp	Leu	Ser	Cys 80	
	Val	Leu	Val	Leu.	Pro 85	Thr	Arg	Leu	Val	Tyr 90	His	Phe	Ser	Gly	Asn 95	His	

Trp Pro Phe Gly Glu Ile Ala Cys Arg Leu Thr Gly Phe Leu Phe Tyr

					100					105					110		
		Leu	Asn	Met 115	Tyr	Ala	Ser	Ile	Tyr 120	Phe	Leu	Thr	Cys	Ile 125	Ser	Ala	Asp
5		Arg	Phe 130	Leu	Ala	Ile	Val	His 135	Pro	Val	Lys	Ser	Leu 140	Lys	Leu	Arg	Arg
		Pro 145	Leu	Tyr	Ala	His	Leu 150	Ala	Cys	Ala	Phe	Leu 155	Trp	Val	Val	Val	Ala 160
		Val	Ala	Met	Ala	Pro 165	Leu	Leu	Val	Ser	Pro 170	Gln	Thr	Val	Gln	Thr 175	Asn
0		His	Thr	Val	Val 180		Leu	Gln	Leu	Tyr 185	Arg	Glu	Lys	Ala	Ser 190	His	His
		Ala	Leu	Val 195	Ser	Leu	Ala	Val	Ala 200	Phe	Thr	Phe	Pro	Phe 205	Ile	Thr	Thr
5	٠.		210	_			•	215					220				Arg
		225					230				•	235		•			Val 240
		Leu	Ala	Ile	Phe	Leu 245	Val	Cys	Phe	Val	Pro 250	Tyr	His	Val	Asn	Arg 255	Ser
20		Val	Tyr	Val	Leu 260	His	Tyr	Arg	Ser	His 265	GJA	Ala	Ser	Cys	Ala 270	Thr	Gln
		Arg	Ile	Leu 275		Leu	Ala	Asn	Arg 280	Ile	Thr	Ser	Суз	Leu 285		Ser	Leu
25			290	•		٠	. '	295					300				Phe
	•	305			•		310	•				315					320
•		Pro	Pro	Ser	Phe	Glu 325		Lys	Thr	Asn	Glu 330		Ser	Leu	Ser	Ala 335	Lys
30				Leu													
•	(34)				FOR										-		
35		(i	() (E	A) LE 3) TY C) SI	ICE C INGTH IPE: IRANI	: 29 nucl EDNE	bas eic SS:	e pa acid	irs	٠				*			
			(1) TC	POLC	GY:	line	ar						•			

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

	·	
	ATAAGATGAT CACCCTGAAC AATCAAGAT	29
	(35) INFORMATION FOR SEQ ID NO:34:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
. •	(ii) MOLECULE TYPE: DNA (genomic)	
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
	TCCGAATTCA TAACATTTCA CTGTTTATAT TGC	33
	(36) INFORMATION FOR SEQ ID NO:35:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 996 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
20	ATGATCACCC TGAACAATCA AGATCAACCT GTCACTTTTA ACAGCTCACA TCCAGATGAA	60
	TACAAAATTG CAGCCCTTGT CTTCTATAGC TGTATCTTCA TAATTGGATT ATTTGTTAAC	120
	ATCACTGCAT TATGGGTTTT CAGTTGTACC ACCAAGAAGA GAACCACGGT AACCATCTAT	180
	ATGATGAATG TGGCATTAGT GGACTTGATA TTTATAATGA CTTTACCCTT TCGAATGTTT	240
	TATTATGCAA AAGATGCATG GCCATTTGGA GAGTACTTCT GCCAGATTAT TGGAGCTCTC	300
25	ACAGTGTTTT ACCCAAGCAT TGCTTTATGG CTTCTTGCCT TTATTAGTGC TGACAGATAC	360
	ATGGCCATTG TACAGCCGAA GTACGCCAAA GAACTTAAAA ACACGTGCAA AGCCGTGCTG	420
•	GCGTGTGTGG GAGTCTGGAT AATGACCCTG ACCACGACCA CCCCTCTGCT ACTGCTCTAT	480
	AAAGACCCAG ATAAAGACTC CACTCCCGCC ACCTGCCTCA AGATTTCTGA CATCATCTAT	540
	CTAAAAGCTG TGAACGTGCT GAACCTCACT CGACTGACAT TTTTTTTCTT GATTCCTTTG	600
30	TTCATCATGA TTGGGTGCTA CTTGGTCATT ATTCATAATC TCCTTCACGG CAGGACGTCT	66
	AAGCTGAAAC CCAAAGTCAA GGAGAAGTCC ATAAGGATCA TCATCACGCT GCTGGTGCAG	72

GIGC	1061	CI G	CIII	AIGC	C CI.	ICCA.	CAIC	101	1100	CII	1001	GAIG	CI G	HADD	ಲಲಲು	G	780
GAGA	ACAG	тт а	CAAT	CCCT	G GG	GAGC	CTTT	ACC	ACCT	TCC.	TCAT	GAAC	CT C	AGCA	CGTG	T	840
CTGG	ATGT	GA T	TCTC	TACT	A CA	TCGT	TTCA	AAA	СААТ	TTC .	AGGC	TCGA	GT C	ATTA	GTGT	C .	900
ATGC	TATA	CC G	TAAT	TACC	T TC	GAAG	CCTG	CGC.	AGAA	AAA (GTTT	CCGA	TC T	GGTA	GTCT.	A	96Ò
AGGT	CACT	AA G	CAAT	AATA	A CA	GTGA	AATG	TTA'	TGA								996
(37)	INF	ORMA	TION	FOR	SEQ	ID I	NO: 3	6 :									
*	(i	(A (B (C) LE) TY) ST	NGTH PE: RAND	HARAG : 33: amino EDNE: GY: 1	1 am: o ac: SS:	ino-	acid							:		
	(i.	i) M	OLEC	ULE '	TYPE	: pro	otei	n .		٠	-	٠					
	(x:	i) .S	EQUE	NCE I	DESCI	RIPT:	ION:	SEQ	ID I	NO: 30	6 :			·			
	Met 1	Ile	Thr	Leu	Asn 5	Asn	Gln	Asp	Gln	Pro 10	Val	Thr	Phe		Ser 15	Ser	
	His	Pro	Asp	Glu 20	Tyr	Lys	Ile	Ala	Ala 25	Leu	Val	Phe	Tyr	Ser 30	Cys	Ile	
•	Phe	Ile	Ile 35	Gly	Leu	Phe	Val	Asn 40	Ile	Thr	Ala	Leu	Trp 45	Val	Phe	Ser	٠.
	Cys	Thr 50	Thr	Lys	Lys	Arg	Thr 55	Thr	Val	Thr	Ile	Tyr 60	Met	Met	Asn	Val	
	Ala 65	Leu	Val	Asp	Leu	Ile 70	Phe	Ile	Met	Thr	Leu 75	Pro	Pḥe	Arg	Met	Phe 80	•
	Tyr	Tyr	Ala	Lys	Asp 85	Ala	Trp	Pro	Phe	Gly 90	Glu	Tyr	Phe	Cys	Gln 95	Ile	
	Ile	Gly	Ala	Leu 100		Val	Phe	Tyr	Pro 105	Ser	Ile	Ala	Leu	Trp 110	Leu	Leu	
	Ala	Phe	Ile 115	Ser	Ala	Asp	Arg	Tyr 120	Met	Ala	Ile	Val	Gln 125	Pro	Lys	туż	
	Ala	Lys 130	Glu	Leu	.Lys	Asn	Thr 135	Cys	Lys	Ala	Val	Leu 140	Ala	Суѕ	Val	Gly	
	Val 145	Trp	Ile	Met	Thr	Leu 150	Thr	Thr	Thr		Pro 155	Leu	Leu	Leu	Leu	Tyr 160	
	Lys	Asp	Pro	Asp	Lys 165	Asp	Ser	Thr	Pro	Ala 170	Thr	Cys	Leu	Lys	Ile 175	Ser	

			•														
		Asp	Ile	Ile	Tyr 180	Leu	Lys	Ala	Val	Asn 185	Val	Leu	Asn	Leu	Thr 190	Arg	Leu
		Thr	Phe	Phe 195	Phe	Leu	Ilė	Pro	Leu 200	Phe	Ile	Met	Ile	Gly 205	Cys	Tyr	Leu
5		Val	Ile 210	Ile	His	Asn	Leu	Leu 215	His	Gly	Arg	Thr	Ser 220	ГХз	Leu	Lys	Pro
		Lys 225	Val	Lys	Glu	Lys ·	Ser 230	Ile	Arg	Ile	Ile	11e 235	Thr	Leu	Leu	Val	Gln 240
10		Val	Leu	Val	Cys	Phe 245	Met	Pro	Phe	His	11e 250	Cys	Phe	Ala	Phe	Leu 255	Met
		Leu	Gly	Thr	Gly 260		Asn	Ser	Tyr	Asn 265	Pro	Trp	Gly	Ala	Phe 270	Thr	Thr
		Phe ·	Leu	Met 275	Asn	Leu	Ser	Thr	Cys 280	Leu	Asp	Val	Ile	Leu 285	Tyr	Tyr	Ile
15		Val	Ser 290	Lys	Gln	Phe	Gln	Ala 295	Arg	Val	Ile	Ser	Val 300	Met	Leu	Tyr	Arg
		Asn 305	Tyr	Leu	Arg	Ser	Leu 310	Arg	Arg	Lys	Ser	Phe 315	Arg	Ser	Gly	Ser	Leu 320
20		Arg	Ser	Leu	Ser	Asn 325	Ile	Asn	Ser	Glu	Met 330	Leu		•	•		
	(38)	INFO	ORMA!	rion	FOR	SEQ	ID 1	Or	7:	-				•			
25		(i)	(B)) LEI) TYI) STI	NGTH PE: 1 RAND	: 28 nucle EDNE:	base base eic a ss: a	e pa: acid sing:	irs								
		(i:	i) M	OLECI	ULE '	TYPE	: DN	A (q	enom:	ic)							
			i) Si				•				NO:3	7:					
	CCAA											-					28
30	(39)	INF	ORMA'	rion	FOR	SEQ	ID I	NO:3	8 .								
35		(i)	(B (C) LE:) TY:) ST:	NGTH PE: RAND	: 29 nucl EDNE	CTER bas eic ess:	e pa acid sing	irs								

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

ATGGATCCTG ACCTTCGGCC CCTGGCAGA

29

(40) INFORMATION FOR SEQ ID NO:39:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1077 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:
- ATGCCCTCTG TGTCTCCAGC GGGGCCCTCG GCCGGGGCAG TCCCCAATGC CACCGCAGTG ACAACAGTGC GGACCAATGC CAGCGGGCTG GAGGTGCCCC TGTTCCACCT GTTTGCCCGG CTGGACGAGG AGCTGCATGG CACCTTCCCA GGCCTGTGCG TGGCGCTGAT GGCGGTGCAC GGAGCCATCT TCCTGGCAGG GCTGGTGCTC AACGGGCTGG CGCTGTACGT CTTCTGCTGC CGCACCCGGG CCAAGACACC CTCAGTCATC TACACCATCA ACCTGGTGGT GACCGATCTA 300 CTGGTAGGGC TGTCCCTGCC CACGCGCTTC GCTGTGTACT ACGGCGCCAG GGGCTGCCTG CGCTGTGCCT TCCCGCACGT CCTCGGTTAC TTCCTCAACA TGCACTGCTC CATCCTCTTC CTCACCTGCA TCTGCGTGGA CCGCTACCTG GCCATCGTGC GGCCCGAAGG CTCCCGCCGC TGCCGCCAGC CTGCCTGTGC CAGGGCCGTG TGCGCCTTCG TGTGGCTGGC CGCCGGTGCC GTCACCCTGT CGGTGCTGGG CGTGACAGGC AGCCGGCCCT GCTGCCGTGT CTTTGCGCTG 600 ACTGTCCTGG AGTTCCTGCT GCCCCTGCTG GTCATCAGCG TGTTTACCGG CCGCATCATG 660 TGTGCACTGT CGCGGCCGGG TCTGCTCCAC CAGGGTCGCC AGCGCCGCGT GCGGGCCATG CAGCTCCTGC TCACGGTGCT CATCATCTTT CTCGTCTGCT TCACGCCCTT CCACGCCCGC 840 GTGGCCGTGA CCCTCAGCAG CCTCAACAGC TGCATGGACC CCATCGTCTA CTGCTTCGTC 900 ACCAGTGGCT TCCAGGCCAC CGTCCGAGGC CTCTTCGGCC AGCACGGAGA GCGTGAGCCC AGCAGCGGTG ACGTGGTCAG CATGCACAGG AGCTCCAAGG GCTCAGGCCG TCATCACATC 1020 CTCAGTGCCG GCCCTCACGC CCTCACCCAG GCCCTGGCTA ATGGGCCCGA GGCTTAG 1077
 - (41) INFORMATION FOR SEQ ID NO:40:

30

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 358 amino acids

- (B) TYPE: amino acid (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant

		_															
•		(ii	i) MO	DLECT	JLE T	TYPE:	pro	oteir	1 .								•
5		(xi	i) SI	EQUE	CE I	DESCF	RIPTI	ON:	SEQ	ID 1	10:40):			٠.		
		Met 1	Pro	Ser	Val	Ser 5	Pro	Ala	Gly	Pro	Ser 10	Ala	Gly	Ala	Val	Pro 15	Asn
	٠.	Ala	Thr	Ala	Val 20	Thr	Thr	Val	Arg	Thr 25	Asn	Ala	Ser	Gly	Leu 30	Glu	Val
10		Pro	Leu	Phe 35	His	Leu	Phe	Ala	Arg 40	Leu	Asp	Glu	Glu	Leu 45	His	Gly	Thr
	*	Phe	Pro 50	Gly	Leu	Cys	Val	Ala 55	Leu	Met	Ala	Val	His 60	Gly	Ala	Ile	Phe
15		Leu 65	Ala	Gly	Leu	Val	Leu 70	Asn	Gly	Leu	Ala	Leu 75	Tyr	Val	Phe	Cys	Cys
		Arg	Thr	Arg	Ala	Lys 85	Thr	Pro	Ser	Val	Ile 90	Tyr	Thr	Ile	Asn	Leu 95	Val
		Val	Thr	Asp	Leu 100	Leu	Val	Gly	Leu	Ser 105	Leu	Pro	Thr	Arg	Phe 110	Ala	Val
20		Tyr	Tyr	Gly 115	Ala	Arg	Gly	Cys	Leu 120	Arg	Cys	Ala	Phe	Pro 125	His	Val	Leu

Gly Tyr Phe Leu Asn Met His Cys Ser Ile Leu Phe Leu Thr Cys Ile

Cys Val Asp Arg Tyr Leu Ala Ile Val Arg Pro Glu Ala Pro Ala Ala 155 160 25

> Cys Arg Gln Pro Ala Cys Ala Arg Ala Val Cys Ala Phe Val Trp Leu 170 . 165

> Ala Ala Gly Ala Val Thr Leu Ser Val Leu Gly Val Thr Gly Ser Arg

Pro Cys Cys Arg Val Phe Ala Leu Thr Val Leu Glu Phe Leu Leu Pro 30 200

Leu Leu Val Ile Ser Val Phe Thr Gly Arg Ile Met Cys Ala Leu Ser

Arg Pro Gly Leu Leu His Gln Gly Arg Gln Arg Arg Val Arg Ala Met 35 230 235

> Gln Leu Leu Thr Val Leu Ile Ile Phe Leu Val Cys Phe Thr Pro 250

		-	_						-		
	Phe His Ala Arg Gln Val Ala 260	Val	Ala 265	Leu	Trp	Pro	Asp	Met 270	Pro	His	
	His Thr Ser Leu Val Val Tyr 275	His 280	Val	Ala	Val	Thr	Leu 285	Ser	Ser	Leu	
5	5 Asn Ser Cys Met Asp Pro Ile 290 295		Tyr	Cys	Phe	Val 300	Thr	Ser	Gly	Phe	
	Gln Ala Thr Val Arg Gly Lev 305 310	Phe	Gly	Gln	His 315	Gly	Glu	Arg	Glu	Pro 320	
0	Ser Ser Gly Asp Val Val Ser 0 325	Met	His	Arg 330	Ser	Ser	Lys	Gly	Ser 335	Gly	
	Arg His His Ile Leu Ser Ala 340	Gly	Pro 345	His	Ala	Leu	Thr	Gln 350	Ala	Leu	
	Ala Asn Gly Pro Glu Ala 355										•
15	5 (42) INFORMATION FOR SEQ ID NO:	11:							•		
20	(i) SEQUENCE CHARACTERIST: (A) LENGTH: 30 base pa (B) TYPE: nucleic acid (C) STRANDEDNESS: sing (D) TOPOLOGY: linear	airs 1									
	(ii) MOLECULE TYPE: DNA (genom	ic)					•	00		
	(xi) SEQUENCE DESCRIPTION	: SEQ	ID	NO : 4	1:		•				
	GAGAATTCAC TCCTGAGCTC AAGATGAAC	T									30
	(43) INFORMATION FOR SEQ ID NO:	42:	-	0							
25	(i) SEQUENCE CHARACTERIST (A) LENGTH: 30 base p (B) TYPE: nucleic aci (C) STRANDEDNESS: sin (D) TOPOLOGY: linear	airs d				×					
30	30 (ii) MOLECULE TYPE: DNA (genom	nic)			-					
	(xi) SEQUENCE DESCRIPTION	: SEC) ID	NO:	12:						*
	CGGGATCCCC GTAACTGAGC CACTTCAGA	T							5		30
	(44) INFORMATION FOR SEQ ID NO:	43:				•					
35	(i) SEQUENCE CHARACTERIST (A) LENGTH: 1050 base (B) TYPE: nucleic act (C) STRANDEDNESS: sir	pair ld	cs		•		·.				

l

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

	ATGAACTCCA	CCTTGGATGG	TAATCAGAGC	AGCCACCCTT	TTTGCCTCTT	GGCATTTGGC	60
5	TATTTGGAAA	CTGTCAATTT	TTGCCTTTTG	GAAGTATTGA	TTATTGTCTT	TCTAACTGTA	120
	TTGATTATTT	CTGGCAACAT	CATTGTGATT	TTTGTATTTC	ACTGTGCACC	TTTGTTGAAC	180
	CATCACACTA	CAAGTTATTT	TATCCAGACT	ATGGCATATG	CTGACCTTTT	TGTTGGGGTG	240
	AGCTGCGTGG	TCCCTTCTTT	ATCACTCCTC	CATCACCCCC	TTCCAGTAGA	GGAGTCCTTG	300
	ACTTGCCAGA	TATTTGGTTT	TGTAGTATCA	GTTCTGAAGA	GCGTCTCCAT	GGCTTCTCTG	360
0	GCCTGTATCA	GCATTGATAG	ATACATTGCC	ATTACTAAAC	CTTTAACCTA	TAATACTCTG	420
	GTTACACCCT	GGAGACTACG	CCTGTGTATT	TTCCTGATTT	GGCTATACTC	GACCCTGGTC	480
	TTCCTGCCTT	CCTTTTTCCA	CTGGGGCAAA	CCTGGATATC	ATGGAGATGT	GTTTCAGTGG	540
	TGTGCGGAGT	CCTGGCACAC	CGACTCCTAC	TTCACCCTGT	TCATCGTGAT	GATGTTATAT	600
	GCCCCAGCAG	CCCTTATTGT	CTGCTTCACC	TATTTCAACA	TCTTCCGCAT	CTGCCAACAG	660
15	CACACAAAGG	ATATCAGCGA	AAGGCAAGCC	CGCTTCAGCA	GCCAGAGTGG	GGAGACTGGG	720
	GAAGTGCAGG	CCTGTCCTGA	TAAGCGCTAT	GCCATGGTCC	TGTTTCGAAT	CACTAGTGTA	780
	TTTTACATCC	TCTGGTTGCC	ATATATCATC	TACTTCTTGT	TGGAAAGCTC	CACTGGCCAC	840
	AGCAACCGCT	TCGCATCCTT	CTTGACCACC	TGGCTTGCTA	TTAGTAACAG	TTTCTGCAAC	900
	TGTGTAATTT	ATAGTCTCTC	CAACAGTGTA	TTCCAAAGAG	GACTAAAGCG	CCTCTCAGGG	960
20	GCTATGTGTA	CTTCTTGTGC	AAGTCAGACT	ACAGCCAACG	ACCCTTACAC	AGTTAGAAGC	10,20
	AAAGGCCCTC	TTAATGGATG	TCATATCTGA				1.050

- (45) INFORMATION FOR SEQ ID NO:44:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 349 amino acids
 - (B) TYPE: amino acid
 (C) STRANDEDNESS:

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:
- Met Asn Ser Thr Leu Asp Gly Asn Gln Ser Ser His Pro Phe Cys Leu 30

•	1				5					10					15	
	Leu	Ala	Phe	Gly 20	Tyr	Leu	Glu	Thr	Val 25	Asn	Phe	Cys	Leu	Leu 30	Glu	Val
5	Leu	Ile	Ile 35	Val	Phe	Leu	Thr	Val 40	Leu	Ile	Ile	Ser	Gly 45	Asn	Ile	Ile
	Val	Ile 50	Phe	Val	Phe	His	Cys 55	Ala	Pro	Leu	Leu	Asn 60	His	His	Thr	Thr
	Ser 65	Tyr	Phe	Ile	Gln	Thr 70	Met	Ala	Tyr	Ala	Asp 75	Leu	Phe	Val	Gly	Val 80
10	Ser	Cys	Val	Val	Pro 85	Ser	Leu	Ser	Leu	Leu 90	His	His	Pro	Leu	Pro 95	Val
	Glu	Glu	Ser	Leu 100	Thr	Суз	Gln	Ile	Phe 105	Gly	Phe	Val	Val	Ser 110	Val	Leu
15	Lys	Ser	Val 115	Ser	Met	Ala	Ser	Leu 120	Ala	Суз	Ile	Ser	Ile 125	Asp	Arg	Tyr
	Ile	Ala 130	Ile	Thr	Lys	Pro	Leu 135	Thr	Tyr	Asn	Thr	Leu 140	Val	Thr	Pro	Trp
	Arg 145	Leu	Arg	Leu	Cys	Ile 150	Phe	Leu	Ile	Trp	Leu 155	Tyr	Ser	Thr	Leu	Val 160
20	Phe	Leu	Pro	Ser	Phe 165	Phe	His	Trp	Gly	Lys 170	Pro	Gly	Tyr		Gly 175	Asp
•	Val	Phe	Gln	Trp 180	Cys	Ala	Glu	Ser	Trp 185	His	Thr	Asp	Ser	Tyr 190	Phe	Thr
25	Leu	Phe	Ile 195	Val	Met	Met	Leu	Tyr 200	Ala	Pro	Ala	Ala	Leu 205	Ile	Val	Cys
	Phe	Thr 210	Tyr	Phe	Asn	Ile	Phe 215	Arg	Ile	Cys	Gln	Gln 220	His	Thr	Lys	Asp
	Ile 225	Ser	Glu	Arg	Gln	Ala 230	Arg	Phe	Ser	Ser	Gln 235	Ser	Gly	Glu	Thr	Gly 240
30	Glu	Val	Gln	Ala	Cys 245	Pro	Asp	Lys	Arg	Tyr 250	Ala	Met	Val	Leu	Phe 255	Arg
	Ile	Thr	Ser	Val 260	Phe	Tyr	Ile	Leu	Trp 265	Leu	Pro	Tyr	Ile	Ile 270	Tyr	Phe
35	Leu	Leu	Glu 275	Ser	Ser	Thr	Gly	His 280	Ser	Asn	Aŗg	Phe	Ala 285	Ser	Phe	Leu
	Thr	Thr .290	Trp	Leu	Ala	Ile	Ser 295	Asn	Ser	Phe	Cys	Asn 300	Cys	Val	Ile	Tyr

	Ser Leu Ser Asn Ser Val Phe Gln Arg Gly Leu Lys Arg Leu Ser Gly 305 310 315 320	
	Ala Met Cys Thr Ser Cys Ala Ser Gln Thr Thr Ala Asn Asp Pro Tyr 325 330 335	
5	Thr Val Arg Ser Lys Gly Pro Leu Asn Gly Cys His Ile 340 345	
	(46) INFORMATION FOR SEQ ID NO:45:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:	•
15	TCCCCCGGGA AAAAAACCAA CTGCTCCAAA	30
	(47) INFORMATION FOR SEQ ID NO:46:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:	
	TAGGATCCAT TTGAATGTGG ATTTGGTGAA A	31
25	(48) INFORMATION FOR SEQ ID NO:47:	
30	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1302 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:	
	ATGTGTTTTT CTCCCATTCT GGAAATCAAC ATGCAGTCTG AATCTAACAT TACAGTGCGA	60
	GATGACATTG ATGACATCAA CACCAATMIC MCCLICOTT	120
35	CAAGTGTCTC TCACCGGATT TCTTATGTTA GAAATTGTGT TGGGACTTGG CAGCAACCTC	180

	ACTGTATTGG	TACTTTACTG	CATGAAATCC	AACTTAATCA	ACTCTGTCAG	TAACATTATT	240
	ACAATGAATC	TTCATGTACT	TGATGTAATA	ATTTGTGTGG	GATGTATTCC	TCTAACTATA	300
	GTTATCCTTC	TGCTTTCACT	GGAGAGTAAC	ACTGCTCTCA	TTTGCTGTTT	CCATGAGGCT	. 360
	TGTGTATCTT	TTGCAAGTGT	CTCAACAGCA	ATCAACGTTT	TTGCTATCAC	TTTGGACAGA	420
5	TATGACATCT	CTGTAAAACC	TGCAAACCGA	ATTCTGACAA	TGGGCAGAGC	TGTAATGTTA	480
	ATGATATCCA	TTTGGATTTT	TTCTTTTTC	TCTTTCCTGA	TTCCTTTTAT	TGAGGTAAAT	540
	TTTTTCAGTC	TTCAAAGTGG	AAATACCTGG	GAAAACAAGA	CACTTTTATG	TGTCAGTACA	600
	AATGAATACT	ACACTGAACT	GGGAATGTAT	TATCACCTGT	TAGTACAGAT	CCCAATATTC	660
	TTTTTCACTG	TTGTAGTAAT	GTTAATCACA	TACACCAAAA	TACTTCAGGC	TCTTAATATT	720
0	CGAATAGGCA	CAAGATTTTC	AACAGGGCAG	AAGAAGAAAG	CAAGAAAGAA	AAAGACAATT	780
	TCTCTAACCA	CACAACATGA	GGCTACAGAC	ATGTCACAAA	GCAGTGGTGG	GAGAAATGTA	840
	GTCTTTGGTG	TAAGAACTTC	AGTTTCTGTA	ATAATTGCCC	TCCGGCGAGC	TGTGAAACGA	900
	CACCGTGAAC	GACGAGAAAG	ACAAAAGAGA	GTCTTCAGGA	TGTCTTTATT	GATTATTTCT	960
	ACATTTCTTC	TCTGCTGGAC	ACCAATTTCT	GTTTTAAATA	CCACCATTTT	ATGTTTAGGC	1020
5	CCAAGTGACC	TTTTAGTAAA	ATTAAGATTG	TGTTTTTTAG	TCATGGCTTA	TGGAACAACT	1080
	ATATTTCACC	CTCTATTATA	TGCATTCACT	AGACAAAAAT	TTCAAAAGGT	CTTGAAAAGT	1140
	AAAATGAAAA	AGCGAGTTGT	TTCTATAGTA	GAAGCTGATC	CCCTGCCTAA	TAATGCTGTA	1200
	ATACACAACT	CTTGGATAGA	TCCCAAAAGA	ÁACAAAAAA	TTACCTTTGA	AGATAGTGAA	1260
	ATAAGAGAAA	AACGTTTAGT	GCCTCAGGTI	GTCACAGACT	' AG		1302
			GEO ID NO.4				

- 20 (49) INFORMATION FOR SEQ ID NO:48:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 433 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
- 25 (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Met Cys Phe Ser Pro Ile Leu Glu Ile Asn Met Gln Ser Glu Ser Asn 1 5 10 15

30 Ile Thr Val Arg Asp Asp Ile Asp Asp Ile Asn Thr Asn Met Tyr Gln 20 25 30

•	Pro	Leu	Ser 35	Tyr	Pro	Leu	Ser	Phe 40	Gln	Val	Ser	Leu	Thr 45	Gly	Pne	Leu
	Met	Leu 50	Glu	Ile	Val	Leu	Gly 55	Leu	Gly	Ser	Asn	Leu 60	Thr	Val	Leu	Val
5	Leu 65	Tyr	Cys	Met	Lys	Ser 70	Asn	Leu	Ile	Asn	Ser 75	Val	Ser	Asn	Ile	Ile 80
	Thr	Met	Asn	Leu	His 85	Val	Leu	Asp	Val	Ile 90	Ile	Cys	Val	Gly	Суз 95	Ile
10	Pro	Leu	Thr	Ile 100	Val	Ile	Leu	Leu	Leu 105	Ser	Leu	Glu	Ser	Asn 110	Thr	Ala
• .	Leu	Ile	Cys 115		Phe	His	Glu	Ala 120	Сув	Val	Ser	Phe	Ala 125	Ser	Val	Ser
	Thr	Ala 130	l Ile	Asn	Val	Phe	Ala 135	Ile	Thr	Leu	Asp	Arg 140	Tyr	Asp	Ile	Ser
15	Val 145		Pro	Ala	Asn	Arg 150	Ile	Leu	Thr	Met	Gly 155	Arg	Ala	Val	Met	Leu 160
	Met	: Ile	e Ser	Ile	Trp 165		Phe	Ser	Phe	Phe 170	Ser	Phe	Leu	Ile	Pro 175	Phe
20	Ile	e Glu	u Val	180		Phe	Ser	Leu	Gln 185	Ser	Gly	Asn	Thr	Trp 190	Glu	Asn
	Lys	s Th	r Lev 199		Суя	3 Val	. Ser	Thr 200	Asr	ı Glu	туг	Tyr	205	Glu	Leu	Gly
	Me	t Ty:		r His	E Let	Le۱ ג	val 215	. Glr	ılle	e Pro) Ile	220	Phe	Phe	Thr	· Val
25	Va 22		1 Me	t Le	ı Ile	e Thi	r Туз	Thi	c Lys	s Ile	235	Glr	n Ala	. Lev	Asr	1le 240
	Ar	g Il	e Gl	y Th	r Ar		e Sei	r Thi	r Gl	y Gl:	n Lys	E Lys	s Lys	a Ala	255	Lys
. 30	Lу	s Ly	s Th	r Il 26		r Le	u Th	r Th	r Gl 26	n Hi 5	s Gl	ı Ala	a Thi	270	Met	ser
	G1	.n Se	er Se		y Gl	y Ar	g As	n Va 28	1 Va 0	l Ph	e Gl	y Va	1 Arg	g Thi	r Se	r Val
	Se		al Il 90	e Il.	e Al	a Le	u Ar 29	g Ar 5	g Al	a Va	l Ly	s Ar 30	g Hi O	s Ar	g Gl	u Arg
35		rg G:	lu Ai	g Gl	n Ly	/s Ar 31		l Ph	ıe Ar	g Me	t Se	r Le 5	u Le	u Il	e Il	e Ser 320
	رمله	hr Di	he Le	eu Le	eu · Cr	ys Ti	p Th	r Pr	o Il	Le Se	er Va	l Le	u As	n Th	r Th	r Ile

						325					330					335		
		Leu	Cys	Leu	Gly 340	Pro	Ser	Asp	Leu	Leu 345	Val	Lys	Leu	Arg	Leu 350	Cys	Phe	,
5		Leu	Val	Met 355	Ala	тут	Gly	Thr	Tḥr 360	Île	Phe	His	Pro	Leu 365	Leu	Tyr	Ala	
	,	Phe	Thr 370	Arg	Gln	Lys	Phe	Gln 375	Lys	Val	Leu	Lys	Ser 380	Lys	Met	Lys	Lys	•
		Arg 385	Val	Val	Ser	Ile	-Val -390	Glu	Ala	Asp	Pro	Leu 395	Pro	Asn	Asn	Ala	Val 400	
10		Ile	His	Asn	Ser	Trp 405	Ile	Asp	Pro	Lys	Arg 410	Asn	Lys	Lys	Ile	Thr 415	Phe	
		Glu	Asp	Ser	Glu 420	Ile	Arg	Glu	Lys	Arg 425	Leu	Val	Pro	Gln	Val 430	Val	Thr	
15		Asp						. ,		•				*		•		
	(50)	INF	ORMA'	TION	FOR	SEQ	ID I	NO : 4	9:				•					
	•	(i)	(A) LE	NGTH	: 30	bas	ISTI e pa		٠				:		•		٠
20			(C) ST	PE: 1 RAND: POLO	EDNE	SS:	sing	le									
		(i	i) M	OLEC	ULE '	TYPE	: DN	A (g	enom	ic)								
		(x.	i) S	EQUE	NCE :	DESC	RIPT	ION:	SEQ	ID	NO : 4	9:	•			•		
	GTGA	AGCT'	TG C	CTCT	GGTG	C CT	GCAG	GAGG					•					30
25	(51)	INF	ORMA	TION	FOR	SEQ	ID	NO:5	0:					•				
	-	(i	(A) LE	NGTH	: 31	bas	ISTI e pa acid	irs	-	,		•					
30			(C) ST		EDNE	ss:	sing									• •	٠.
		(i	i) M	OLEC	ULE	TYPE	: DN	A (g	enom	ic)								
		(x	i) S	EQUE	NCE	DESC	RIPT	'ION:	SEQ	ID	NO: 5	0:						
	GCAG	AATT	cc c	GGTG	GCGT	G ŢŢ	GTGG	TGCC	C				•			٠		31
	/ =2\	TME	ODMA	TTON	FOR	SEO	TD	NO - 5	1.	•	•						,	

(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 1209 base pairs

- (B) TYPE: nucleic acid(C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

	ATGTTGTGTC	CTTCCAAGAC	AGATGGCTCA	GGGCACTCTG	GTAGGATTCA	CCAGGAAACT	60
	CATGGAGAAG	GGAAAAGGGA	CAAGATTAGC	AACAGTGAAG	GGAGGGAGAA	TGGTGGGAGA	120
	GGATTCCAGA	TGAACGGTGG	GTCGCTGGAG	GCTGAGCATG	CCAGCAGGAT	GTCAGTTCTC	180
	AGAGCAAAGC	CCATGTCAAA	CAGCCAACGC	TTGCTCCTTC	TGTCCCCAGG	ATCACCTCCT	240
10	CGCACGGGGA	GCATCTCCTA	CATCAACATC	ATCATGCCTT	CGGTGTTCGG	CACCATCTGC	300
	CTCCTGGGCA	TCATCGGGAA	CTCCACGGTC	ATCTTCGCGG	TCGTGAAGAA	GTCCAAGCTG	360
	CACTGGTGCA	ACAACGTCCC	CGACATCTTC	ATCATCAACC	TCTCGGTAGT	AGATCTCCTC	420
	TTTCTCCTGG	GCATGCCCTT	CATGATCCAC	CAGCTCATGG	GCAATGGGGT	GTGGCACTTT	480
	GGGGAGACCA	TGTGCACCCT	CATCACGGCC	ATGGATGCCA	ATAGTCAGTT	CACCAGCACC	540
15	TACATCCTGA	CCGCCATGGC	CATTGACCGC	TACCTGGCCA	CTGTCCACCC	CATCTCTTCC	600
	ACGAAGTTCC	GGAAGCCCTC	TGTGGCCACC	CTGGTGATCT	GCCTCCTGTG	GGCCCTCTCC	660
	TTCATCAGCA	TCACCCCTGT	GTGGCTGTAT	GCCAGACTCA	TCCCCTTCCC	AGGAGGTGCA	720
	GTGGGCTGCG	GCATACGCCT	GCCCAACCCA	GACACTGACC	TCTACTGGTT	CACCCTGTAC	780
	CAGTTTTTCC	TGGCCTTTGC	CCTGCCTTTT	GTGGTCATCA	CAGCCGCATA	CGTGAGGATC	840
20	CTGCAGCGCA	TGACGTCCTC	AGTGGCCCCC	GCCTCCCAGC	GCAGCATCCG	GCTGCGGACA	900
	AAGAGGGTGA	CCCGCACAGC	CATCGCCATC	TGTCTGGTCT	TCTTTGTGTG	CTGGGCACCC	960
	TACTATGTGC	TACAGCTGAC	CCAGTTGTCC	ATCAGCCGCC	CGACCCTCAC	CTTTGTCTAC	1020
	TTATACAATG	CGGCCATCAG	CTTGGGCTAT	GCCAACAGCT	GCCTCAACCC	CTTTGTGTAC	1080
	ATCGTGCTCT	GTGAGACGTT	CCGCAAACGC	TTGGTCCTGT	CGGTGAAGCC	TGCAGCCCAG	1140
25	GGGCAGCTTC	GCGCTGTCAG	CAACGCTCAG	ACGGCTGACG	AGGAGAGGAC	AGAAAGCAAA	1200
•.	GGCACCTGA			·			1209

- (53) INFORMATION FOR SEQ ID NO:52:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 402 amino acids
- (B) TYPE: amino acid

					Y: n		elev	rant								
	(ii	L) MC	LECU	ILE T	YPE:	pro	tein	ı								
	(xi	i) SE	QUEN	ICE I	DESCR	IPTI	ON:	SEQ	ID N	10:52	::			•		-
5	Met 1	Leu	Cys	Pro	Ser 5	Lys	Thr	Asp	Gly	Ser 10	Gly	His	Ser	Gly	Arg 15	Ile
	His	Ģln	Glu	Thr 20	His	Gly	Glu	Gly	Lys 25	Arg	Asp	Lys	Ile	Ser 30	Asn	Ser
0	Glu	_	Arg 35	Glu	Asn	Gly	Gly	Arg 40	Gly	Phe	Gln	Met	Asn 45	Gly	Gly	Ser
	Leu	Glu 50	Ala	Glu	His	Ala	Ser 55	Arg	Met	Ser	Val	Leu 60	Arg	Ala	Lys	Pro
	Met 65	Ser	Asn '	Ser	Gln	Arg 70	Leu	Leu	Leu	Leu	Ser 75	Pro	Gly	Ser	Pro	Pro 80
.5	Arg	Thr	Gly	Ser	Ile 85	Ser	Tyr	Ile	Asn	Ile 90	Ile	Met	Pro	Ser	Val 95	Phe
· .	Gly	Thr	Ile	Cys 100	Leu	Leu	Gly	Ile	Ile 105	Gly	Asn	Ser	Thr	Val 110	Ile	Phe
20	Ala	Val	Val 115	Lys	Lys	Ser	ГÀЗ	Leu 120		Trp	Суз	Asn	Asn 125	Val	Pro	Asp
	Ile	Phe 130		Ile	Asn	Leu	Ser 135	Val	Val	Asp	Leu	Leu 140	Phe	Leu	Leu	Gly
	Met 145		Phe	Met	Ile	His 150		Leu	Met	Gly	Asn 155	Gly	Val	Trp	His	Phe 160
25	Gly	Glu	Thr	Met	Cys 165	Thr	Leu	Ile	Thr	Ala 170	Met	Asp	Ala	Asn	Ser 175	Gln
	Phe	Thr	Ser	Thr 180		Ile	Leu	Thr	Ala 185		Ala	Ile	Asp	Arg 190	Tyr	Leu
30	Ala	Thr	Val 195		Pro	Ile	Ser	Ser 200	Thr	Lys	Phe	Arg	Lys 205		Ser	Val
	Ala	Thr 210		. Val	Ile	Cys	Leu 215		Trp	Ala	Leu	Ser 220	Phe	Ile	Ser	Ile
	Thr 225		Val	Trp	Leu	Tyr 230		Arg	Leu	Ile	Pro 235		Pro	Gly	Gly	Ala 240

Val Gly Cys Gly Ile Arg Leu Pro Asn Pro Asp Thr Asp Leu Tyr Trp

245

250

255 ·

									•	-						~		
		Phe	Thr	Leu	Tyr 260	Gln	Phe	Phe	Leu	Ala 265	Phe	Ala	Leu	Pro	Phe 270	Val	Val	
		Ile	Thr	Ala 275	Ala	Tyr	Val	Arg	Ile 280	Leu	Gln	Arg	Met	Thr 235	Ser	Ser	Val	
5		Ala	Pro 290	Ala	Ser	Gln	Arg	Ser 295	Ile	Arg	Leu	Arg	Thr 300	Lys	Arg	Val	Thr	٠
		Arg 305		Ala	Ile	Ala	Ile 310	Cys	Leu	Val	Phe	Phe 315	Val	Cys	Trp	Ala	Pró 320	
10		Tyr	Tyr	Val	Leu	Gln 325	Leu	Thr	Gln	Leu	Ser 330	Ile	Ser	Arg	Pro	Thr 335	Leu	,
	-	Thr	Phe	Val	Tyr 340	Leu	Tyr	Asn	Ala	Ala 345	Ile	Ser	Leu	Glÿ	Tyr 350	Ala	Asn	
		Ser	Сув	Leu 355	Asn	Pro	Phe	Val	Tyr 360	Ile	Val	Leu	Cys	Glu 365	Thr	Phe	Arg	
15		Lys	Arg 370	Leu	Val	Leu	Ser	Val 375	Lys	Pro	Ala	Ala	Gln 380	Gly	Gln	Leu	Arg	
		Ala 385	Val	Ser	Asn	Ala	Gln 390	Thr	Ala	Asp	Glu	Glu 395	Arg	Thr	Glu	Ser	Lys 400	
20	(54)	Gly		PTON	EOP.	SEO	TD N	· ••	١-								٠.	
	(34)		SE(QUENC LEI	CE CH	IARAC	TERI base	ISTIC	S:	*, *						ī. :		
25				STI TOI				_	Le .									
	·.			OLECT EQUE				_			10:53	3:						
	GGCGG	BATCO	CA TO	GATO	TGAC	TTC	CCA	Ą			•							27
30	(55)	INFO	RMAT	CION	FOR	SEQ	ID N	10:54	· • :									
		(i)	(A) (B)	QUENC LEN TYI	IGTH: PE: 1	27 nucle	base eic a	pai cid	rs		÷		-	•				

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

GGCGGATCCC TACACGGCAC TGCTGAA

27

(56) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1128 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:
- ATGGATGTGA CTTCCCAAGC CCGGGGCGTG GGCCTGGAGA TGTACCCAGG CACCGCGCAC GCTGCGGCCC CCAACACCAC CTCCCCCGAG CTCAACCTGT CCCACCCGCT CCTGGGCACC 120 GCCCTGGCCA ATGGGACAGG TGAGCTCTCG GAGCACCAGC AGTACGTGAT CGGCCTGTTC 180 CTCTCGTGCC TCTACACCAT CTTCCTCTTC CCCATCGGCT TTGTGGGCAA CATCCTGATC 240 CTGGTGGTGA ACATCAGCTT CCGCGAGAAG ATGACCATCC CCGACCTGTA CTTCATCAAC 300 CTGGCGGTGG CGGACCTCAT CCTGGTGGCC GACTCCCTCA TTGAGGTGTT CAACCTGCAC 360 GAGCGGTACT ACGACATCGC CGTCCTGTGC ACCTTCATGT CGCTCTTCCT GCAGGTCAAC 420 ATGTACAGCA GCGTCTTCTT CCTCACCTGG ATGAGCTTCG ACCGCTACAT CGCCCTGGCC 480 AGGGCCATGC GCTGCAGCCT GTTCCGCACC AAGCACCACG CCCGGCTGAG CTGTGGCCTC 540 ATCTGGATGG CATCCGTGTC AGCCACGCTG GTGCCCTTCA CCGCCGTGCA CCTGCAGCAC 600 ACCGACGAGG CCTGCTTCTG TTTCGCGGAT GTCCGGGAGG TGCAGTGGCT CGAGGTCACG 660 CTGGGCTTCA TCGTGCCCTT CGCCATCATC GGCCTGTGCT ACTCCCTCAT TGTCCGGGTG 720 CTGGTCAGGG CGCACCGGCA CCGTGGGCTG CGGCCCCGGC GGCAGAAGGC GCTCCGCATG 780 GTGCACCTCC TGCAGCGGAC GCAGCCTGGG GCCGCTCCCT GCAAGCAGTC TTTCCGCCAT 900 GCCCACCCC TCACGGGCCA CATTGTCAAC CTCGCCGCCT TCTCCAACAG CTGCCTAAAC 960 CCCCTCATCT ACAGCTTTCT CGGGGAGACC TTCAGGGACA AGCTGAGGCT GTACATTGAG CAGAAAACAA ATTTGCCGGC CCTGAACCGC TTCTGTCACG CTGCCCTGAA GGCCGTCATT 1080 CCAGACAGCA CCGAGCAGTC GGATGTGAGG TTCAGCAGTG CCGTGTGA 1128
 - (57) INFORMATION FOR SEQ ID NO:56:
 - (i) SEQUENCE CHARACTERISTICS:

		(C)	TYP STR	E: a	375 mino DNES Y: n	aci S:	.d						•			
5 ·	·(ii	.) MC	LECU	LE T	YPE:	pro	tein	•								
	(xi) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	10:56	:				•	
	Met 1	Asp	Val	Thr	Ser 5	Gln	Ala	Arg	Gly	Val 10	Gly	Leu	Glu	Met	Tyr 15	Pro
10	Gly	Thr	Ala	His 20	Ala	Ala	Ala	Pro	Asn 25	Thr	Thr	Ser	Pro	Glu 30	Leu	Asn
	Leu	Ser	His 35	Pro	Leu	Leu	Gly	Thr 40	Ala	Leu	Ala	Asn	Gly 45	Thr	Gly	Glu
•	Leu	Ser 50	Glu	His	Gln	Gln	Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
15	Туг 65	Thŕ	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
- · · · · ·	Leu	Vaļ	Val	Asn	Ile 85	Ser	Phe	Arg	Glu	Lys 90	Met.	Thr	Ile	Pro	Asp 95	Leu
20	Tyr	Phe	Ile	Asn 100	Leu	Ala	Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
	Leu	Ile	Glu 115	Val	Phe	Asn	Leu	His 120	Glu	Arg	Туr	Tyr	Asp 125	Ile	Ala	Val
•	Leu	Cys 130	Thr	Phe	Met	Ser	Leu 135	Phe	Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
25	Val 145		Phe	Leu	Thr	Trp 150		Ser	Phe	Asp	Arg	Tyr	Ile	Ala	Leu	Ala 160
	Arg	Ala	Met	Arg	Cys 165		Leu	Phe	Arg	Thr 170		His	His	Ala	Arg 175	Leu
30	Ser	Cys	Gly	Leu 180		Trp	Met	Ala	Ser 185		Ser	Ala	Thr	Leu 190	Val	Pro
•	Phe	Thr	Ala 195		His	Leu	Gln	His 200		Asp	Glu	Ala	Cys 205		Cys	Phe
	Ala	Asp 210		Arg	Glu	Val	. Gln 215		Leu	Glu	Val	Thr 220		Gly	Phe	Ile
35	Val		Phe	Ala	ılle	11e		Leu	Cys	Tyr	Ser 235		Ile	val	Arg	Val 240
	Lev	ı Val	Arg	, Ala	. His	Arg	, His	Arg	Gly	/ Leu	Arg	Pro	Arg	Arg	Gln	Lys

	Ala Leu Arg Met Ile Leu Ala Val Val Leu Val Phe Phe Val Cys Trp 260 265 270	
5	Leu Pro Glu Asn Val Phe Ile Ser Val His Leu Leu Gln Arg Thr Gln 275 280 285	
-	Pro Gly Ala Ala Pro Cys Lys Gln Ser Phe Arg His Ala His Pro Leu 290 295 300	
	Thr Gly His Ile Val Asn Leu Ala Ala Phe Ser Asn Ser Cys Leu Asn 305 310 315 320	
10	Pro Leu Ile Tyr Ser Phe Leu Gly Glu Thr Phe Arg Asp Lys Leu Arg 325 330 335	
	Leu Tyr Ile Glu Gln Lys Thr Asn Leu Pro Ala Leu Asn Arg Phe Cys 340 345 350	
15	His Ala Ala Leu Lys Ala Val Ile Pro Asp Ser Thr Glu Gln Ser Asp 355 360 365	
	Val Arg Phe Ser Ser Ala Val 370 375	
	(58) INFORMATION FOR SEQ ID NO:57:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:	
	AAGGAATTCA CGGCCGGGTG ATGCCATTCC C 33	L
	(59) INFORMATION FOR SEQ ID NO:58:	
30	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:	
35	GGTGGATCCA TAAACACGGG CGTTGAGGAC 3	0
	(60) INFORMATION FOR SEQ ID NO:59:	

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 960 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
- 5 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

	ATGCCATTCC	CAAACTGCTC	AGCCCCCAGC	ACTGTGGTGG	CCACAGCTGT	GGGTGTCTTG	60
*	CTGGGGCTGG	AGTGTGGGCT	GGGTCTGCTG	GGCAACGCGG	TGGCGCTGTG	GACCTTCCTG	120
10	TTCCGGGTCA	GGGTGTGGAA	GCCGTACGCT	GTCTACCTGC	TCAACCTGGC	CCTGGCTGAC	180
	CTGCTGTTGG	CTGCGTGCCT	GCCTTTCCTG	GCCGCCTTCT	ACCTGAGCCT	CCAGGCTTGG	240
•	CATCTGGGCC	GTGTGGGCTG	CTGGGCCCTG	CGCTTCCTGC	TGGACCTCAG	CCGCAGCGTG	300
	GGGATGGCCT	TCCTGGCCGC	CGTGGCTTTG	GACCGGTACC	TCCGTGTGGT	CCACCCTCGG	360
•	CTTAAGGTCA	ACCTGCTGTC	TCCTCAGGCG	GCCCTGGGGG	TCTCGGGCCT	CGTCTGGCTC	420
15	CTGATGGTCG	CCCTCACCTG	CCCGGGCTTG	CTCATCTCTG	AGGCCGCCCA	GAACTCCACC	480
	AGGTGCCACA	GTTTCTACTC	CAGGGCAGAC	GGCTCCTTCA	GCATCATCTG	GCAGGAAGCA	540
	CTCTCCTGCC	TTCAGTTTGT	CCTCCCCTTT	GGCCTCATCG	TGTTCTGCAA	TGCAGGCATC	600
	ATCAGGGCTC	TCCAGAAAAG	ACTCCGGGAG	CCTGAGAAAC	AGCCCAAGCT	TCAGCGGGCC	660
	CAGGCACTGG.	TCACCTTGGT	GGTGGTGCTG	TTTGCTCTGT	GCTTTCTGCC	CTGCTTCCTG	720
20	GCCAGAGTCC	TGATGCACAT	CTTCCAGAAT	CTGGGGAGCT	GCAGGGCCCT	TTGTGCAGTG	780
	GCTCATACCT	CGGATGTCAC	GGGCAGCCTC	ACCTACCTGC	ACAGTGTCGT	CAACCCCGTG	840
	GTATACTGCT	TCTCCAGCCC	CACCTTCAGG	AGCTCCTATC	GGAGGGTCTT	CCACACCCTC	900
•	CGAGGCAAAG	GGCAGGCAGC	AGAGCCCCCA	GATTTCAACC	CCAGAGACTC	CTATTCCTGA	960
	/61\ T\TOON						

(61) INFORMATION FOR SEQ ID NO:60:

25

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 319 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear
- 30 (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

Met Pro Phe Pro Asn Cys Ser Ala Pro Ser Thr Val Val Ala Thr Ala

	1				5					10					15	
	Val	Gly	Val	Leu 20	Leu	Gly	Leu	Glu	Cys 25	Gly	Leu	Gly	Leu	Leu 30	Gly	Asn
5	Ala	Val	Ala 35	Leu	Trp	Thr	Phe	Leu 40	Phe	Arg	Val	Arg	Val 45	Trp	Lys	Pro
	Tyr	Ala 50	Val	Tyr	Leu	Leu	Asn 55	Leu	Ala	Leu	Ala	Asp 60	Leu	Leu	Leu	Ala
	Ala 65	Cys	Leu	Pro	Phe	Leu 70	Ala	Ala	Phe	Tyr	Leu .75	Ser	Leu	Gln	Ala	Trp 80
10	His	Leu	Gly	Arg	Val 85	Gly	Cys	Trp	Ala	Leu 90	Arg	Phe	Leu	Leu	Asp 95	Leu
	Ser	Arg	Ser	Val 100	Gly	Met	Ala	Phe	Leu 105	Ala	Ala ,	Val	Ala	Leu 110	Asp	Arg
15	Tyr	Leu	Arg 115	Val	Val	His	Pro	Arg 120	Leu	Lys	Val	Asn	Leu 125	Leu	Ser	Pro
	Gln	Ala 130	Ala	Leu	Gly	Val	Ser 135	Gly	Leu	Val	Trp	Leu 140	Leu	Met	Val	Ala
:	Leu 145	Thr	Cys	Pro.	Gly	Leu 150	Leu	Ile	Ser	Glu	Ala 155	Ala	Gln	Asn	Ser	Thr 160
20	Arg	Cys	His	Ser	Phe 165	Tyr	Ser	Arg	Ala	Asp 170	Gly	Ser	Phe	Ser	Ile 175	Ile
	Trp	Gln	Glu	Ala 180	Leu	Ser	Cys	Leu	Gln 185	Phe	Val	Leu	Pro	Phe 190	Gly	Leu
25	Ile	Val	Phe 195	Cys	Asn	Ala	Gly	Ile 200	Ile	Arg	Ala	Leu	Gln 205	Lys	Arg	Leu
	Arg	Glu 210	Pro	Glu	Lys	Gln	Pro 215	Lys	Leu	Gln	Arg	Ala 220	Gln	Ala	Leu	Val
	Thr 225	Leu	Val	Val	Val	Leu 230	Phe	Ala	Lėu	Cys	Phe 235	Leu	Pro	Суз	Phe	Leu 240
30	Ala	Arg	Val	Leu	Met 245		Ile	Phe	Gln	Asn 250	Leu	Gly	Ser	Cys	Arg 255	Ala
	Leu	Cys	Ala	Val 260	Ala	His	Thr	Ser	Asp 265	Val	Thr	Gly	Ser	Leu 270	Thr	Tyr
35	Leu	His	Ser 275	Val	Val	Asn	Pro	Val 280	Val	Tyr	Cys	Phe	Ser 285	Ser	Pro	Thr
	Phe	Arg		Ser	Tyr	Arg	Arg 295		Phe	His	Thr	Leu 300		Gly	Lys	Gly

5

30

TAG

Gln Ala Ala Glu Pro Pro Asp Phe Asn Pro Arg Asp Ser Tyr Ser 305 310

(62) INFORMATION FOR SEQ ID NO:61:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1143 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

10	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:6	:		
	ATGGAGGAAG	GTGGTGATTT	TGACAACTAC	TATGGGGCAG	ACAACCAGTC	TGAGTGTGAG	60
	TACACAGACT	GGAAATCCTC	GGGGGCCCTC	ATCCCTGCCA	TCTACATGTT	GGTCTTCCTC	120
	CTGGGCACCA	CGGGAAACGG	TCTGGTGCTC	TGGACCGTGT	TTCGGAGCAG	CCGGGAGAAG	180
	AGGCGCTCAG	CTGATATCTT	CATTGCTAGC	CTGGCGGTGG	CTGACCTGAC	CTTCGTGGTG	240
15	ACGCTGCCCC	TGTGGGCTAC	CTACACGTAC	CGGGACTATG	ACTGGCCCTT	TGGGACCTTC	300
	TTCTGCAAGC	TCAGCAGCTA	CCTCATCTTC	GTCAACATGT	ACGCCAGCGT	CTTCTGCCTC	360
	ACCGGCCTCA	GCTTCGACCG	CTACCTGGCC	ATCGTGAGGC	CAGTGGCCAA	TGCTCGGCTG	420
	AGGCTGCGGG	TCAGCGGGGC	CGTGGCCACG	GCAGTTCTTT	GGGTGCTGGC	CGCCCTCCTG	480
	GCCATGCCTG	TCATGGTGTT	ACGCACCACC	GGGGACTTGG	AGAACACCAC	TAAGGTGCAG	540
20	TGCTACATGG	ACTACTCCAT	GGTGGCCACT	GTGAGCTCAG	AGTGGGCCTG	GGAGGTGGGC	600
	CTTGGGGTCT	CGTCCACCAC	CGTGGGCTTT	GTGGTGCCCT	TCACCATCAT	GCTGACCTGT	660
-	TACTTCTTCA	TCGCCCAAAC	CATCGCTGGC	CACTTCCGCA	AGGAACGCAT	CGAGGCCTG	720
	CGGAAGCGGC	GCCGGCTGCT	CAGCATCATC	GTGGTGCTGG	TGGTGACCTT	TGCCCTGTGC	780
	TGGATGCCCT	ACCACCTGGT	GAAGACGCTG	TACATGCTGG	GCAGCCTGCT	GCACTGGCCC	84
25	TGTGACTTTC	ACCTCTTCCT	CATGAACATC	TTCCCCTACT	GCACCTGCAT	CAGCTACGTC	90
	AACAGCTGC	TCAACCCCTT	CCTCTATGCC	TTTTTCGACC	CCCGCTTCCG	CCAGGCCTGC	96
	ACCTCCATG	C TCTGCTGTGG	CCAGAGCAGG	TGCGCAGGC	A CCTCCCACAC	CAGCAGTGGG	102
						CATGGGCAAG	108
						TGTGGTTGAC	114

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 380 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

	(X1) SEQUENCE DESCRIPTION									NO: 6.	2:					
10	Met 1	Glu	Glu	Gly	Gly 5	Asp	Phe	Asp	Asn	Tyr 10	Тут	Gly	Ala	Asp	Asn 15	Gln-
	Ser	Glu	Cys	Glu 20	Tyr	Thr	Asp	Trp	Lys 25	Ser	Ser	Gly	Ala	Leu 30	Ile	Pro
	Ala	Ile	Tyr 35	Met	Leu	Val	Phe	Leu 40	Leu	Gly	Thr	Thr	Gly 45	Asn	Gly	Leu
15	Val	Leu 50	Trp	Thr	Val	Phe	Arg 55	Ser	Ser	Arg	Glu	Lys 60	Arg	Arg	Ser	Ala
NA I	Asp 65	Ile	Phe	Ile	Ala	Ser 70	Leu	Ala	Val	Ala	Asp 75	Leu	Thr	Phe	Val	Val 80
20	Thr	Leu	Pro	Leu	Trp 85	Ala	Thr	Tyr	Thr	туr 90	Arg	Asp	Tyr	Asp	Trp 95	Pro
-	Phe	Gly	Thr	Phe 100	Phe	Cys	Lys	Léu	Ser 105	Ser	Tyr	Leu	Île	Phe 110	Val	Asn
	Met	Tyr	Ala 115		Val	Phe	Cys	Leu 120	Thr	Gly	Leu	Ser	Phe 125	Asp	Arg	Tyr
25	Leu	Ala 130	Ile	Val	Arg	Pro	Val 135	Ala	Asn	Ala	Arg	Leu 140	Arg	Leu	Arg	Val
	Ser 145	Gly	Äla	Val	Ala	Thr 150		Val	Leu	Trp	Val 155	Leu	Ala	Ala	Leu	Leu 160
30	Ala	Met	Pro	Val	Met 165	Val	Leu	Arg	Thr	Thr 170	Gly	Asp	Leu	Glu	Asn 175	Thr
	Thr	ГÄз	Val	Gln 180	Cys	Tyr	Met	Asp	Tyr 185	Ser	Met	Val	Ala	Thr 190	Val	Ser
•	Ser	Glu	Trp 195	Ala	Trp	Glu	Val	Gly 200	Leu	Gly	Val	Ser	Ser 205	Thr	Thr	Val
35	Gly	Phe 210	Val	Val	Pro	Phe	Thr 215	Ile	Met	Leu	Thr	Cys 220	Tyr	Phe	Phe	Ile

Ala Gln Thr Ile Ala Gly His Phe Arg Lys Glu Arg Ile Glu Gly Leu

		225					230					235					240	
		Arg	Lys	Arg	Arg	Arg 245	Leu	Leu	Ser	Ile	Ile 250	Val	Val	Leu	Val	Val 255	Thr	•
5		Phe	Ala	Leu	Cys 260	Trp	Met	Pro	Тут	His 265	Leu	Val	Lys	Thr	Leu 270	Tyr	Met	
		Leu	Gly	Ser 275	Leu	Leu	His	Trp	Pro 280	Cys	Asp	Phe	Asp	Leu 285	Phe	Leu	Met	
		Asn	Ile 290	Phe	Pro	Tyr	Cys	Thr 295	Cys	Ile	Ser	Tyr	Val 300	Asn	Ser	Cys	Leu	
0		Asn 305	Pro	Phe	Leu	Tyr	Ala 310	Phe	Phe	Asp	Pro	Arg 315	Phe	Arg	Gln	Ala	Cys 320	
		Thr	Ser	Met	Leu	Cys 325	Cys	Gly	Gln	Ser	Arg 330	Cys	Ala	Gly	Thr	Ser 335	His	
.5		Ser	Ser	Ser	Gly 340	Glu	Lys	Ser	Ala	Ser 345	Tyr	Ser	Ser	Gly	His 350	Ser	Gln	
		Gly	Pro	Gly 355	Pro	Asn	Met	Gly	Lys 360	Gly	Gly	Glu	Gln	Met 365	His	Glu	Lýs	
		Ser	Ile 370		Tyr	Ser	Gln	Glu 375	Thr	Leu	Val	Val	Asp 380					
20	(64)	INFO	ORMA'	rion	FOR	SEQ	ID I	NO:6	3:									
25		(i)	(A) (B) (C)	LEI TYI	CE CI NGTH: PE: 1 RANDI POLO	: 31 nucle EDNES	base eic a SS:	e pa: acid sing:	irs	·								٠.
		. (ii	L) MO	OLECT	JLE :	TYPE	: DN	A (g	enom	ic)	٠.							
		(x;	i) sı	EQUEI	NCE I	DESCI	RIPT	ION:	SEQ	ID I	NO:6	3:						
-	TGAG	AATTO	CT GO	GTGA(CTCA	C AG	CCGG	CACA	G									31
	(65)	INFO	ORMA:	rion	FOR	SEQ	ID 1	NO : 6	4:	-								
30		(i)	(A) (B) (C)) LEI) TYI) STI	CE CI NGTH PE: 1 RANDI POLO	: 31 nucle EDNE	base eic a	e pa: acid sing:	irs									
35		(i:	i) M	OLEC	JLE '	TYPE	: DN	A (g	enom	ic)								
		(x:	i) S	EQUE	NCE I	DESC	RIPT	ION:	SEQ	ID 1	NO : 6	4:						

GCCGGATCCA AGGAAAAGCA GCAATAAAAG G

31

(66) INFORMATION FOR SEQ ID NO:65:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1119 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

			•				
. 10	ATGAACTACC	CGCTAACGCT	GGAAATGGAC	CTCGAGAACC	TGGAGGACCT	GTTCTGGGAA	60
	CTGGACAGAT	TGGACAACTA	TAACGACACC	TCCCTGGTGG	AAAATCATCT	CTGCCCTGCC	120
	ACAGAGGGTC	CCCTCATGGC	CTCCTTCAAG	GCCGTGTTCG	TGCCCGTGGC	CTACAGCCTC	180
	ATCTTCCTCC	TGGGCGTGAT	CGGCAACGTC	CTGGTGCTGG	TGATCCTGGA	GCGGCACCGG	240
	CAGACACGCA	GTTCCACGGA	GACCTTCCTG	TTCCACCTGG	CCGTGGCCGA	CCTCCTGCTG	300
15	GTCTTCATCT	TGCCCTTTGC	CGTGGCCGAG	GGCTCTGTGG	GCTGGGTCCT	GGGGACCTTC	360
	CTCTGCAAAA	CTGTGATTGC	CCTGCACAAA	GTCAACTTCT	ACTGCAGCAG	CCTGCTCCTG	420
	GCCTGCATCG	CCGTGGACCG	CTACCTGGCC	ATTGTCCACG	CCGTCCATGC	CTACCGCCAC	480
	CGCCGCCTCC	TCTCCATCCA	CATCACCTGT	GGGACCATCT	GGCTGGTGGG	CTTCCTCCTT	540
	GCCTTGCCAG	AGATTCTCTT	CGCCAAAGTC	AGCCAAGGCC	ATCACAACAA	CTCCCTGCCA	600
20	CGTTGCACCT	TCTCCCAAGA	GAACCAAGCA	GAAACGCATG	CCTGGTTCAC	CTCCCGATTC	660
	CTCTACCATG	TGGCGGGATT	CCTGCTGCCC	ATGCTGGTGA	TGGGCTGGTG	CTACGTGGGG	720
	GTAGTGCACA	GGTTGCGCCA	GGCCCAGCGG	CGCCCTCAGC	GGCAGAAGGC	AGTCAGGGTG	780
	GCCATCCTGG	TGACAAGCAT	CTTCTTCCTC	TGCTGGTCAC	CCTACCACAT	CGTCATCTTC.	840
	CTGGACACCC	TGGCGAGGCT	GAAGGCCGTG	GACAATACCT	GCAAGCTGAA	TGGCTCTCTC	900
25	CCCGTGGCCA	TCACCATGTG	TGAGTTCCTG	GGCCTGGCCC	ACTGCTGCCT	CAACCCCATG	960
÷	CTCTACACTT	TCGCCGGCGT	GAAGTTCCGC	AGTGACCTGT	CGCGGCTCCT	GACCAAGCTG	1020
	GGCTGTACCG	GCCCTGCCTC	CCTGTGCCAG	CTCTTCCCTA	GCTGGCGCAG	GAGCAGTCTC	1080
	TCTGAGTCAG	AGAATGCCAC	CTCTCTCACC	ACGTTCTAG			1119

(67) INFORMATION FOR SEQ. ID NO:66:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 372 amino acids

	٠.	(C)	STE	PE: a RANDE POLOG	EDNES	SS:		ant,								
5	(i:	i) MC	OLECU	JLE T	TYPE:	pro	oteir	1								
	(x:	i) SI	EQUE1	ICE I	DESCE	RIPT	ON:	SEQ	ID 1	10:66	5:					
	Met 1	Asn	Tyr	Pro	Leu 5	Thr	Leu	Glu	Met	Asp 10	Leu	Glu	Asn	Leu	Glu 15	Asp
10	Leu	Phe	Trp	Glu 20	Leu	Asp	Arg	Leu	Asp 25	Asn	Tyr	Asn	Asp	Thr 30	Ser	Leu
	Val	Glu	Asn 35	His	Leu	Cys	Pro	Ala 40	Thr	Glu	Gly	Pro	Leu 45	Met	Ala	Ser
	Phe	Lys 50	Ala	Val	Phe	Val	Pro 55	Val	Ala	Tyr	Ser	Leu 60	Ile	Phe	Leu	Leu
15	Gly 65	Val	Ile	Gly	Asn	Val 70	Leu	Val	Leu	Val	Ile 75	Leu	Glu	Arg	His	Arg 80
	Gln	Thr	Arg	Ser	Ser 85	Thr	Glu	Thr	Phe	Leu 90	Phe	His	Leu	Ala	Val	Ala
20	Asp	Leu	Leu	Leu 100	Val	Phe	Ile	Leu	Pro 105	Phe .	Ala	Val	Ala	Glu 110	Gly	Ser
	Val	Gly	Trp 115	Val	Leu	Gly	Thr	Phe 120	Leu	Cys	Lys	Thr	Val 125	Ile	Ala	Leu
٠.,	His	Lys 130	Val	Asn	Phe	Tyr	Cys 135	Ser	Ser	Leu	Leu	Leu 140	Ala	Cys	Ile	Ala
25	Val 145	Asp	Arg	Tyr	Leu	Ala 150	Ile	Val	His	Ala	Val 155	His	Ala	Tyr	Arg	His 160
	Arg	Arg	Leu	Leu	Ser 165	Ile	His	Ile	Thr	Cys 170	Gly	Thr	Ile	Trp	Leu 175	Val
30	Gly	Phe	Leu	Leu 180	Ala	Leu	Pro	Glu	Ile 185	Leu	Phe	Ala	Lys	Val 190	Ser	Gln
	Gly	His	His 195		Asn	Ser	Leu	Pro 200		Сув	Thr	Phe	Ser 205		Glu	Asn
	Gln	Ala 210	Glu	Thr	His	Ala	Trp 215	Phe	Thr	Ser	Arg	Phe 220		Tyr	His	Val
3,5	Ala 225	Gly	Phe	Leu	Leu	Pro 230		Leu	Val	Met	Gly 235		Cya ·	Tyr	Val	Gly 240
	Val	Val	His	Ara	Leu	Ara	Gln	Ala	Gln	Arq	Arq	Pro	Gln	Ara	Gln	Lys

						245					250					255		
		Ala	Val	Arg	Val 260	Ala	Ile	Leu	Val	Thr 265	Ser	Ile	Phe	Phe	Leu 270	Cys	Trp	•
5		Ser	Pro	Tyr 275	His	Ile	Val	Ile	Phe 280		Asp	Thr	Leu	Ala 285	Arg	Leu	Lys	
		Ala	Val 290	Asp	Asn	Thr	Cys	Lys 295	Leu	Asn	Gly	Ser	Leu 300	Pro	Val	Ala	Ile	
		Thr 305	Met	Cys	Glu	Phe	Leu 310	Gly	Leu	Ala	His	Cys 315	Cys	Leu	Asn	Pro	Met 320	
10		Leu	Tyr	Thr	Phe	Ala 325	Gly	Val	Lys	Phe	Arg 330	Ser	Asp	Leu	Ser	Arg 335	Leu	
		Leu	Thr	Lys	Leu 340	Gly	Cys	Thr	Gly	Pro 345		Ser	Leu	Cys	Gln 350	Leu	Phe	
15	Pro Ser Trp Arg Arg Ser Ser Leu Ser Glu Ser Glu Asn Ala Thr 355 360 365 Leu Thr Thr Phe															Thr	Ser	
	(68)	IŅF	ORMA!	rion	FOR	SEQ	ID I	NO : 6	7: .									
20		(i)	(B)	LEI TYI	CE CI NGTH PE: 1 RANDI POLO	: 30 nucle EDNE	base eic a SS:	e pa: acid sing:	irs				-					
		(i.	i) M	OLEC	ULE '	TYPE	: DN	A (g	enom:	ic)							-	•
25		(x:	i) SI	EQUEI	NCE 1	DESCI	RIPT	ON:	SEQ	ID 1	NO : 6	7:						
	CAAA	GCTT	GA A	AGCT	GCAC	G GT	GCAG	AGAC	•						-		•	30
	(69)	INF	ORMA!	TION	FOR	SEQ	ID	NO : 6	8:									
30			(B)) LEI) TYI) STI	NGTH PE: 1 RAND	: 30 nucle EDNE:	base eic a	e pa acid sing	irs									
		(i	i) M	OLEC	ULE '	TYPE	: DN	A (g	enom	ic)								
		(x	i) S	EQUE	NCE !	DESC	RIPT	: NOI	SEQ	ID I	NO : 6	B:				-		ο.
35	GCGG.	ATCC	CG A	GTCA	CACC	C TG	GCTG	GGCC										30
	(70)	INF	ORMA'	TION	FOR	SEQ	ID	NO : 6	9:						•			

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1128 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

ATGGATGTGA CTTCCCAAGC CCGGGGCGTG GGCCTGGAGA TGTACCCAGG CACCGCGCAG 60 CCTGCGGCCC CCAACACCAC CTCCCCCGAG CTCAACCTGT CCCACCCGCT CCTGGGCACC 120 GCCCTGGCCA ATGGGACAGG TGAGCTCTCG GAGCACCAGC AGTACGTGAT CGGCCTGTTC 180 CTCTCGTGCC TCTACACCAT CTTCCTCTTC CCCATCGGCT TTGTGGGCAA CATCCTGATC 240 CTGGTGGTGA ACATCAGCTT CCGCGAGAAG ATGACCATCC CCGACCTGTA CTTCATCAAC 300 CTGGCGGTGG CGGACCTCAT CCTGGTGGCC GACTCCCTCA TTGAGGTGTT CAACCTGCAC 360 GAGCGGTACT ACGACATCGC CGTCCTGTGC ACCTTCATGT CGCTCTTCCT GCAGGTCAAC 420 ATGTACAGCA GCGTCTTCTT CCTCACCTGG ATGAGCTTCG ACCGCTACAT CGCCCTGGCC 480 AGGGCCATGC GCTGCAGCCT GTTCCGCACC AAGCACCACG CCCGGCTGAG CTGTGGCCTC 540 ATCTGGATGG CATCCGTGTC AGCCACGCTG GTGCCCTTCA CCGCCGTGCA CCTGCAGCAC 600 ACCGACGAGG CCTGCTTCTG TTTCGCGGAT GTCCGGGAGG TGCAGTGGCT CGAGGTCACG 660 CTGGGCTTCA TCGTGCCCTT CGCCATCATC GGCCTGTGCT ACTCCCTCAT TGTCCGGGTG 720 CTGGTCAGGG CGCACCGGCA CCGTGGGCTG CGGCCCCGGC GGCAGAAGGC GCTCCGCATG 780 20 840 GTGCACCTCC TGCAGCGGAC GCAGCCTGGG GCCGCTCCCT GCAAGCAGTC TTTCCGCCAT 900 GCCCACCCC TCACGGGCCA CATTGTCAAC CTCACCGCCT TCTCCAACAG CTGCCTAAAC 960 CCCCTCATCT ACAGCTTTCT CGGGGAGACC TTCAGGGACA AGCTGAGGCT GTACATTGAG 1020 1080 CAGAAAACAA ATTTGCCGGC CCTGAACCGC TTCTGTCACG CTGCCCTGAA GGCCGTCATT CCAGACAGCA CCGAGCAGTC GGATGTGAGG TTCAGCAGTG CCGTGTAG 1128

- (71) INFORMATION FOR SEQ ID NO:70:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 375 amino acids
- 30 (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant

.

	(i	i) M	OLEC	ULE	TYPE	: pr	otei	n								
	(x	i) s	EQUE	NCE	DESC	RIPT	ION:	SEQ	ID :	NO: 7	0:					
	Met 1	Asp	Val	Thr	Ser 5	Gln	Ala	Arg	Gly	Val 10	Gly	Leu	Glu	Met	Tyr 15	Pro
5	Gly	Thr	Ala	Gln 20	Pro	Ala	Ala	Pro	Asn 25	Thr	Thr	Ser	Pro	Glu 30	Leu	Asn
,	Leu	Ser	His 35	Pro	Leu	Leu	Gly	Thr 40	Ala	Leu	Ala	As'n	Gly 45	Thr	Gly	Glu
10	Leu	Ser 50	Glu	His	Gln	Gln	Туг 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
	Tyr 65	Thr	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
•	Leu	Val	Val	Asn	Ile 85	Ser	Phe	Arg		Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
15	Tyr	Phe	Ile	Asn 100	Leu	Alà	Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
	Leu	Ile	Glu 115	Val	Phe	Asn	Leu	His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
20	Ļeu	Cys 130	Thr	Phe	Met	Ser	Leu 135	Phe	Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
	Val 145	Phe	Phe	Leu	Thr	Trp 150	Met	Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
•	Arg	Ala	Met	Arg	Cys 165	Ser	Leu	Phe	Arg	Thr 170	Lys	His	His	Ala	Arg 175	Leu
25	Ser	Суз	Gly	Leu 180	Ile	Trp	Met	Ala	Ser 185	Val	Ser	Ala	Thr	Leu 190	Val	Pro
	Phe	Thr	Ala 195	Val	His	Leu	Gln	His 200	Thr	Asp	Glu	Ala	Cys 205	Phe	Cys	Phe
30	Ala	Asp 210	Val	Arg	Glu	Val	Gln 215	Trp	Leu	Glu	Val	Thr 220	Leu	Gly	Phe	Ile
	Val 225	Pro	Phe	Ala	Ile	Ile 230	Gly	Leu	Cys	Tyr	Ser 235	Leu	Ile	Val	Arg	Val 240
	Leu	Val	Arg	Ala	His	Arg	His	Arg	Gly	Leu	Arg	Pro	Arg	Arg	Gln	Lys

Ala Leu Arg Met Ile Leu Ala Val Val Leu Val Phe Phe Val Cys Trp

	Leu	Pro	Glu 275	Asn	Val	Phe	Ile	Ser 280		His	Leu	Leu	Gln 285	Arg	Thr	Gln	l.
	Pro	Gly 29C	Ala	Ala	Pro	Cys	Lys 295	Gln	Ser	Phe	Arg	His 300	Ala	His	Pro	Leu	
5	Thr 305	Gly	His	Ile	Val	Asn 310		Thr	Ala	Phe	Ser 315	Asn	Ser	Cys	Leu	Asn 320	
	Pro	Leu	Ile	Tyr	Ser 325	Phe	Leu	Gly	Glu	Thr 330	Phe	Arg	Asp	Lys	Leu 335	Arg	
10	Leu	Tyr	Ile	Glu 340	Gln	Lys	Thr	Asn	Leu 345	Pro	Ala	Leu	Asn	Arg 350		Cys	
	His	Ala	Ala 355		Lys	Ala	Val	Ile 360	Pro	Asp	Ser	Thr	Glu 365	Gln	Ser	Asp	
	Val	Arg 370	Phe	Ser	Ser	Ala	Val 375										
15	(72) INFO	ORMAT	ON	FOR	SEQ	ID 1	NO: 71	L:									
20	(i:	(B)	LEN TYE STE TOE	IGTH: PE: IT RANDE POLOG	: 30 nucle EDNES EY: 1	base sic a ss: s linea DN	e pai acid singl ar A (ge	rs .e enomi		10:71		. r		,			
	ACAGAATTO	CC TG	TGTG	GTTI	TAC	CGC	CCAG										30
	(73) INFO	ORMAT	NOI	FOR	SEQ	ID i	NO:72	:								•	
25	(i)	(B)	LEN TYP STR	GTH:	30 ucle DNES	base ic a S: s	e pai acid singl	rs.				-			. ·		
30	(ii	L) MO	LECU	LE I	YPE:	DNZ	A (ge	nomi	c)								
	(xi	l) SE	QUEN	CE E	ESCR	IPT:	ON:	SEQ	ID N	0:72	:	٠.					
	CTCGGATCC	A GG	CAGA	AGAG	TCG	CCT	ATGG										. 30
	(74) INFO	RMAT	ION	FOR	SEQ	ID 1	NO:73	:									
35			LEN TYP	GTH:	113 ucle	7 ba	ase p	airs						. *		•	

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

	ATGGACCTGG	GGAAACCAAT	GAAAAGCGTG	CTGGTGGTGG	CTCTCCTTGT	CATTTTCCAG	60
5	GTATGCCTGT	GTCAAGATGA	GGTCACGGAC	GATTACATCG	GAGACAACAC	CACAGTGGAC	120
	TACACTTTGT	TCGAGTCTTT	GTGCTCCAAG	AAGGACGTGC	GGAACTTTAA	AGCCTGGTTC	180
	CTCCCTATCA	TGTACTCCAT	CATTTGTTTC	GTGGGCCTAC	TGGGCAATGG	GCTGGTCGTG	240
	TTGACCTATA	TCTATTTCAA	GAGGCTCAAG	ACCATGACCG	ATACCTACCT	GCTCAACCTG	, 300
	GCGGTGGCAG	ACATCCTCTT	CCTCCTGACC	CTTCCCTTCT	GGGCCTACAG	CGCGGCCAAG	. 360
10	TCCTGGGTCT	TĊGGTGTCCA	CTTTTGCAAG	CTCATCTTTG	CCATCTACAA	GATGAGCTTC	420
	TTCAGTGGCA	TGCTCCTACT	TCTTTGCATC	AGCATTGACC	GCTACGTGGC	CATCGTCCAG	480
	GCTGTCTCAG	CTCACCGCCA	CCGTGCCCGC	GTCCTTCTCA	TCAGCAAGCT	GTCCTGTGTG	540
	GGCATCTGGA	TACTAGCCAC	AGTGCTCTCC	ATCCCAGAGC	TCCTGTACAG	TGACCTCCAG	600
	AGGAGCAGCA	GTGAGCAAGC	GATGCGATGC	TCTCTCATCA	CAGAGCATGT	GGAGGCCTTT	660
15	ATCACCATCC	AGGTGGCCCA	GATGGTGATC	GGCTTTCTGG	TCCCCCTGCT	GGCCATGAGC	720
	TTCTGTTACC	TTGTCATCAT	CCGCACCCTG	CTCCAGGCAC	GCAACTTTGA	GCGCAACAAG	780
	GCCATCAAGG	TGATCATCGC	TGTGGTCGTG	GTCTTCATAG	TCTTCCAGCT	GCCCTACAAT	840
	GGGGTGGTCC	TGGCCCAGAC	GGTGGCCAAC	TTCAACATCA	CCAGTAGCAC	CTGTGAGCTC	900
	AGTAAGCAAC	TCAACATCGC	CTACGACGTC	ACCTACAGCC	TGGCCTGCGT	CCGCTGCTGC	960
20	GTCAACCCTT	TCTTGTACGC	CTTCATCGGC	GTCAAGTTCC	GCAACGATCT	CTTCAAGCTC	1020
	TTCAAGGACC	TGGGCTGCCT	CAGCCAGGAG	CAGCTCCGGC	AGTGGTCTTC	CTGTCGGCAC	1080
•	ATCCGGCGCT	CCTCCATGAG	TGTGGAGGCC	GAGACCACCA	CCACCTTCTC	CCCATAG	1137

- (75) INFORMATION FOR SEQ ID NO:74:
- (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 378 amino acids

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

	Met 1	Asp	Leu	Gly	Lys 5	Pro	Met	Lys	Ser	Val 10	Leu	Val	Val	Ala	Leu 15	Leu
	Val	Ile	Phe	Gln 20	Val	Cys	Leu	Cys	Cln 25	Asp	Glu	Val	Thr	Asp 30	Asp	Tyr
5	Ile	Gly	Asp 35	Asn	Thr	Thr	Val	Asp 40	Tyr	Thr	Leu	Phe	Glu 45	Ser	Leu	Cys
	Ser	Lys 50	Lys	Asp	Val	Arg	Asn 55	Phe	Lys	Ala	Trp	Phe 60	Leu	Pro	Ile	Met
10	Tyr 65	Ser	Ile	Ile	Суз	Phe 70	Vail	Gly	Leu	Leu	Gly 75	Asn	Gly	Leu	Val	Val 80
	Leu	Thr	Tyr	Ile	Tyr 85	Phe	ГÄЗ	Arg	Leu	Lys 90	Thr	Met	Thr	Asp	Thr 95	Tyr
· .	Leu	Leu	Asn	Leu 100	Ala	Val	Ala	Asp	Ile 105	Leu	Phe	Leu	Leu	Thr 110	Leu	Pro
15	Phe	Trp	Ala 115	Tyr	Ser	Ala	Ala	Lys 120	Ser	Trp	Val	Phe	Gly 125	Val	His	Phe
	Суз	Lys 130	Leu	Ile	Phe	Ala	Ile 135	Tyr	Lys	Met	Ser	Phe 140	Phe	Ser	Gly	Met
20	Leu 145	Leu	Leu	Leu	Cys	Ile 150	Ser	Ile	Asp	Arg	Tyr 155	Val	Ala	Ile	Val	Gln 160
	Ala	Val	Ser	Ala	His 165	Arg	His	Arg	Ala	Arg 170	Val	Leu	Leu	Ile	Ser 175	Lys
	Leu	Ser	Суз	Val 180	Gly	Ile	Trp	Ile	Leu 185	Ala	Thr	Val	Leu	Ser 190	Ile	Pro
25	Glu	Leu	Leu 195	Tyr	Ser	Asp	Leu	Gln 200	Arg	Ser	Ser	Ser	Glu 205	Gln	Ala	Met
	Arg	Cys 210	Ser	Leu	Ile	Thr	Glu 215	His	Val	Glu	Ala	Phe 220	Ile	Thr	Ile	Gln
30	Val 225	Ala	Gln	Met	Val	Ile 230	Gly	Phe	Leu	Val	Pro 235	Leu	Leu	Ala	Met	Ser 240
	Phe	Сув	Tyr	Leu	Val 245	Ile	Ile	Arg	Thr	Leu 250	Leu	Gln	Ala	Arg	Asn 255	Phe
	Glu	Arg	Asn	Lys 260	Ala	Ile	Lys	Val	Ile 265	Ile	Ala	Val	Val	Val 270	Val	Phe
35	Ile	Val	Phe 275	Gln	Leu	Pro	Tyr	Asn 280	Gly	Val	Val	Leu	Ala 285	Gln	Thr	Val

	Ala Asn Phe Asn Ile Thr Ser Ser Thr Cys Glu Leu Ser Lys Gln Leu 290 295 300	
	Asn Ile Ala Tyr Asp Val Thr Tyr Ser Leu Ala Cys Val Arg Cys Cys 305 310 315 320	
5	Val Asn Pro Phe Leu Tyr Ala Phe Ile Gly Val Lys Phe Arg Asn Asp 325 330 335	
•	Leu Phe Lys Leu Phe Lys Asp Leu Gly Cys Leu Ser Gln Glu Gln Leu 340 345 350	
10	Arg Gln Trp Ser Ser Cys Arg His Ile Arg Arg Ser Ser Met Ser Val 355 360 365	
	Glu Ala Glu Thr Thr Thr Phe Ser Pro 370 375	
	(76) INFORMATION FOR SEQ ID NO:75:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
20		
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:	32
-	CIGGAATICA CCIGGACCAC CACCAATOO!	, 2
	(77) INFORMATION FOR SEQ ID NO:76:	
	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs	
25	(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
•	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:	
30	CTCGGATCCT GCAAAGTTTG TCATACAGTT	3 (
	(78) INFORMATION FOR SEQ ID NO:77:	
35	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 1085 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	

(ii) MOLECULE TYPE: DNA (genomic)

	(xi)	SEQUENCE DE	ESCRIPTION:	SEQ ID NO:	77:		
	ATGGATATAC	AAATGGCAAA	CAATTTTACT	CCGCCCTCTG	CAACTCCTCA	GGGAAATGAC	60
	TGTGACCTCT	ATGCACATCA	CAGCACGGCC	AGGATAGTAA	TGCCTCTGCA	TTACAGCCTC	120
	GTCTTCATCA	TTGGGCTCGT	GGGAAACTTA	CTAGCCTTGG	TCGTCATTGT	TCAAAACAGG	180
5	ааааааатса	ACTCTACCAC	CCTCTATTCA	ACAAATTTGG	TGATTTCTGA	TATACTTTTT	240
	ACCACGGCTT	TGCCTACACG	AATAGCCTAC	TATGCAATGG	GCTTTGACTG	GAGAATCGGA	300
	GATGCCTTGT	GTAGGATAAC	TGCGCTAGTG	TTTTACATCA	ACACATATGC	AGGTGTGAAC	360
	TTTATGACCT	GCCTGAGTAT	TGACCGCTTC	ATTGCTGTGG	TGCACCCTCT	ACGCTACAAC	420
	AAGATAAAAA	GGATTGAACA	TGCAAAAGGC	GTGTGCATAT	TTGTCTGGAT	TCTAGTATTT	480
0	GCTCAGACAC	TCCCACTCCT	CATCAACCCT	ATGTCAAAGC	AGGAGGCTGA	AAGGATTACA	540
	TGCATGGAGT	ATCCAAACTT	TGAAGAAACT	AAATCTCTTC	CCTGGATTCT	GCTTGGGGCA	600
	TGTTTCATAG	GATATGTACT	TCCACTTATA	ATCATTCTCA	TCTGCTATTC	TCAGATCTGC	660
	TGCAAACTCT	TCAGAACTGC	CAAACAAAAC	CCACTCACTG	AGAAATCTGG	TGTAAACAAA	720
	AAGGCTCTCA	ACACAATTAT	TCTTATTATT	GTTGTGTTTG	TTCTCTGTTT	CACACCTTAC	780
15	CATGTTGCAA	TTATTCAACA	TATGATTAAG	AAGCTTCGTT	TCTCTAATTT	CCTGGAATGT	840
	AGCCAAAGAC	ATTCGTTCCA	GATTTCTCTG	CACTTTACAG	TATGCCTGAT	GAACTTCAAT	900
	TGCTGCATGG	ACCCTTTTAT	CTACTTCTTT	GCATGTAAAG	GGTATAAGAG	AAAGGTTATG	960
	AGGATGCTGA	AACGGCAAGT	CAGTGTATCG	ATTTCTAGTG	CTGTGAAGTC	AGCCCCTGAA	1020
	GAAAATTCAC	GTGAAATGAC	AGAAACGCAG	ATGATGATAC	ATTCCAAGTC	TTCAAATGGA	1080
20	AAGTGA						1086
			•	•			

- (79) INFORMATION FOR SEQ ID NO:78:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 361 amino acids
 - (B) TYPE: amino acid
- (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

Met Asp Ile Gln Met Ala Asn Asn Phe Thr Pro Pro Ser Ala Thr Pro 30 1 5 10 15

•	Gln	Gly	Asn	Asp 20	Суз	Asp	Leu	Tyr	Ala 25	His	His	Ser	Thr	Ala 30	Arg	Ile
	Val	Met	Pro 35	Leu	His	Tyr	Ser	Leu 40	Val	Phe	Ile	Ile	Gly 45	Leu	Va1	Gly
5	Asn	Leu 50	Leu	Ala	Leu	Val	Val 55	Ile	Val	Gln	Asn	Arg 60	Lys	Lys	Ile	Asn
	Ser 65	Thr	Thr	Leu	Tyr	Ser 70	Thr	Asn	Leu	Val	Ile 75	Ser	Asp	Ile	Leu	Phe 80
. 0	Thr	Thr	Ala	Ĺeu	Pro 85	Thr	Arg	Ile	Ala	Tyr 90	Tyr	Ala	Met	Gly	Phe 95	Asp
٠.	Trp	Arg	Ile	Gly 100	Asp	Ala	Leu	Cys	Arg 105	Ile	Thr	Ala	Leu	Val 110	Phe	Tyr
	Ile	Asn	Thr 115		Ala	Gly	Val	Asn 120	Phe	Met	Thr	Cys	Leu 125	Ser	Ile	Asp
15	Arg	Phe 130		Ala	Val	Val	His 135		Leu	Arg	Tyr	Asn 140	Lys	Ile	Lys	Arg
	Ile 145		His	Ala	Lys	Gly 150		Cys	Ile	Phe	Val 155	Trp	Ile	Leu	Val	Phe 160
20	Ala	a Glr	1 Thr	Lev	165		Leu	Ile	Asn	170	Met	Ser	Lys	Gln	175	Ala
	Glu	ı Arg	g Ile	Thr 180		Met	: Glu	Туг	185	Asr	n Phe	Glu	Glu	190	Lys	Ser
	Let	u Pr	o Trp		e Lev	ı Leı	ı Gly	Ala 200	ı Cys	Phe	e Ile	Gly	205	· .Val	L Lei	Pro
25	Le	u Il 21		e Il	e Le	u Ile	e Cys 215	туз Б	s Se	c Gli	n Ile	220	Cys	z Lys	s Lei	ı Phe
	Ar 22		r Al	а Ъу	s Gl:	n Ası 23		Le	u Th	r Gl	u Lys 239	s Sei	r Gl	y Va	l Ası	1 Lys 240
30	Ly	s Al	a Le	u As	n Th 24		e Ile	e Le	u İl	e Il 25	e Vai	l Va	l Ph	e Va	1 Le 25	u Cys 5
,	Ph	e Th	r Pr	о Ту 26		s Va	1 Ala	a Il	e Il 26	e Gl 5	n Hi	s Me	t Il	e Ly 27	s Ly O	s Leu
	Ar	g Pi		r As	n Ph	ie Le	u Gl	u Cy 28	s Se O	r Gl	n Ar	g Hi	s Se 28	r Ph	e Gl	n Il∈
35	Se			is Ph	ne Th	nr Va	1 Cy 29	s Le 5	u Me	t As	n Ph	e As	n Cy 10	rs Cy	s Me	t As <u>r</u>
	Pı	ro Pl	he I	le Ty	Ar bj	ne Ph	ne Al	a Cy	s L	/s G)	Lу Ту	r Ly	s Ar	g Ly	s Vā	ıl Met

	305 310 315 320	
	Arg Met Leu Lys Arg Gln Val Ser Val Ser Ile Ser Ser Ala Val Lys 325 330 335	
5	Ser Ala Pro Glu Glu Asn Ser Arg Glu Met Thr Glu Thr Gln Met Met 340 345 350	
	Ile His Ser Lys Ser Ser Asn Gly Lys 355 360	
	(80) INFORMATION FOR SEQ ID NO:79:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	-
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:	
	CTGGAATTCT CCTGCTCATC CAGCCATGCG G	31
	(81) INFORMATION FOR SEQ ID NO:80:	
2 0	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
,	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:	
25	CCTGGATCCC CACCCCTACT GGGGCCTCAG	30
	(82) INFORMATION FOR SEQ ID NO:81:	
30	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1446 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:	
	ATGCGGTGGC TGTGGCCCCT GGCTGTCTCT CTTGCTGTGA TTTTGGCTGT GGGGCTAAGC	60
35	AGGGTCTCTG GGGGTGCCCC CCTGCACCTG GGCAGGCACA GAGCCGAGAC CCAGGAGCAG	120

	CAGAGCCGAT	CCAAGAGGGG	CACCGAGGAT	GAGGAGGCCA	AGGGCGTGCA	GCAGTATGTG	18
	CCTGAGGAGT	GGGCGGAGTA	CCCCCGGCCC	ATTCACCCTG	CTGGCCTGCA	GCCAACCAAG	24
	CCCTTGGTGG	CCACCAGCCC	TAACCCCGAC	AAGGATGGGG	GCAÇCCCAGA	CAGTGGGCAG	300
	GAACTGAGGG	GCAATCTGAC	AGGGGCACCA	GGGCAGAGGC	TACAGATCCA	GAACCCCCTG	360
5	TATCCGGTGA	CCGAGAGCTC	CTACAGTGCC	TATGCCATCA	TGCTTCTGGC	GCTGGTGGTG	420
•	TTTGCGGTGG	GCATTGTGGG	CAACCTGTCG	GTCATGTGCA	TCGTGTGGCA	CAGCTACTAC	480
	CTGAAGAGCG	CCTGGAACTC	CATCCTTGCC	AGCCTGGCCC	TCTGGGATTT	TCTGGTCCTC	540
	TTTTTCTGCC	TCCCTATTGT	CATCTTCAAC	GAGATCACCA	AGCAGAGGCT	ACTGGGTGAC	600
	GTTTCTTGTC	GTGCCGTGCC	CTTCATGGAG	GTCTCCTCTC	TGGGAGTCAC	GACTTTCAGC	660
10	CTCTGTGCCC	TGGGCATTGA	CCGCTTCCAC	GŢGGCCACCA	GCACCCTGCC	CAAGGTGAGG	720
	CCCATCGAGC	GGTGCCAATC	CATCCTGGCC	AAGTTGGCTG	TCATCTGGGT	GGGCTCCATG	780
	ACGCTGGCTG	TGCCTGAGCT	CCTGCTGTGG	CAGCTGGCAC	AGGAGCCTGC	CCCCACCATG	840
	GGCACCCTGG	ACTCATGCAT	CATGAAACCC	TCAGCCAGCC	TGCCCGAGTC	CCTGTATTCA	900
	CTGGTGATGA	CCTACCAGAA	CGCCCGCATG	TGGTGGTACT	TTGGCTGCTA	CTTCTGCCTG	960
15	CCCATCCTCT	TCACAGTCAC	CTGCCAGCTG	GTGACATGGC	GGGTGCGAGG	CCCTCCAGGG	1020
	AGGAAGTCAG	AGTGCAGGGC	CAGCAAGCAC	GAGCAGTGTG	AGAGCCAGCT	CAACAGCACC	1080
	GTGGTGGCC	TGACCGTGGT	CTACGCCTTC	TGCACCCTCC	CAGAGAACGT	CTGCAACATC	1140
	GTGGTGGCCT	ACCTCTCCAC	CGAGCTGACC	CGCCAGACCC	TGGACCTCCT	GGGCCTCATC	1200
	AACCAGTTCT	CCACCTTCTT	CAAGGCCCC	ATCACCCCAG	TGCTGCTCCT	TTGCATCTGC	1260
20	AGGCCGCTGG	GCCAGGCCTT	CCTGGACTGC	TGCTGCTGCT	GCTGCTGTGA	GGAGTGCGGC	1320
٠	GGGGCTTCGG	AGGCCTCTGC	TGCCAATGGG	TCGGACAACA	AGCTCAAGAC	CGAGGTGTCC	1380
	TCTTCCATCT	ACTTCCACAA	GCCCAGGGAG	TCACCCCCAC	TCCTGCCCCT	GGGCACACCT	1440
	TGCTGA	•					1446

(83) INFORMATION FOR SEQ ID NO:82:

25 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 481 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- 30 (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

	(XI	., SE	.QUEN	CL L	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						-					
	Met 1	Arg	Trp	Leu	Trp 5	Pro	Leu	Ala	Val	Ser 10	Leu	Ala	Val	Ile	Leu 15	Ala
5	Val	Gly	Leu	Ser 20	Arg	Val	Ser	Gly	Gly 25	Ala	Pro	Leu	His	Leu 30	Gly	Arg
	His	Arg	Ala 35	Glu	Thr	Gln	Glu	Gln 40	Gln	Ser	Arg	Ser	Lys 45	Arg	Gly	Thr
	Glu	Asp 50	Glu	Glu	Ala	Lys	Gly 55	Val	Gln	Gln	Tyr	Val 60	Pro	Glu	Glu	Trp
10	Ala 65	Glu	Tyr	Pro	Arg	Pro 70	Ile	His	Pro	Ala	Gly 75	Leu	Gln	Pro	Thr	Lys 80
	Pro	Leu	Val	Ala	Thr 85	Ser	Pro	Asn	Pro	Asp 90	Lys	Asp	Gly	Gly	Thr 95	Pro
15	Asp	Ser	Gly	Gln 100	Glu	Leu	Arg	Gly	Asn 105	Leu	Thr	Gly	Ala	Pro 110	Gly	Gln
•	Arg	Leu	Gln 115	Ile	Gln	Asn	Pro	Leu 120	Tyr	Pro	Val	Thr	Glu 125	Ser	Ser	Tyr
	Ser	Ala 130	туг	Ala	Ile	Met	Leu 135	Leu	Ala	Leu	Val	Val 140	Phe	Ala	Val	Gly
20	Ile 145	Val	Gly	Asn	Leu	Ser 150	Va·l	Met	Cys	Ile	Val 155	Trp	His	Ser	Tyr	Туг 160
	Leu	Lys	Ser	Ala	Trp 165		Ser	Ile	Leu	Ala 170	Ser	Leu	Ala	Leu	Trp 175	Asp
25	Phe	Leu	Val	Leu 180		Phe	Cys	Leu	Pro 185		Val	Ile	Phe	Asn 190	Glu	Ile
	Thr	Lys	Gln 195		Leu	Leu	Gly	Asp 200		Ser	Cys	Arg	Ala 205		Pro	Phe
	Met	Glu 210		Ser	Ser	Leu	Gly 215		Thr	Thr	Phe	Ser 220		Сув	Ala	Leu
30	Gly 225		Asp	Arg	Phe	His		Ala	Thr	Ser	Thr 235		Pro	Lys	Val	Arg 240
	Pro	Ile	Glu	Arg	Cys 245		Ser	Ile	. Leu	Ala 250		Leu	ı Ala	Val	11e 255	Trp
35	Val	. Gly	Ser	Met 260		Leu	ı Ala	. Val	. Pro		. Leu	Lev	ı Lev	270		Leu
	Ala	Glr	ı Glu	Pro	Ala	a Pro	5 Thi	Met	: Gly	/ Thi	Leu	Asp	Ser	Cys	: Ile	Met

PCT/US99/23938

			275					280					285			
	Lys	Pro 290	Ser	Ala	Ser	Leu	Pro 295	Glu	Ser	Leu	Tyr	Ser 300	Leu	Val	Met	Thr
5	Tyr 305	Gln	Asn	Ala	Arg	Met 310	Trp	Trp	Tyr	Phe	Gly 315	Cys	Tyr	Phe	Cys	Leu 320
	Pro	Ile	Leu	Phe	Thr 325	Val	Thr	Cys	Gln	Leu 330	Val	Thr	Trp	Arg	Val 335	Arg
	Gly	Pro	Pro	Gly 340	Arg	ГÀЗ	Ser	Glu	Cys 345	Arg	Ala	Ser	Lys	His 350	Glu	Gln
10	Cys	Glu	Ser 355	Gln	Leu	Asn	Ser	Thr 360	Val	Val	Gly	Leu	Thr 365	Val	Val	Tyr
	Ala	Phe 370	Cys	Thr	Leu	Pro	Glu 375	Asn	Val	Cys	Asn	Ile 380	Val	Val	Ala	Tyr
15	Leu 385		Thr	Glu	Leu	Thr 390	Arg	Gln	Thr	Leu	Asp 395	Leu	Leu	Gly	Leu	Ile 400
	Asn	Gln	Phe	Ser	Thr 405		Phe	Lys	Gly	Ala 410	Ile	Thr	Pro	۷al	Leu 415	Leu
	Leu	Суз	: Ile	Cys 420		Pro	Leu	Gly	Gln 425	Ala	Phe	Leu	Asp	Cys 430	CÃ3	Cys
20	Cys	, Cys	Cys 435		: Glu	Glu	Cys	Gly 440	Gly	/ Ala	Ser	Glu	Ala 445	Ser	Ala	Ala
	Asr	1 Gly		: Asp	Asr	ı Lys	455	Lys	Thi	c Glu	val	Ser 460	Ser	Ser	: Ile	Tyr
25	Phe 46!		Lys	; Pro	o Arg	g Glu 470		r Pro	Pro	o Lev	475	Pro	Lev	Gly	Thr	Pro 480
	Cy	3		٠								•			•	
(8	4) IN	FORM	OITA	N FO	R SE	QID	NO:	83:			•					
30		(EQUE A) L B) T C) S D) T	ENGT YPE : TRAN	H: 2 nuc DEDN	2 ba leic ESS:	se p aci sin	airs d			. (1)					÷
			MOLE													
35	(xi)	SEQU	ENCE	DES	CRIP	TION	: SE	Q II	NO:	83:					

	(83) Intolegation for 5-2 15000	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 22 base pairs	
	(B) TYPE: nucleic acid	
_		•
5	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	•
	(11) 110220022 11220 2001 (3 000000)	
	A CONTROL DECORTOMICAL CEO ID NO. 04	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:	•
	TCATGTATTA ATACTAGATT CT	22
	•	
10	(86) INFORMATION FOR SEQ ID NO:85:	
	(i) SEQUENCE CHARACTERISTICS:	•
	(A) LENGTH: 38 base pairs	
	(B) TYPE: nucleic acid	•
	(C) STRANDEDNESS: single	
15	(D) TOPOLOGY: linear	
•	(ii) MOLECULE TYPE: DNA (genomic)	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:	
	(XI) SECONICE DEDOMETERS DE LA TIONE	
	TOCCCCCT	38
	TACCATGTGG AACGCGACGC CCAGCGAAGA GCCGGGGT	30
	(87) INFORMATION FOR SEQ ID NO:86:	
20	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 39 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	•
	(D) TOPOLOGY: linear	
	District the second second second second second second second second second second second second second second	
25	(ii) MOLECULE TYPE: DNA (genomic)	
	•	•
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:	,
	CGGAATTCAT GTATTAATAC TAGATTCTGT CCAGGCCCG	. 39
	Counties of the contract of th	7.7
	(OC) THEODMARION BOD CEO ID NO. 97.	
	(88) INFORMATION FOR SEQ ID NO:87:	
	···	•
	(i) SEQUENCE CHARACTERISTICS:	
30	(A) LENGTH: 1101 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	•
	(2)	
	(ii) NOTECHTE MADE. DNA (conomic)	
	(ii) MOLECULE TYPE: DNA (genomic)	
	•	
25	A. A CHARMACH PROGRESSION, CEA IN MARCO.	•

	ATGTGGAACG	CGACGCCCAG	CGAAGAGCCG	GGGTTCAACC	TCACACTGGC	CGACCTGGAC	60
	TGGGATGCTT	CCCCCGGCAA	CGACTCGCTG	GGCGACGAGC	TGCTGCAGCT	CTTCCCCGCG	120
	CCGCTGCTGG	CGGGCGTCAC	AGCCACCTGC	GTGGCACTCT	TCGTGGTGGG	TATCGCTGGC	180
	AACCTGCTCA	CCATGCTGGT	GGTGTCGCGC	TTCCGCGAGC	TGCGCACCAC	CACCAACCTC	240
5	TACCTGTCCA	GCATGGCCTT	CTCCGATCTG	CTCATCTTCC	TCTGCATGCC	CCTGGACCTC	300
	GTTCGCCTCT	GGCAGTACCG	GCCCTGGAAC	TTCGGCGACC	TCCTCTGCAA	ACTCTTCCAA	360
	TTCGTCAGTG	AGAGCTGCAC	CTACGCCACG	GTGCTCACCA	TCACAGCGCT	GAGCGTCGAG	420
	CGCTACTTCG	CCATCTGCTT	CCCACTCCGG	GCCAAGGTGG	TGGTCACCAA	GGGGCGGTG	480
	AAGCTGGTCA	TCTTCGTCAT	CTGGGCCGTG	GCCTTCTGCA	GCGCCGGGCC	CATCTTCGTG	540
0	CTAGTCGGGG	TGGAGCACGA	GAACGGCACC	GACCCTTGGG	ACACCAACGA	GTGCCGCCCC	600
	ACCGAGTTTG	CGGTGCGCTC	TGGACTGCTC	ACGGTCATGG	TGTGGGTGTC	CAGCATCTTC	660
	TTCTTCCTTC	CTGTCTTCTG	TCTCACGGTC	CTCTACAGTC	TCATCGGCAG	GAAGCTGTGG	720
	CGGAGGAGGC	GCGGCGATGC	TGTCGTGGGT	GCCTCGCTCA	GGGACCAGAA	CCACAAGCAA	780
-	ACCGTGAAAA	TGCTGGCTGT	AGTGGTGTTT	GCCTTCATCC	TCTGCTGGCT	CCCCTTCCAC	840
5	GTAGGGCGAT	ATTTATTTTC	CAAATCCTTT	GAGCCTGGCT	CCTTGGAGAT	TGCTCAGATC	900
	AGCCAGTACT	GCAACCTCGT	GTCCTTTGTC	CTCTTCTACC	TCAGTGCTGC	CATCAACCCC	960
	ATTCTGTACA	ACATCATGTC	CAAGAAGTAC	CGGGTGGCAG	TGTTCAGACT	TCTGGGATTC	1020
	GAACCCTTCT	CCCAGAGAAA	GCTCTCCACT	CTGAAAGATG	AAAGTTCTCG	GGCCTGGACA	1080
	GAATCTAGTA	TTAATACATG	A	• 10	· ·		1101
			•				

20 (89) INFORMATION FOR SEQ ID NO:88:

25

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 366 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

Met Trp Asn Ala Thr Pro Ser Glu Glu Pro Gly Phe Asn Leu Thr Leu 1 5 10 15

30 Ala Asp Leu Asp Trp Asp Ala Ser Pro Gly Asn Asp Ser Leu Gly Asp 20 25 30

	Glu	Leu	Leu 35	Gln	Leu	Phe	Pro	Ala 40	Pro	Leu	Leu	Ala	Gly 45	Val	Thr	Ala
	Thr	Суs 50	Val	Ala	Leu	Phe	Val 55	Val	Gly	Ile	Ala	Gly 60	Asn	Leu	Leu	Thr
5	Met 65	Leu	Val	Val	Ser	Arg 70	Phe	Arg	Glu	Leu	Arg 75	Thr	Thr	Thr	Asn	Leu 80
	Tyr	Leu	Ser	Ser	Met 85	Ala	Phe	Ser	Asp	Leu 90	Leu	Ile	Phe	Leu	Cys 95	Met
10	Pro	Leu	Àsp	Leu 100	Val	Arg	Leu	Trp	Gln 105	TYY	Arg	Pro	Trp	Asn 110	Phe	Gly
	Asp	Leu	Leu 115	Cys	Lys	Leu	Phe	Gln 120	Phe	Val	Ser	Glu	Ser 125	Cys	Thr	Tyr
		130					135					140	Arg			
15	145	_				150					155		Ļķs			160
					165					170			Cys		175	
20				180					185				Gly	190		
			195					200					Val 205			
» •		210					215	•				220	Phe			
25	225					230					235		Arg			240
					245					250			Leu		255	
30				260					265				Val	270		
			275					280					285	•		
		290					295					300				
35	305					310					315		Ala ala			320
	Ile	Leu	Tyr	Asn	rre	: Met	. ser	. ⊥ys	, nys	, rai	wra	val	. Ala	, val	110	. ALC

PCT/US99/23938

WO 0	0/2	21	29
------	-----	----	----

	325 330 335	
	Leu Leu Gly Phe Glu Pro Phe Ser Gln Arg Lys Leu Ser Thr Leu Lys	
5	Asp Glu Ser Ser Arg Ala Trp Thr Glu Ser Ser Ile Asn Thr 355 360 365	
	(90) INFORMATION FOR SEQ ID NO:89:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:	
	GCAAGCTTGT GCCCTCACCA AGCCATGCGA GCC	33
15	(91) INFORMATION FOR SEQ ID NO:90:	
20	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:	
	CGGAATTCAG CAATGAGTTC CGACAGAAGC	30
	(92) INFORMATION FOR SEQ ID NO:91:	
25	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1842 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
30	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:	
	ATGCGAGCCC CGGGCGCGCT TCTCGCCCGC ATGTCGCGGC TACTGCTTCT GCTACTGCTC	60
	AAGGTGTCTG CCTCTTCTGC CCTCGGGGTC GCCCCTGCGT CCAGAAACGA AACTTGTCTG	120
	GGGGAGAGCT GTGCACCTAC AGTGATCCAG CGCCGCGGCA GGGACGCCTG GGGACCGGGA	180
35	AATTCTGCAA GAGACGTTCT GCGAGCCCGA GCACCCAGGG AGGAGCAGGG GGCAGCGTTT	240

CTTGCGGGAC CCTCCTGGGA CCTGCCGGCG GCCCCGGGCC GTGACCCGGC TGCAGGCAGA 300 GGGGCGGAGG CGTCGGCAGC CGGACCCCCG GGACCTCCAA CCAGGCCACC TGGCCCCTGG 360 AGGTGGAAAG GTGCTCGGGG TCAGGAGCCT TCTGAAACTT TGGGGAGAGG GAACCCCACG 420 GCCCTCCAGC TCTTCCTTCA GATCTCAGAG GAGGAAGAGA AGGGTCCCAG AGGCGCTGGC ATTTCCGGGC GTAGCCAGGA GCAGAGTGTG AAGACAGTCC CCGGAGCCAG CGATCTTTTT TACTGGCCAA GGAGAGCCGG GAAACTCCAG GGTTCCCACC ACAAGCCCCT GTCCAAGACG 600 GCCAATGGAC TGGCGGGGCA CGAAGGGTGG ACAATTGCAC TCCCGGGCCG GGCGCTGGCC CAGAATGGAT CCTTGGGTGA AGGAATCCAT GAGCCTGGGG GTCCCCGCCG GGGAAACAGC 720 ACGAACCGGC GTGTGAGACT GAAGAACCCC TTCTACCCGC TGACCCAGGA GTCCTATGGA 780 GCCTACGCGG TCATGTGTCT GTCCGTGGTG ATCTTCGGGA CCGGCATCAT TGGCAACCTG 840 GCGGTGATGA GCATCGTGTG CCACAACTAC TACATGCGGA GCATCTCCAA CTCCCTCTTG 900 GCCAACCTGG CCTTCTGGGA CTTTCTCATC ATCTTCTTCT GCCTTCCGCT GGTCATCTTC 960 CACGAGCTGA CCAAGAAGTG GCTGCTGGAG GACTTCTCCT GCAAGATCGT GCCCTATATA 1020 GAGGTCGCTT CTCTGGGAGT CACCACTTTC ACCTTATGTG CTCTGTGCAT AGACCGCTTC 1080 CGTGCTGCCA CCAACGTACA GATGTACTAC GAAATGATCG AAAACTGTTC CTCAACAACT 1140 15 GCCAAACTTG CTGTTATATG GGTGGGAGCT CTATTGTTAG CACTTCCAGA AGTTGTTCTC 1200 CGCCAGCTGA GCAAGGAGGA TTTGGGGTTT AGTGGCCGAG CTCCGGCAGA AAGGTGCATT 1260 ATTAAGATCT CTCCTGATTT ACCAGACACC ATCTATGTTC TAGCCCTCAC CTACGACAGT 1320 GCGAGACTGT GGTGGTATTT TGGCTGTTAC TTTTGTTTGC CCACGCTTTT CACCATCACC TGCTCTCTAG TGACTGCGAG GAAAATCCGC AAAGCAGAGA AAGCCTGTAC CCGAGGGAAT 1440 20 AAACGGCAGA TTCAACTAGA GAGTCAGATG AACTGTACAG TAGTGGCACT GACCATTTTA 1500 TATGGATTTT GCATTATTCC TGAAAATATC TGCAACATTG TTACTGCCTA CATGGCTACA GGGGTTTCAC AGCAGACAAT GGACCTCCTT AATATCATCA GCCAGTTCCT TTTGTTCTTT 1620 AAGTCCTGTG TCACCCCAGT CCTCCTTTTC TGTCTCTGCA AACCCTTCAG TCGGGCCTTC 1680 ATGGAGTGCT GCTGCTGTTG CTGTGAGGAA TGCATTCAGA AGTCTTCAAC GGTGACCAGT 1740 GATGACAATG ACAACGAGTA CACCACGGAA CTCGAACTCT CGCCTTTCAG TACCATACGC 1800 CGTGAAATGT CCACTTTTGC TTCTGTCGGA ACTCATTGCT GA 1842

(93) INFORMATION FOR SEQ ID NO:92:

5	(i)	(A) (B) (C)	LEN TYP STR	E CH IGTH: PE: a RANDE PCLOG	613 minc DNES	ami aci SS:	.no a	cids	3							-
	(ii	•		TE I									٠			
,	(xi	.) SI	EQUE	ICE I	ESCF	RIPTI	ON:	SEQ	ID 1	10 : 92	: :					
	Met 1	Arg	Ala	Pro	Gly 5	Ala	Leu	Leu	Ala	Arg 10	Met	Ser	Arg	Leu	Leu 15	Leu
10	Leu	Leu	Leu	Leu 20	Lys	Val	Ser	Ala	Ser 25	Ser	Ala	Leu	Gly	Val 30	Ala	Pro
·	Ala	Ser	Arg 35	Asn	Glu	Thr	Cys	Leu 40	Gly	Glu	Ser	Cys	Ala 45	Pro	Thr	Val
15	Ile	Gln 50	Arg	Arg	Gly	Arg	Asp 55	Ala	Trp	Gly		Gly 60	Asn	Ser	Ala	Arg
	Asp 65	Val	Leu	Arg	Ala	Arg 70	Ala	Pro	Arg	Glu	Glu 75	Gln	Gly	Ala	Ala	Phe 80
	Leu	Ala	Gly	Pro	Ser 85	Ţrp	Asp	Leu	Pro	Ala 90	Ala	Pro	Gly	Arg	Asp 95	Pro
20	Ala	Ala	Gly	Arg 100	Gly	Ala	Glu	Ala	Ser 105	Ala	Ala	Gly	Pro	Pro 110	Gly	Pro
	Pro	Thr	Arg 115	Pro	Pro	Gly	Pro	Trp 120	Arg	Trp	Lys	Gly	Ala 125	Arg	Gly	Gln
25	Glu	Pro 130	Ser	Glu	Thr	Leu	Gly 135	Arg	Gly	Asn	Pro	Thr 140	Ala	Leu	Gln	Leu
	Phe 145	Leu	Gln	Ile	Ser	Glu 150	Glu	Glu	Glu	Lys	Gly 155	Pro	Arg	Gly	Ala	Gly 160
	Ile	Ser	Gly	Arg	Ser 165	Gln	Glu	Ğln	Ser	Val 170	Lys	Thr	Val	Pro	Gly 175	Ala
30	Ser	Asp		Phe 180				Arg			Gly	Lys	Leu	Gln 190	Gly	Ser
	His	His	Lys 195	Pro	Leu	Ser	Lys	Thr 200	Ala	Asn	Gly	Leu	Ala 205	Gly	His	Glu
35	Gly	Trp 210	Thr	Ile	Ala	Leu	Pro 215		Arg	Ala	Leu	Ala 220	Gln	Asn	Gly	Ser
	Leu 225	Gly	Glú	Gly	Ile	His 230	Glu	Pro	Gly	Gly	Pro 235	Arg	Arg	Gly	Asn	Ser 240

		•															
		Thr	Asn	Arg	Arg	Val 245	Arg	Leu	Lys	Åsn	Pro 250	Phe	Tyr	Pro	Leu	Thr 255	Gln
		Glu	Ser	Tyr	Gly 260	Ala	Туr	Ala	Val	Met 265	Cys	Leu	Ser	Val	Val 270	Ile	Phe
	5	Gly	Thr	Gly 275	Ile	Ile	Gly	Asn	Leu 280	Ala	Val	Met	Ser	Ile 285	Val	Cys	His
		Asn	Tyr 290	Tyr	Met	Arg	Ser	Ile 295	Ser	Asn	Ser	Leu	Leu 300	Ala	Asn	Leu	Ala
1		Phe 305	Trp	Asp	Phe	Leu	Ile 310	Ile	Phe	Phe	Сув	Leu 315	Pro	Leu	Val	Ile	Phe 320
		His	Glu	Leu	Thr	Lys 325	Lys	Trp	Leu	Leu	Glu 330	Asp	Phe	Ser	Cys	Lys 335	Ile
		Val	Pro	Tyr	Ile 340	Glu	Val	Ala	Ser	Leu 345	Gly	Val	Thr	Thr	Phe 350	Thr	Leu
	15 .	Сув	Ala	Leu 355	Cys	Ile	Asp	Arg	Phe 360	Arg	Ala	Ala	Thr	Asn 365	Val	Gln	Met
		-	Тух 370		Met	Ile	Glu	Asn 375	Cys	Ser	Ser	Thr	Thr 380	Ala	Lys	Leu	Ala
:	20	Val 385	Ile	Trp	Val	Gly	Ala 390	Leu	Leu	Leu	Ala	Leu 395		Glu	Val	Val	Leu 400
		Arg	Gln	Leu	Ser	Lys 405	Glu	Asp	Leu	Gly	Phe 410	Ser	Gly	Arg	Ala	Pro 415	Ala
		Glu	Arg	СЛа	Ile 420		Lys	Ile	Ser	Pro 425	Asp	Leu	Pro	Asp	Thr 430	Ile	Tyr
	25	Val	Leu	Ala 435		Thr	Tyr	Asp	Ser 440		Arg	Leu	Trp	Trp 445		Phe	Gly
		Cys	Tyr 450		Cys	Leu	Pro	Thr 455		Phe	Thr	Ile	Thr 460		Ser	Leu	Val
	30	Thr 465		Arg	Lys	Ile	Arg 470		Ala	Glu	Lys	Ala 475		Thr	Arg	Gly	Asn 480
		Lys	Arg	Gln	Ile	Gln 485		. Glu	Ser	Gln	Met 490		Cys	Thr	Val	Val 495	Ala
		Leu	Thr	Ile	500		Gly	Phe	cys	505		Pro	Glu	Asn	1le 510		Asn
	3,5	Ile	val	Th:		туг	Met	. Ala	Thr 520		v Val	. Ser	Gln	525		Met	Asp
		Lev	ı Ley	ı Ası	ı Ile	e Ile	Ser	Glr	n Phe	e Lev	ı Lev	Phe	Phe	e Lys	: Ser	Cys	Val

		530			535					540					
	Thr 545	Pro Val	Leu Leu	Phe 550	Cys	Leu	Cys	Lys	Pro 555	Phe	Ser	Arg	Ala	Phe 560	
5	Met	Glu Cys	Cys Cys 565		Cys	Суз	Glu	Glu 570	Cys	Ile	Gln	Lys	Ser 575	Ser	
	Thr	Val Thr	Ser Asp 580	Asp	Asn	Asp	Asn 585	Glu	Tyr	Thr		Glu 590	Leu	Glu	
•	Leu	Ser Pro 595	Phe Ser	Thr	Ile	Arg 600	Arg	Glu	Met	Ser	Thr 605	Phe	Ala	Ser	
10		Gly Thr 610	His Cys	,				. •							
	(94) INFO	RMATION	FOR SEC) ID	NO: 9	3:									
15	(i)	(B) TY	CE CHARA NGTH: 34 PE: nucl RANDEDNE	base.eic	e pa: acid	irs									
-			POLOGY:		_			•							-
	(ii) MOLEC	JLE TYPE	: DN	A (ge	enom	ic)						•		
	(xi) SEQUE	NCE DESC	RIPT	ION:	SEQ	ID 1	NO: 93	3:						
20	CAGAATTCA	G AGAAA	AAAAG TO	ATAS	TGGT	TTT	r								34
	(95) INFO	RMATION	FOR SEC	ID I	NO:94	4:			•		t			-	
25	(i)	(B) TY	CE CHARA NGTH: 32 PE: nucl RANDEDNI POLOGY:	base leic SS:	e pa: acid sing:	irs								¥	
	(ii) MOLECI	JLE TYPE	E: DN	A (ge	enom:	ic)						. *		
	(x	i) SEQUI	ENCE DES	CRIP	TION	: SEÇ	Q ID	NO:	94:						
	TTGGATCCC	T GGTGC	ATAAC A	ATTGA.	AAGA	AТ									3:
30	(96) INFO	RMATION	FOR SEC) ID :	NO: 9	5 :									
35 :	(i)	(B) TY	CE CHARA NGTH: 12 PE: nucl RANDEDNI POLOGY:	248 b leic ESS:	ase pacid	pair	S								

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

	ATGGTTTTTG	CTCACAGAAT	GGATAACAGC	AAGCCACATT	TGATTATTCC	TACACTTCTG	60
	GTGCCCCTCC	AAAACCGCAG	CTGCACTGAA	ACAGCCACAC	CTCTGCCAAG	CCAATACCTG	120
	ATGGAATTAA	GTGAGGAGCA	CAGTTGGATG	AGCAACCAAA	CAGACCTTCA	CTATGTGCTG	180
5	AAACCCGGGG	AAGTGGCCAC	AGCCAGCATC	TTCTTTGGGA	TTCTGTGGTT	GTTTTCTATC	240
	TTCGGCAATT	CCCTGGTTTG	TTTGGTCATC	CATAGGAGTA	GGAGGACTCA	GTCTACCACC	300
	AACTACTTTG	TGGTCTCCAT	GGCATGTGCT	GACCTTCTCA	TCAGCGTTGC	CAGCACGCCT	360
	TTCGTCCTGC	TCCAGTTCAC	CACTGGAAGG	TGGACGCTGG	GTAGTGCAAC	GTGCAAGGTT	420
	GTGCGATATT	TTCAATATCT	CACTCCAGGT	GTCCAGATCT	ACGTTCTCCT	CTCCATCTGC	480
10 ·	ATAGACCGGT	TCTACACCAT	CGTCTATCCT	CTGAGCTTCA	AGGTGTCCAG	AGAAAAAGCC	540
	AAGAAAATGA	TTGCGGCATC	GTGGATCTTT	GATGCAGGCT	TTGTGACCCC	TGTGCTCTTT	600
	TTCTATGGCT	CCAACTGGGA	CAGTCATTGT	AACTATTTCC	TCCCCTCCTC	TTGGGAAGGC	660
	ACTGCCTACA	CTGTCATCCA	CTTCTTGGTG	GGCTTTGTGA	TTCCATCTGT	CCTCATAATT	720
	TTATTTTACC	AAAAGGTCAT	AAAATATATT	TGGAGAATAG	GCACAGATGG	CCGAACGGTG	780
15	AGGAGGACAA	TGAACATTGT	CCCTCGGACA	AAAGTGAAAA	CTATCAAGAT	GTTCCTCATT	840
	TTAAATCTGT	TGTTTTTGCT	CTCCTGGCTG	CCTTTTCATG	TAGCTCAGCT	ATGGCACCCC	900
	CATGAACAAG	ACTATAAGAA	AAGTTCCCTT	GTTTTCACAG	CTATCACATG	GATATCCTTT	960
	AGTTCTTCAG	CCTCTAAACC	TACTCTGTAT	TCAATTTATA	ATGCCAATTT	TCGGAGAGGG	1020
	ATGAAAGAGA	CTTTTTGCAT	GTCCTCTATG	AAATGTTACC	GAAGCAATGC	CTATACTATC	1080
20	ACAACAAGTT	CAAGGATGGC	САААААААА	TACGTTGGCA	TTTCAGAAAT	CCCTTCCATG	1140
	GCCAAAACTA	TTACCAAAGA	CTCGATCTAT	GACTCATTTG	ACAGAGAAGC	CAAGGAAAAA	1200
	AAGCTTGCTT	GGCCCATTAA	CTCAAATCCA	CCAAATACTT	TTGTCTAA		124

(97) INFORMATION FOR SEQ ID NO:96:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 415 amino acids (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: not relevant
 - (ii) MOLECULE TYPE: protein
- 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

	Met 1	Val	Phe	Ala	His 5	Arg	Met	Asp	Asn	Ser 10	Lys	Pro	His	Leu	Ile 15	Ile
	Pro	Thr	Leu	Leu 20	Val	Pro	Leu	Gln	Asn 25	Arg	Ser	Cys	Thr	Glu 30	Thr	Ala
5	Thr	Pro	Leu 35	Pro	Ser	Gln	Tyr	Leu 40	Met	Glu	Leu	Ser	Glu 45	Glu	His	Ser
	Trp	Met 50	Ser	Asn	Gln	Thr	Asp 55	Leu	His	Tyr	Val	Leu 60	Lys	Pro	Gly	Glu
10	Val 65	Ala	Thr	Ala	Ser	Ile 70	Phe	Phe	Gly	Ile	Leu 75	Trp	Leu	Phe	Ser	Ile 80
	Phe	Gly	Asn	Ser	Leu 85	Val	Cys	Leu	Val	Ile 90	His	Arg	Ser	Arg	Arg 95	Thr
	Gln	Ser		Thr 100	Asn	Tyr	Phe		Val 105	Ser	Met	Ala	Cys	Ala 110	qeA	Leu
15	Leu	Ile	Ser 115	Val	Ala	Ser	Thr	Pro 120	Phe	Val	Leu	Leu	Gln 125	Phe	Thr	Thr
- ·	Gly	Arg 130	Trp	Thr	Leu	Gly	Ser 135	Ala	Thr	Cys	Lys	Val 140	Val	Arg	Tyr	Phe
20	Gln 145	Tyr	Leu	Thr	Pro	Gly 150	Val	Gln	Ile	Tyr	Val 155	Leu	Leu	Ser	Ile	Cys 160
	Ile	Asp	Arg	Phe	Tyr 165	Thr	Ile	Val	Tyr	Pro 170	Leu	Ser	Phe	Lys	Val 175	Ser
	Arg	Glu	Lys	Ala 180	Lys	Lys	Met	Ile	Ala 185	Ala	Ser	Trp	Ile	Phe 190	Asp	Ala
25	Gly	Phe	Val 195	Thr	Pro	Val	Leu	Phe 200	Phe	Tyr	Gly	Ser	Asn 205	Trp	Asp	Ser
	His	Cys 210	Asn	Tyr	Phe	Leu	Pro 215	Ser	Ser	Trp	Glu	Gly 220	Thr	Ala	Tyr	Thr
30	Val 225	Ile	His	Phe	Leu	Val 230		Phe	Val	Ile	Pro 235	Ser	Val	Leu	Ile	11e 240
	Leu	Phe	Tyr		Lys . 245		Ile	Lys	Tyr	11e 250		Arg	Ile	Gly	Thr 255	Asp
	Gly	Arg	Thr	Val 260		Arg	Thr	Met	Asn 265		Val	Pro	Arg	Thr 270		Val
35	Lys	Thr	Ile 275		Met	Phe	Leu	Ile 280		Asn	Leu	Leu	Phe 285		Leu	Ser

	Trp Leu Pro Phe His Val Ala Gln Leu Trp His Pro His Glu Gln Asp 290 295 300	,
	Tyr Lys Lys Ser Ser Leu Val Phe Thr Ala Ile Thr Trp Ile Ser Phe 305 310 215 320	
5	Ser Ser Ser Ala Ser Lys Pro Thr Leu Tyr Ser Ile Tyr Asn Ala Asr 325 330 335	ı
	Phe Arg Arg Gly Met Lys Glu Thr Phe Cys Met Ser Ser Met Lys Cys 340 345 350	ı
10	Tyr Arg Ser Asn Ala Tyr Thr Ile Thr Thr Ser Ser Arg Met Ala Lys 355 360 365	
	Lys Asn Tyr Val Gly Ile Ser Glu Ile Pro Ser Met Ala Lys Thr Ile 370 375 380	
	Thr Lys Asp Ser Ile Tyr Asp Ser Phe Asp Arg Glu Ala Lys Glu Lys 385 390 395 400	
15	Lys Leu Ala Trp Pro Ile Asn Ser Asn Pro Pro Asn Thr Phe Val 405 410 415	
	(98) INFORMATION FOR SEQ ID NO:97:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:	
25	GGAAAGCTTA ACGATCCCCA GGAGCAACAT	30
٠	(99) INFORMATION FOR SEQ ID NO:98:	
30	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:	
	CTGGGATCCT ACGAGAGCAT TTTTCACACA G	31
35	(100) INFORMATION FOR SEO ID NO:99:	

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1842 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

	ATGGGGCCCA	CCCTAGCGGT	TCCCACCCC	TATGGCTGTA	TTGGCTGTAA	GCTACCCCAG	60
	CCAGAATACC	CACCGGCTCT	AATCATCTTT	ATGTTCTGCG	CGATGGTTAT	CACCATCGTT	120
	GTAGACCTAA	TCGGCAACTC	CATGGTCATT	TTGGCTGTGA	CGAAGAACAA	GAAGCTCCGG	180
10	AATTCTGGCA	ACATCTTCGT	GGTCAGTCTC	TCTGTGGCCG	ATATGCTGGT	GGCCATCTAC	240
	CCATACCCTT	TGATGCTGCA	TGCCATGTCC	ATTGGGGGCT	GGGATCTGAG	CCAGTTACAG	300
	TGCCAGATGG	TCGGGTTCAT	CACAGGGCTG	AGTGTGGTCG	GCTCCATCTT	CAACATCGTG	360
	GCAATCGCTA	TCAACCGTTA	CTGCTACATC	TGCCACAGCC	TCCAGTACGA	ACGGATCTTC	420
	AGTGTGCGCA	ATACCTGCAT	CTACCTGGTC	ATCACCTGGA	TCATGACCGT	CCTGGCTGTC	4 8Ó
15	CTGCCCAACA	TGTACATTGG	CACCATCGAG	TACGATCCTC	GCACCTACAC	CTGCATCTTC	540
	AACTATCTGA	ACAACCCTGT	CTTCACTGTT	ACCATCGTCT	GCATCCACTT	CGTCCTCCCT	600
	CTCCTCATCG	TGGGTTTCTG	CTACGTGAGG	ATCTGGACCA	AAGTGCTGGC	GGCCCGTGAC	660
•	CCTGCAGGGC	AGAATCCTGA	CAACCAACTT	GCTGAGGTTC	GCAATTTTCT	AACCATGTTT	720
	GTGATCTTCC	TCCTCTTTGC	AGTGTGCTGG	TGCCCTATCA	ACGTGCTCAC	TGTCTTGGTG	780
20	GCTGTCAGTC	CGAAGGAGAT	GGCAGGCAAG	ATCCCCAACT	GGCTTTATCT	TGCAGCCTAC	840
	TTCATAGCCT	ACTTCAACAG	CTGCCTCAAC	GCTGTGATCT	ACGGGCTCCT	CAATGAGAAT	900
	TTCCGAAGAG	AATACTGGAC	CATCTTCCAT	GCTATGCGGC	ACCCTATCAT	ATTCTTCCCT	960
	GGCCTCATCA	GTGATATTCG	TGAGATGCAG	GAGGCCCGTA	CCCTGGCCCG	CGCCCGTGCC	1020
-	CATGCTCGCG	ACCAAGCTCG	TGAACAAGAC	CGTGCCCATG	CCTGTCCTGC	TGTGGAGGAA	1080
25	ACCCCGATGA	ATGTCCGGAA	TGTTCCATTA	CCTGGTGATG	CTGCAGCTGG	CCACCCCGAC	1140
	CGTGCCTCTG	GCCACCCTAA	GCCCCATTCC	AGATCCTCCT	CTGCCTATCG	CAAATCTGCC	1200
	TCTACCCACC	ACAAGTCTGT	CTTTAGCCAC	TCCAAGGCTG	CCTCTGGTCA	CCTCAAGCCT	1260
	GTCTCTGGCC	ACTCCAAGCC	TGCCTCTGGT	CACCCCAAGT	CTGCCACTGT	CTACCCTAAG	1320
	CCTGCCTCTG	TCCATTTCAA	GGGTGACTCT	GTCCATTTCA	AGGGTGACTC	TGTCCATTTC	1380

	AAGCCTGAC	T CT	GITC	WIII	CAA	3001	JCI .	CCA	J C. J L. 1							
	CATGTCTCT	G CT	GGCA	GCCA	CTC	CAAG'	ŗct (GCT	rcag:	rg C	rgcci	ACCA	G CC	ACCC'	FAAA	1500
	CCCATCAAG	C CA	GCTA	CCAG	CCA'	rgct	GAG (CCCA	CCAC	rg C	rgac'	ratc	C CA	AGCC'	rgcc	1560
	ACTACCAGO	C AC	CCTA	AGCC	CGC	TGCT	GCT (GACA	ACCC	rg ag	GCTC'	rctg(C CT	CCCA	rtgc	1620
5	CCCGAGATO	C CT	GCCA'	TTGC	CCA	CCCT	GTG '	rctg	ACGA	CA G	TGAC	CTCC	C TG	AGTC	GGCC	1680
	TCTAGCCCT	G CC	GCTG	GGCC	CAC	CAAG	CCT (GCTG	CCAG	CC A	GCTG	GAGT	C TG	ACAC	CATC	1740
	GCTGACCTT	C CT	GACC	CTAC	TGT.	AGTC.	ACT A	ACCA	GTAC	CA A	TGAT	TACC	A TG	ATGT	CGTG	1800
	GTTGTTGAT	G TT	GAAG	ATGA	TCC	TGAT	GAA 2	ATĢG	CTGT	GT G	A	•				1842
	(101) INF	FORMA	TION	FOR	SEQ	ID	NO:1	00:			•			•		
10	(i)	SEQ	UENC LEN	E CH	ARAC	TERI ami	STIC no a	S: cids								
		(B)	TYP	E: a	mino	aci										
		(D)	TOP	OLOG	Y: n	ot r	elev	ant								
15		i) MC			•											
	•	i) SE														_
	Met 1	Gly	Pro	Thr	Leu 5	Ala	Val	Pro	Thr	Pro 10	Tyŗ	Gly	Cys	Ile	15 15	Cys
20	Lys	Leu	Pro	Gln 20	Pro	Glu	Tyr	Pro	Pro 25	Ala	Leu	Ile	Ile	Phe 30	Met	Phe
	Суз	Ala	Met 35	Val	Ile	Thr	Ile	Val 40	Val	Asp	Leu	Ile	Gly 45	Asn	Ser	Met
•	Val	Ile 50	Leu	Ala	Val	Thr	Lys 55	Asn	Lys	Lys	Leu	Arg 60	Asn	Ser	Gly	Asn
25	Ile 65	Phe	Val	Val	Ser	Leu 70	Ser	Val	Ala	Asp	Met 75	Leu	Val	Ala	Ile	Tyr 80
	Pro	Tyr	Pro	Leu	Met 85	Leu	His	Ala	Met	Ser 90	Ile	Gly	Gly	Trp	Asp 95	Leu
30	Ser	Gln	Leu	Gln 100	Cys	Gln	Met	Val	Gly 105	Phe	Ile	Thr	Gly	Leu 110	Ser	Val
٠.	Val	Gly	Ser 115		Phe	Asn	Ile	Val 120	Ala	Ile	Ala	Ile	Asn 125	Arg	Tyr	Cys
	Туг	1le 130		His	Ser	Leu	Gln 135	Tyr	Glu	Arg	Ile	Phe 140	Ser	Val	Arg	Asn

	Thr 145	Суs	Ile	Tyr	Leu	Val 150	Ile	Thr	Trp	Ile	Met 155	Thr	Val	Leu	Ala	Val 160
	Leu	Pro	Asn	Met	Tyr 165	Ile	Gly	Thr	Ile	Glu 170	Tyr	Asp	Pro	Arg	Thr 175	Tyr
5	Thr	Суз	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185	Pro	Val	Phe	Thr	Val 190	Thr	Ile
	Vál	Cys	Ile 195	His	Phe	Val	Leu	Pro 200		Leu	Ile	Val	Gly 205	Phe	Cys	Tyr
10	Val	Arg 210	Ile	Trp	Thr	Lys	Val 215	Leu	Ala	Ala	Arg	Asp 220	Pro	Ala	Gly	Gln
	Asn 225	Pro	Asp	Asn	Gln	Leu 230	Ala	Glu	.Val	Arg	Asn 235	Phe	Leu	Thr	Met	Phe 240
·	Val	Ile	Phe	Leu	Leu 245	Phe	Ala	Val		Trp 250	Cys	Pro	Ile	Asn	Val 255	Leu
15	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
	Asn	Trp	Leu 275	Tyr	Leu	Ala	Ala	Tyr 280	Phe	Ile	Ala	Tyr	Phe 285	Asn	Ser	Cys
20	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asn	Glu	Asn 300	Phe	Arg	Arg	Glu
	Tyr 305	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Pro 320
	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330	Glu	Ala	Arg	Thr	Leu 335	Ala
25	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu	Gln	Asp 350	Arg	Ala
	His	Ala	Cys 355	Pro	Ala	Val	Glu	Glu 360	Thr	Pro	Met	Asn	Val 365	Arg	Asn	Val
30	Pro	Leu 370					Ala 375				Pro	Asp 380		Ala	Ser	Gly
	His 385	Pro	Lys	Pro	His	Ser 390		Ser	Ser	Ser	Ala 395		Arg	Lys	Ser	Ala 400
	Ser	Thr	His	His	Lys 405		Val	Phe	Ser	His 410		Lys	Ala	Ala	Ser 415	Gly
35	His	Leu	Lys	Pro 420		Ser	Gly	His	Ser 425		Pro	Ala	Ser	Gly 430		Pro
	Lys	Ser	Ala	Thr	Val	Tyr	Pro	Lys	Pro	Ala	Ser	Val	His	Phe	Lys	Gly

÷				435					440					445			
	•	Asp	Ser 450	Val	His	Phe	Lys	Gly 455	Asp	Ser	Val	His	Phe 460	Lys	Pro	Asp	Ser
5		Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475	Pro	Ile	Thr	Gly	His 480
		His	Val	Ser	Ala	Gly 485	Ser	His	Ser	Lys	Ser 490	Ala	Phe	Ser	Ala	Ala 495	Thr
		Ser	His	Pro	Lys 500	Pro	Ile	Lys	Pro	Ala 505	Thr	Ser	His	Ala	Glu 510	Pro	Thr
10		Thr	Ala	Asp 515	Tyr	Pro	Lys	Pro	Ala 520	Thr	Thr	Ser	His	Pro 525	Lys	Pro	Ala,
-		Ala	Ala 530	Asp	Asn	Pro	Glu	Leu 535	Ser	Ala	Ser	His	Cys 540	Pro	Glu	Ile	Pro
15		Ala 545	Ile	Ala	His	Pro	Val 550	Ser	Asp	Asp	Ser	Asp 555	Leu	Pro	Glu	Ser	Ala 560
*		Ser	Ser	Pro	Ala	Ala 565		Pro	Thr	Lys	Pro 570	Ala	Ala	Ser	Gln	Leu 575	Glu
		Ser	Asp	Thr	Ile 580	Ala	Asp	Leu	Pro	Asp 585	Pro	Thr	Val	Val	Thr 590	Thr	Ser
20		Thr	Asn	Asp 595	Tyr	His	Asp	Val	Val 600	Val	Val	Asp	Val	Glu 605	Asp	Asp	Pro
		Asp	Glu 610	Met	Ala	Val										,	
	(102) IN	FORM	ATIO	n Fo	R SE	Q ID	NO:	101:								
25		(i	(A (B) LE) TY	CE C NGTH PE: RAND	: 32 nucl	bas eic	e pa acid	irs								
				•	POLO												
30					ULE												
		(x	i) S	EQUE	NCE	DESC	RIPT	'ION:	SEÇ	ID	NO:1	.01:					
	TCCA	AGCI	TC G	CCAT	GGGA	C AI	AACC	GGAG	CT								
	(103	B) IN	FORM	ATIC	N FC	R SE	EQ II	NO:	102:								

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

780

840

900

1080

5

10

20

25

81

•	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:	
CGTGAATTCC AAGAATTTAC AATCCTTGCT	30
(104) INFORMATION FOR SEQ ID NO:103:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1548 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) 	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:	
ATGGGACATA ACGGGAGCTG GATCTCTCCA AATGCCAGCG AGCCGCACAA CGCGTCCGGC	60
GCCGAGGCTG CGGGTGTGAA CCGCAGCGCG CTCGGGGAGT TCGGCGAGGC GCAGCTGTAC	120
CGCCAGTTCA CCACCACCGT GCAGGTCGTC ATCTTCATAG GCTCGCTGCT CGGAAACTTC	180
ATGGTGTTAT GGTCAACTTG CCGCACAACC GTGTTCAAAT CTGTCACCAA CAGGTTCATT	240
AAAAACCTGG CCTGCTCGGG GATTTGTGCC AGCCTGGTCT GTGTGCCCTT CGACATCATC	300
CTCAGCACCA GTCCTCACTG TTGCTGGTGG ATCTACACCA TGCTCTTCTG CAAGGTCGTC	360
AAATTTTTGC ACAAAGTATT CTGCTCTGTG ACCATCCTCA GCTTCCCTGC TATTGCTTTG	420
GACAGGTACT ACTCAGTCCT CTATCCACTG GAGAGGAAAA TATCTGATGC CAAGTCCCGT	480
GAACTGGTGA TGTACATCTG GGCCCATGCA GTGGTGGCCA GTGTCCCTGT GTTTGCAGTA	540
ACCAATGTGG CTGACATCTA TGCCACGTCC ACCTGCACGG AAGTCTGGAG CAACTCCTTG	600
GGCCACCTGG TGTACGTTCT GGTGTATAAC ATCACCACGG TCATTGTGCC TGTGGTGGTG	660

GTGTTCCTCT TCTTGATACT GATCCGACGG GCCCTGAGTG CCAGCCAGAA GAAGAAGGTC

ATCATAGCAG CGCTCCGGAC CCCACAGAAC ACCATCTCTA TTCCCTATGC CTCCCAGCGG

GAGGCCGAGC TGCACGCCAC CCTGCTCTCC ATGGTGATGG TCTTCATCTT GTGTAGCGTG

CCCTATGCCA CCCTGGTCGT CTACCAGACT GTGCTCAATG TCCCTGACAC TTCCGTCTTC

TTGCTGCTCA CTGCTGTTTG GCTGCCCAAA GTCTCCCTGC TGGCAAACCC TGTTCTCTTT

CTTACTGTGA ACAAATCTGT CCGCAAGTGC TTGATAGGGA CCCTGGTGCA ACTACACCAC

CGGTACAGTC GCCGTAATGT GGTCAGTACA GGGAGTGGCA TGGCTGAGGC CAGCCTGGAA

CCCAGCATAC GCTCGGGTAG CCAGCTCCTG GAGATGTTCC ACATTGGGCA GCAGCAGATC 1140

	TTTAAGCCCA CAC	GAGGATGA GGA	AGAGAGT GA	AGGCCAAGT A	ACATTGGCTC	AGCTGACTTC	1200
	CAGGCCAAGG AGA	ATATTTAG CAC	CTGCCTC GA	AGGGAGAGC A	AGGGCCACA (GTTTGCGCCC	1260
	TCTGCCCCAC CCC	CTGAGCAC AGI	GGACTCT G	ratcccagg i	GGCACCGGC	AGCCCCTGTG	1320
5	GAACCTGAAA CAT	TCCCTGA TAA	GTATTCC CI	rgcagtttg c	CTTTGGGCC	TTTTGAGTTG	1380
	CCTCCTCAGT GGC	CTCTCAGA GAC	CCGAAAC AG	GCAAGAAGC G	GCTGCTTCC	CCCCTTGGGC	1440
	AACACCCCAG AAC	GAGCTGAT CCA	GACAAAG GI	rgcccaagg i	AGGCAGGGT (GGAGCGGAAG	1500
	ATGAGCAGAA ACA	AATAAAGT GAG	CATTTTT CO	CAAAGGTGG A	ATTCCTAG		1548
	(105) INFORM	ATION FOR SE	Q ID NO:10				
10		UENCE CHARAC LENGTH: 515					
	(B)	TYPE: amino	acid			•	
		STRANDEDNES TOPOLOGY: n		nt .			
15	(ii) MOI	LECULE TYPE:	protein		•	•	
	(xi) SE(QUENCE DESCR	IPTION: SE	EQ ID NO:10)4:	•	
	Met Gly I	His Asn Gly 5	Ser Trp Il	le Ser Pro 10	Asn Ala Se	r Glu Pro 15	His
20	Asn Ala S	Ser Gly Ala 20	Glu Ala Al	ta Gly Val 25	Asn Arg Se	r Ala Leu 30	Gly
		Gly Glu Ala 35	Gln Leu Ty		Phe Thr Th	r Thr Val	Gln
	Val Val 1 50	Ile Phe Ile	Gly Ser Le	eu Leu Gly	Asn Phe Me	t Val Leu	Trp
25	Ser Thr (Cys Arg Thr	Thr Val Ph	ne Lys Ser	Val Thr Asi 75	n Arg Phe	Ile 80
	Lys Asn 1	Leu Ala Cys 85	Ser Gly I	le Cys Ala 90	Ser Leu Va	l Cys Val 95	Pro
30	Phe Asp	Ile Ile Leu 100	Ser Thr Se	er Pro His 105	Cys Cys Tr	p Trp Ile 110	Tyr
		Leu Phe Cys 115		al Lys Phe 20	Leu His Ly		Cys
	Ser Val :	Thr Ile Leu	Ser Phe Pi	ro Ala Ile	Ala Leu As	p Arg Tyr	Tyr

135

	Ser 145	Val	Leu	туг	Pro	Leu 150	Glu	Arg	Lys	Ile	Ser 155	Asp	Ala	Lys	Ser	Arg 160
	Glu	Leu	Val	Met	Tyr 165	Ile	Trp	Ala	His	Ala 170	Val	Val	Ala		Val 175	Pro
5	Val	Phe	Ala	Val 180	Thr	Asn	Val	Ala	Asp 185	Ile	Tyr	Ala	Thr	Ser 190	Thr	Cys
	Thr	Glu	Val 195	Trp	Ser	Asn	Ser	Leu 200	Gly	His	Leu	Val	Tyr 205	Val	Leu	Val
10	Tyr	Asn 210	Ile	Thr	Thr	Val	Ile 215	Val	Pro	Val	Val	Val 220	Val	Phe	Leu	Phe
	Leu 225	Ile	Leu ·	Ile	Arg	Arg 230	Ala	Leu	Ser	Ala	Ser 235	Gln	Lys	Lys	Lys	Val 240
•	Ile	Ile	Ala	Ala	Leu 245	Arg	Thr	Pro	Gln	Asn 250	Thr	Ile	Ser	Ile	Pro 255	Tyr
15	Ala	Ser	Gln	Arg 260	Glu	Ala	Glu	Leu	His 265	Ala	Thr	Leu	Leu	Ser 270	Met	Val
	Met	Val	Phe 275	-	Leu	Cys	Ser	Val 280	Pro	Tyr	Ala	Thr	Leu 285	Val	Val	Tyr
20	Gln	Thr 290	Val	Leu	Asn	Val	Pro 295	Asp	Thr	Ser	Val	Phe 300	Leu	Leu	Leu	Thr
·	Ala 305	Val	Trp	Leu	Pro	Lys 310	Val	Ser	Leu	Leu	Ala 315	Asn	Pro	Val	Leu	Phe 320
	Leu	Thr	Val	Asn	Lys 325	Ser	Val	Arg	Lys	Cys 330	Leu	Ile	Gly	Thr	Leu 335	Val
25	Gln	Leu	His	His 340	Arg	Tyr	Ser	Arg	Arg 345	Asn	Val	Val	Ser	Thr 350	Gly	Ser
	Gly	Met	Ala 355	Glu	Ala	Ser	Leu	Glu 360	Pro	Ser	Ile	Arg	Ser 365	Gly	Ser	Gln
30	Leu	Leu 370	Glu	Met	Phe	His	Ile 375	Gly	Gln	Gln	Gln	Ile 380	Phe	Lys	Pro	Thr
	Glu 385	Asp	Glu	Glu		Ser 390	Glu	Ala	Lys	Tyr	Ile 395	Gly	Ser	Ala	Asp	Phe 400
	Gln	Ala	Lys	Glu	Ile 405	Phe	Ser	Thr	Cys	Leu 410	Glu	Gly	Glu	Gln	Gly 415	Pro
35	Gln	Phe	Ala	Pro 420	Ser	Ala	Pro	Pro	Leu 425	Ser	Thr	Val	Asp	Ser 430	Val	Ser
	Gln	Val	Ala	Pro	Ala	Ala	Pro	Val	Glu	Pro	Glu	Thr	Phe	Pro	Asp	Lys

	435 440 445	
	Tyr Ser Leu Gln Phe Gly Phe Gly Pro Phe Glu Leu Pro Pro Gln Trp 450 455 460	
5	Leu Ser Glu Thr Arg Asn Ser Lys Lys Arg Leu Leu Pro Pro Leu Gly 465 470 475 480	
	Asn Thr Pro Glu Glu Leu Ile Gln Thr Lys Val Pro Lys Val Gly Arg 485 490 495	
	Val Glu Arg Lys Met Ser Arg Asn Asn Lys Val Ser Ile Phe Pro Lys 500 505 510	
0	Val Asp Ser 515	
	(106) INFORMATION FOR SEQ ID NO:105:	
.5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:	
20	GGAGAATTCA CTAGGCGAGG CGCTCCATC	2
	(107) INFORMATION FOR SEQ ID NO:106:	
25	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:	
	GGAGGATCCA GGAAACCTTA GGCCGAGTCC	3 (
0	(108) INFORMATION FOR SEQ ID NO:107:	
5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1164 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

	ATGAATCGGC	ACCATCTGCA	GGATCACTTT	CTGGAAATAG	ACAAGAAGAA	CTGCTGTGTG	6
	TTCCGAGATG	ACTTCATTGC	CAAGGTGTTG	CCGCCGGTGT	TGGGGCTGGA	GTTTATCTTT	120
	GGGCTTCTGG	GCAATGGCCT	TGCCCTGTGG	ATTITCTGTT	TCCACCTCAA	GTCCTGGAAA	180
5	TCCAGCCGGA	TTTTCCTGTT	CAACCTGGCA	GTAGCTGACT	TTCTACTGAT	CATCTGCCTG	240
	CCGTTCGTGA	TGGACTACTA	TGTGCGGCGT	TCAGACTGGA	ACTTTGGGGA	CATCCCTTGC	300
	CGGCTGGTGC	TCTTCATGTT	TGCCATGAAC	CGCCAGGGCA	GCATCATCTT	CCTCACGGTG	360
	GTGGCGGTAG	ACAGGTATTT	CCGGGTGGTC	CATCCCCACC	ACGCCCTGAA	CAAGATCTCC	420
	AATTGGACAG	CAGCCATCAT	CTCTTGCCTT	CTGTGGGGCA	TCACTGTTGG	CCTAACAGTC	480
10	CACCTCCTGA	AGAAGAAGTT	GCTGATCCAG	AATGGCCCTG	CAAATGTGTG	CATCAGCTTC	540
	AGCATCTGCC	ATACCTTCCG	GTGGCACGAA	GCTATGTTCC	TCCTGGAGTT	CCTCCTGCCC	600
	CTGGGCATCA	TCCTGTTCTG	CTCAGCCAGA	ATTATCTGGA	GCCTGCGGCA	GAGACAAATG	660
	GACCGGCATG	CCAAGATCAA	GAGAGCCATC	ACCTTCATCA	TGGTGGTGGC	CATCGTCTTT	720
	GTCATCTGCT	TCCTTCCCAG	CGTGGTTGTG	CGGATCCGCA	TCTTCTGGCT	CCTGCACACT	780
15	TCGGGCACGC	AGAATTGTGA	AGTGTACCGC	TCGGTGGACC	TGGCGTTCTT	TATCACTCTC	840
	AGCTTCACCT	ACATGAACAG	CATGCTGGAC	CCCGTGGTGT	ACTACTTCTC	CAGCCCATCC	900
	TTTCCCAACT	TCTTCTCCAC	TTTGATCAAC	CGCTGCCTCC	AGAGGAAGAT	GACAGGTGAG	960
	CCAGATAATA	ACCGCAGCAC	GAGCGTCGAG	CTCACAGGGG	ACCCCAACAA	AACCAGAGGC	1020
	GCTCCAGAGG	CGTTAATGGC	CAACTCCGGT	GAGCCATGGA	GCCCCTCTTA	TCTGGGCCCA	1080
0 .	ACCTCAAATA	ACCATTCCAA	GAAGGGACAT	TGTCACCAAG	AACCAGCATC	TCTGGAGAAA	1140
	CAGTTGGGCT	GTTGCATCGA	GTAA	•			1164

(109) INFORMATION FOR SEQ ID NO:108:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 387 amino acids
- (B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:
- 30 Met Asn Arg His His Leu Gln Asp His Phe Leu Glu Ile Asp Lys Lys

٠		1				5				٠	10					15	
		Asn	Cys	Cys	Val 20	Phe	Arg	Asp	Asp	Phe 25	Ile	Ala	Lys	Val	Leu 30	Pro	Pro
5		Vạl	Leu	Gly 35	Leu	Glu	Phe	Ile	Phe 40	Gly	Leu	Leu	Gly	Asn 45	Gly	Leu	Ala
		Leu	Trp 50	Ile	Phe	Cys	Phe	His 55	Leu	Lys	Ser	Trp	Lys 60	Ser	Ser	Arg	Ile
	•	Phe 65	Leu	Phe	Asn	Leu	Ala 70	Val	Ala	Asp	Phe	Leu 75	Leu	Ile	Ile	Cys	Leu 80
10		Pro	Phe	Val	Met	Asp 85	Tyr	Tyr	Val	Arg	Arg 90	Ser	Asp	Trp	Asn	Phe 95	Gly
	·	Asp	Ile	Pro	Cys 100	Arg	Leu	Val	Leu	Phe 105	Met	Phe	Ala	Met	Asn 110	Arg	Gln
15		Gly.	Ser	Ile 115	Ile	Phe	Leu	Thr	Val 120	Val	Ala	Val	Asp	Arg 125	Tyr	Phe	Arg
		Val	Val 130	His	Pro	His	His	Ala 135	Leu	Asn	Lys	Ile	Ser 140	Asn	Trp	Thr	Ala
		Ala 145	Ile	Ile	Ser	Cys	Leu 150	Leu	Trp	Gly	Ile	Thr 155	Val	Gly	Leu	Thr	Val 160
20		His	Leu	Leu	Lys	Lys 165	Lys	Leu	Leu	Ile	Gln 170	Asn	Gly	Pro	Ala	Asn 175	Val
		Cys	Ile	Ser	Phe 180		Ile	Cys	His	Th ì 185	Phe	Arg	Trp	His	Glu 190	Ala	Met
25		Phe	Leu	Leu 195	Glu	Phe	Leu	Leu		Leu	Gly	Ile	Ile	Leu 205	Phe	Cys	Ser
		Ala	Arg 210	Ile	Ile	Trp	Ser	Leu 215	Arg	Gln	Arg	Gln	Met 220		Arg	His	Ala
		Lys 225	Ile	Lys	Arg	Ala	Ile 230	Thr	Phe	Ile	Met	Val 235	Val	Ala	Ile	Val	Phe 240
30		Val	Ile	Cys	Phe	Leu 245	Pro	Şer	Val	Val	Val 250	Arg	Ile	Arg	Ile	Phe 255	Trp
		Leu	Leu	His	Thr 260	Ser	Gly	Thr	Gln	Asn 265	Cys	Glu	Val	Tyr	Arg 270	Ser	Val
35		Asp	Leu	Ala 275	Phe	Phe	Ile	Thr	Leu 280	Ser	Phe	Thr	Tyr	Met 285	Asn	Ser	Met
		Leu	Asp 290	Pro	Val	Val	Tyr	Tyr 295	Phe	Ser	Ser	Pro	Ser 300	Phe	Pro	Asn	Phe

WO 00/22129 PCT/US99/23938

o	7
o	/

		Phe 305	Ser	Thr	Leu	Ile	Asn 310	Arg	Cys	Leu	Gln	Arg 315	Lys	Met	Thr	Gly	Glu 320	
	-	Pro	Asp	Asn	Asn	Arg 325	Ser	Thr	Ser	Val	Glu 330	Leu	Thr	Gly	Asp	Pro 335	Asn	
5		Lys	Thr	Arg	Gly 340	Ala	Pro	Glu	Ala	Leu 345	Met	Ala	Asn	Ser	Gly 350	Glu	Pro	
		Trp	Ser	Pro 355	Ser	Tyr	Leu	Gly	Pro 360	Thr	Ser	Asn		His 365	Ser	Lys	Lys	
10		Gly	His 370	Cys	His	Gln	Glu	Pro 375	Ala	Ser	Leu	Glu	Lys 380	Gln	Leu	Gly	Cys	
		Cys 385	Ile	Glu														
	(110)	INF	ORMA	TION	FOF	SEC	ID	NO:1	.09:									
15		(i)	(A) (B) (C)	LEN TYP STR	IGTH: PE: II LANDE	ARAC 37 ucle DNES	base ic a S: s	pai cid ingl	rs			٠		•				
•				•														
		(ii) MO	LECU	LE I	YPE:	DNA	. (ge	nomi	c)								
20		(iv) AN	TI-S	ENSE	: NO)											
		(xi) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:10	9:						
	ACCATO	GGCT'	T GC	AATG	GCAG	TGC	GGCC	AGG	GGGC	ACT								37
	(111)	INF	ORMA	TION	FOR	SEQ	ID	NO:1	10:					•				
25		(i)	(A) (B) (C)	LEN TYP STR	GTH: E: n ANDE	ARAC 39 ucle DNES Y: 1	base ic a S: s	pai cid ingl	rs									
		(ii)) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
30		(iv)	MA (TI-S	ENSE	: YE	s											٠
		(xi)	SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:11	0 :						
	CGACC	AGGA	C AA	ACAG	CATC	TTG	GTCA	CTT	GTCT	CCGG	c ·						:	39
	(112)	INFO	ORMA'	TION	FOR	SEQ	ID I	NO:1	11:									
35		(i)	(A)	LEN	GTH:	ARAC 39 1 ucle	base	pai:										

	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
5	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:	
	GACCAAGATG CTGTTTGTCC TGGTCGTGGT GTTTGGCAT	39
	(113) INFORMATION FOR SEQ ID NO:112:	
10	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 35 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:	
	CGGAATTCAG GATGGATCGG TCTCTTGCTG CGCCT	35
	(114) INFORMATION FOR SEQ ID NO:113:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1212 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	÷
	(ii) MOLECULE TYPE: DNA (genomic)	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:	
•	ATGGCTTGCA ATGGCAGTGC GGCCAGGGGG CACTTTGACC CTGAGGACTT GAACCTGACT	60
	GACGAGGCAC TGAGACTCAA GTACCTGGGG CCCCAGCAGA CAGAGCTGTT CATGCCCATC	120
	TGTGCCACAT ACCTGCTGAT CTTCGTGGTG GGCGCTGTGG GCAATGGGCT GACCTGTCTG	180
	GTCATCCTGC GCCACAAGGC CATGCGCACG CCTACCAACT ACTACCTCTT CAGCCTGGCC	240
30	GTGTCGGACC TGCTGGTGCT GCTGGTGGGC CTGCCCCTGG AGCTCTATGA GATGTGGCAC	300
	AACTACCCCT TCCTGCTGGG CGTTGGTGGC TGCTATTTCC GCACGCTACT GTTTGAGATG	360
	GTCTGCCTGG CCTCAGTGCT CAACGTCACT GCCCTGAGCG TGGAACGCTA TGTGGCCGTG	420
	GTGCACCCAC TCCAGGCCAG GTCCATGGTG ACGCGGGCCC ATGTGCGCCG AGTGCTTGGG	480

	GCCGTCTGGG GTCTTGCCAT GCTCTGCTCC CTGCCCAACA CCAGCCTGCA CGGCATCCGG	540
	CAGCTGCACG TGCCCTGCCG GGGCCCAGTG CCAGACTCAG CTGTTTGCAT GCTGGTCCGC	600
	CCACGGGCCC TCTACAACAT GGTAGTGCAG ACCACCGCGC TGCTCTTCTT CTGCCTGCCC	660
	ATGGCCATCA TGAGCGTGCT CTACCTGCTC ATTGGGCTGC GACTGCGGCG GGAGAGGCTG	720
5	CTGCTCATGC AGGAGGCCAA GGGCAGGGGC TCTGCAGCAG CCAGGTCCAG ATACACCTGC	780
	AGGCTCCAGC AGCACGATCG GGGCCGGAGA CAAGTGACCA AGATGCTGTT TGTCCTGGTC	840
	GTGGTGTTTG GCATCTGCTG GGCCCCGTTC CACGCCGACC GCGTCATGTG GAGCGTCGTG	900
	TCACAGTGGA CAGATGGCCT GCACCTGGCC TTCCAGCACG TGCACGTCAT CTCCGGCATC	960
	TTCTTCTACC TGGGCTCGGC GGCCAACCCC GTGCTCTATA GCCTCATGTC CAGCCGCTTC	1020
10	CGAGAGACCT TCCAGGAGGC CCTGTGCCTC GGGGCCTGCT GCCATCGCCT CAGACCCCGC	1080
	CACAGCTCCC ACAGCCTCAG CAGGATGACC ACAGGCAGCA CCCTGTGTGA TGTGGGCTCC	1140
	CTGGGCAGCT GGGTCCACCC CCTGGCTGGG AACGATGGCC CAGAGGCGCA GCAAGAGACC	1200
	GATCCATCCT GA	1212
	(115) INFORMATION FOR SEQ ID NO:114:	
15	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 403 amino acids	•
	(E) TYPE: amino acid (C) STRANDEDNESS:	٠.
	(D) TOPOLOGY: not relevant	-
20	(ii) MOLECULE TYPE: protein	٠
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:114:	
	Met Ala Cys Asn Gly Ser Ala Ala Arg Gly His Phe Asp Pro Glu As 1 5 10 15	зр
25	Leu Asn Leu Thr Asp Glu Ala Leu Arg Leu Lys Tyr Leu Gly Pro G	ln
	Gln Thr Glu Leu Phe Met Pro Ile Cys Ala Thr Tyr Leu Leu Ile Pl 35 40 45	ne
	Val Val Gly Ala [*] Val Gly Asn Gly Leu Thr Cys Leu Val Ile Leu An 50 55 60	rg
30	His Lys Ala Met Arg Thr Pro Thr Asn Tyr Tyr Leu Phe Ser Leu Al	la O
	Val Ser Asp Leu Leu Val Leu Leu Val Gly Leu Pro Leu Glu Leu T	yr

.95

,	Glu	Met	Trp	His 100	Asn	Tyr	Pro	Phe	Leu 105	Leu	Gly	Val	Gly	Gly 110	Cys	Tyr
	Phe	Arg	Thr 115	Leu	Leu	Phe	Glu	Met 120	Val	Cys	Leu	Ala	Ser 125	Val	Leu	Asn
5	Val	Thr 130	Ala	Leu	Ser	Val	Glu 135	Arg	Tyr	Val	Ala	Val 140	Val	His	Pro	Leu
	Gln 145	Ala	Arg	Ser	Met	Val 150	Thr	Arg	Ala	His	Val 155	Arg	Arg	Val	Leu	Gly 160
0	Ala	Val	Trp	Gly	Leu 165	Ala	Met	Leu	Cys	Ser 170	Leu	Pro	Asn	Thr	Ser 175	Leu
	His	Gly	Ile	Arg 180	Gln	Leu	His	Val	Pro 185	Суз	Arg	Gly	Pro	Val 190	Pro	Asp
	Ser	Ala	Val 195	Сув	Met	Leu	Val	Arg 200	Pro	Arg	Ala	Leu	Tyr 205	Asn	Met	Val
5	Va1	Gln 210	Thr	Thr	Ala	Leu	Leu 215	Phe	Phe	Cys	Leu	Pro 220	Met	Ala	Ile	Met
	Ser 225	Val	Leu	Tyr	Leu	Leu 230	Ile	Gly	Leu	Arg	Leu 235	Arg	Arg	Glu	Arg	Leu 240
20	, Leu	Leu	Met	Gln	Glu 245	Ala	Lys	Gly	Arg	Gly 250	Ser	Ala	Ala	Ala	Arg 255	Ser
	Arg	Tyr	Thr	Cys 260	Arg	Leu	Gln	Gln	His 265	Asp	Arg	Gly	Arg	Arg 270	Gln	Val
	Thr	Lys	Met 275	Leu	Phe	Val	Leu	Val 280	Val	Val	Phe	Gly	Ile 285	Cys	Trp	Ala
25	Pro	Phe 290		Ala	Asp	Arg	Val 295	Met	Trp	Ser	Val	Val 300	Ser	Gln	Trp	Thr
	Asp 305	-	Leu	His	Leu	Ala 310	Phe	Gln	His	Val	His 315	Val	Ile	Ser	Gly	Ile 320
30	Phe	Phe	Tyr	Leu	Gly 325		Ala	Ala	Asn	Pro 330	Val	Leu	Tyr	Ser	Leu 335	Met
	Ser	Ser	Arg	Phe 340	Arg	.Glu	Thr	Phe	Gln 345		Ala	Leu	Суз	Leu 350		Ala
	Cys	Cys	His 355	Arg	Leu	Arg	Pro	Arg 360		Ser	Ser	His	Ser 365	Leu	Ser	Arg
35	Met	Thr 370		Gly	Ser	Thr	Leu 375		Asp	Val	Gly	Ser 380		Gly	Ser	Trp
4	1/21	μiα	Pro	Leu	Ala	Glv	Asn	Àsp	Glv	Pro	Glu	Ala	Gln	Gln	Glu	Thi

WO 00/22129 PCT/US99/23938

	385 390 . 395 400
	Asp Pro Ser
	(116) INFORMATION FOR SEQ ID NO:115:
5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single
10	(D) TOPOLOGY: linear
10	(ii) MOLECULE TYPE: DNA (genomic)
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:115:
	GGAAGCTTCA GGCCCAAAGA TGGGGAACAT
	(117) INFORMATION FOR SEQ ID NO:116:
15	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: DNA (genomic)
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:116:
	GTGGATCCAC CCGCGGAGGA CCCAGGCTAG
	(118) INFORMATION FOR SEQ ID NO:117:
25	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1098 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: DNA (genomic)
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:117:
30	ATGGGGAACA TCACTGCAGA CAACTCCTCG ATGAGCTGTA CCATCGACCA TACCATCCAC 6
	CAGACGCTGG CCCCGGTGGT CTATGTTACC GTGCTGGTGG TGGGCTTCCC GGCCAACTGC 12
	CTGTCCCTCT ACTTCGGCTA CCTGCAGATC AAGGCCCGGA ACGAGCTGGG CGTGTACCTG 18
	TGCAACCTGA CGGTGGCCGA CCTCTTCTAC ATCTGCTCGC TGCCCTTCTG GCTGCAGTAC 24
	GTGCTGCAGC ACGACAACTG GTCTCACGGC GACCTGTCCT GCCAGGTGTG CGGCATCCTC 30
35	CTGTACGAGA ACATCTACAT CAGCGTGGGC TTCCTCTGCT GCATCTCCGT GGACCGCTAC 36

	CTGGCTGTGG CCCATCCCTT CCGCTTCCAC CAGTTCCGGA CCCTGAAGGC GGCCGTCGGC	420
	GTCAGCGTGG TCATCTGGGC CAAGGAGCTG CTGACCAGCA TCTACTTCCT GATGCACGAG	480
	GAGGTCATCG AGGACGAGAA CCAGCACCGC GTGTGCTTTG AGCACTACCC CATCCAGGCA	540
	TGGCAGCGCG CCATCAACTA CTACCGCTTC CTGGTGGGCT TCCTCTTCCC CATCTGCCTG	600
5	CTGCTGGCGT CCTACCAGGG CATCCTGCGC GCCGTGCGCC GGAGCCACGG CACCCAGAAG	660
	AGCCGCAAGG ACCAGATCCA GCGGCTGGTG CTCAGCACCG TGGTCATCTT CCTGGCCTGC	720
	TTCCTGCCCT ACCACGTGTT GCTGCTGGTG CGCAGCGTCT GGGAGGCCAG CTGCGACTTC	780
	GCCAAGGGCG TTTTCAACGC CTACCACTTC TCCCTCCTGC TCACCAGCTT CAACTGCGTC	840
	GCCGACCCCG TGCTCTACTG CTTCGTCAGC GAGACCACCC ACCGGGACCT GGCCCGCCTC	900
10	CGCGGGGCCT GCCTGGCCTT CCTCACCTGC TCCAGGACCG GCCGGGCCAG GGAGGCCTAC	960
	CCGCTGGGTG CCCCCGAGGC CTCCGGGAAA AGCGGGGCCC AGGGTGAGGA GCCCGAGCTG	1020
	TTGACCAAGC TCCACCCGGC CTTCCAGACC CCTAACTCGC CAGGGTCGGG CGGGTTCCCC	1080
	ACGGGCAGGT TGGCCTAG	1098
	(119) INFORMATION FOR SEQ ID NO:118:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 365 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 	
20	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:	
	Met Gly Asn Ile Thr Ala Asp Asn Ser Ser Met Ser Cys Thr Ile As 1 5 10 15	р
25	His Thr Ile His Gln Thr Leu Ala Pro Val Val Tyr Val Thr Val Le 20 25 30	u
	Val Val Gly Phe Pro Ala Asn Cys Leu Ser Leu Tyr Phe Gly Tyr Le 35 40 45	u
-	Gln Ile Lys Ala Arg Asn Glu Leu Gly Val Tyr Leu Cys Asn Leu Th 50 55 60	r
30.	Val Ala Asp Leu Phe Tyr Ile Cys Ser Leu Pro Phe Trp Leu Gln Ty 65 70 75 80	

Val Leu Gln His Asp Asn Trp Ser His Gly Asp Leu Ser Cys Gln Val 85 90 95

	Cys	Gly	Ile	Leu 100	Leu	Tyr	Glu	Asn	Ile 105	Tyr	Ile	Ser	Val.	Gly 110	Phe	Leu
	Cys	Cys	Ile 115	Ser	Val	Asp	Arg	Tyr 120	Leu	Ala	Val	Ala	His 125	Pro	Phe	Arg
5	Phe	His 130	Gln	Phe	Arg	Thr	Leu 135	Lys	Ala	Ala	Val	Gly 140	Val	Ser	Val	Val
·	Ile 145	Trp	Ala	Lys	Glu	Leu 150	Leu	Thr	Ser	Ile	Tyr 155	Phe	Leu	Met	His	Glu 160
10	Glu	Val	Ile	Glu	Asp 165	Glu	Asn	Gln	His	Arg 170	Val	Cys	Phe	Glu	His 175	Tyr
	Pro	Ile	Gln	Ala 180		Gln	Arg	Ala	Ile 185	Asn	Tyr	Tyr	Arg	Phe 190	Leu	Val
	Gly	Phe	Leu 195	Phe	Pro	Ile	Cys	Leu 200	Leu	Leu	Ala	Ser	Tyr 205	Gln	Gly	Ile
15	Leu	Arg 210	Ala	Val	Arg	Arg	Ser 215	His	Glý	Thr	Gln	Lys 220	Ser	Arg	Lys	Asp
	Gln 225	Ile	Gln	Arg	Leu	Val 230	Leu	Ser	Thr	Val	Val 235	Ile	Phe	Leu	Ala	Cys 240
20	Phe	Leu	Pro	Tyr	His 245	Val	Leu	Leu	Leu	Val 250	Arg	Ser	Val	Trp	Glu 255	Ala
	Ser	Cys	Asp	Phe 260	Ala	Lys	Gly	Val	Phe 265	Asn	Ala	Tyr	His	Phe 270	Ser	Leu
	Leu	Leu	Thr 275	Ser	Phe	Asn	Сув	Val 280	Ala	Asp	Pro	Val	Leu 285	Tyr	Cys	Phe
25	Val	Ser 290	Glu	Thr	Thr	His	Arg 295	Asp	Leu	Ala	Arg	Leu 300	Arg	Gly	Ala	Cys
	Leu 305		Phe	Leu	Thr	Cys 310		Arg	Thr	Gly	Arg 315		Arg	Glu	Ala	Tyr 320
30	Pro	Leu	Gly		Pro 325		Ala				Ser		Ala	Gln	Gly 335	Glu
	Glu	Pro	Glu	Leu 340		Thr	Lys	Leu	His 345		Ala	Phe	Gln	Thr 350		Asn
	Ser	Pro	Gly 355	Ser	Gly	Gly	Phe	Pro 360		Gly	Arg	Leu	Ala 365			

- 35 (120) INFORMATION FOR SEQ ID NO:119:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 26 base pairs

	(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:	
	GACCTCGAGT CCTTCTACAC CTCATC	26
	(121) INFORMATION FOR SEQ ID NO:120:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:	
15	TGCTCTAGAT TCCAGATAGG TGAAAACTTG	30
	(122) INFORMATION FOR SEQ ID NO:121:	
20	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1416 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	. •
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:	
	ATGGATATTC TTTGTGAAGA AAATACTTCT TTGAGCTCAA CTACGAACTC CCTAATGCAA	60
25	TTAAATGATG ACAACAGGCT CTACAGTAAT GACTTTAACT CCGGAGAAGC TAACACTTCT	120
	GATGCATTTA ACTGGACAGT CGACTCTGAA AATCGAACCA ACCTTTCCTG TGAAGGGTGC	180
	CTCTCACCGT CGTGTCTCTC CTTACTTCAT CTCCAGGAAA AAAACTGGTC TGCTTTACTG	240
	ACAGCCGTAG TGATTATTCT AACTATTGCT GGAAACATAC TCGTCATCAT GGCAGTGTCC	300
	CTAGAGAAAA AGCTGCAGAA TGCCACCAAC TATTTCCTGA TGTCACTTGC CATAGCTGAT	360
30	ATGCTGCTGG GTTTCCTTGT CATGCCCGTG TCCATGTTAA CCATCCTGTA TGGGTACCGG	420
	TGGCCTCTGC CGAGCAAGCT TTGTGCAGTC TGGATTTACC TGGACGTGCT CTTCTCCACG	480
	GCCTCCATCA TGCACCTCTG CGCCATCTCG CTGGACCGCT ACGTCGCCAT CCAGAATCCC	540

	ACCATATCAG TAGGTATATC CATGCCAATA CCAGTCTTTG GGCTACAGGA CGATTCGAAG	660
	GTCTTTAAGG AGGGGAGTTG CTTACTCGCC GATGATAACT TTGTCCTGAT CGGCTCTTTT	720
	GTGTCATTTT TCATTCCCTT AACCATCATG GTGATCACCT ACTTTCTAAC TATCAAGTCA	780
	CTCCAGAAAG AAGCTACTTT GTGTGTAAGT GATCTTGGCA CACGGGCCAA ATTAGCTTCT	840
5	TTCAGCTTCC TCCCTCAGAG TTCTTTGTCT TCAGAAAAGC TCTTCCAGCG GTCGATCCAT	900
	AGGGAGCCAG GGTCCTACAC AGGCAGGAGG ACTATGCAGT CCATCAGCAA TGAGCAAAAG	960
	GCATGCAAGG TGCTGGGCAT CGTCTTCTTC CTGTTTGTGG TGATGTGGTG CCCTTTCTTC	1020
	ATCACAAACA TCATGGCCGT CATCTGCAAA GAGTCCTGCA ATGAGGATGT CATTGGGGCC	1080
	CTGCTCAATG TGTTTGTTTG GATCGGTTAT CTCTCTTCAG CAGTCAACCC ACTAGTCTAC	1140
0	ACACTGTTCA ACAAGACCTA TAGGTCAGCC TTTTCACGGT ATATTCAGTG TCAGTACAAG	1200
	GAAAACAAAA AACCATTGCA GTTAATTTTA GTGAACACAA TACCGGCTTT GGCCTACAAG	1260
	TCTAGCCAAC TTCAAATGGG ACAAAAAAAG AAFTCAAAGC AAGATGCCAA GACAACAGAT	1320
	AATGACTGCT CAATGGTTGC TCTAGGAAAG CAGTATTCTG AAGAGGCTTC TAAAGACAAT	1380
	AGCGACGGAG TGAATGAAAA GGTGAGCTGT GTGTGA	1416
15	(123) INFORMATION FOR SEQ ID NO:122:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 471 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:	
	Met Asp Ile Leu Cys Glu Glu Asn Thr Ser Leu Ser Ser Thr Thr A	.sn
	1 5 10 15	· .
25	Ser Leu Met Gln Leu Asn Asp Asp Asn Arg Leu Tyr Ser Asn Asp F 20 25 30	he
	Asn Ser Gly Glu Ala Asn Thr Ser Asp Ala Phe Asn Trp Thr Val A	/sp
30	Ser Glu Asn Arg Thr Asn Leu Ser Cys Glu Gly Cys Leu Ser Pro S 50 55 60	Ser
	Cys Leu Ser Leu Leu His Leu Gln Glu Lys Asn Trp Ser Ala Leu I 65 70 75 8	eu 10

	Thr	Ala	Val	Val	Ile 85	Ile	Leu	Thr	Ile	Ala 90	Gly	Asn	Ile	Leu	Val 95	Ile
	Met	Ala	Val	Ser 100	Leu	Glu	Lys	Lys	Leu 105	Gln	Asn	Ala	Thr	Asn 110	Tyr	Phe
5	Leu	Met	Ser 115	Leu	Ala	Ile	Ala	Asp 120	Met	Leu	Leu	Gly	Phe 125	Leu	Val	Met
	Pro	Val 130	Ser	Met	Leu	Thr	Ile 135	Leu	Tyr	Gly		Arg 140	Trp	Pro	Leu	Pro
10	Ser - 145	Lys	Leu	CÃa	Ala	Val 150	Trp	Ile	Tyr	Leu	Asp 155	Val	Leu	Phe	Ser	Thr 160
	Ala	Ser	Ile		His 165	Leu	Cys	Ala	Ile	Ser 170	Leu	Asp	Arg	Tyr	Val 175	Ala
	Ile	Gln	Asn	Pro 180	Ile	His	His	Ser	Arg 185	Phe	Asn	Ser	Arg	Thr 190	Lys	Ala
15	Phe	Leu	Lys 195		Ile	Ala	Val	Trp 200	Thr	Ile	Ser	Val	Gly 205	Ile	Ser	Met
	Pro	Ile 210	Pro	<u>V</u> al	Phe	Gly	Leu 215	Gln	Ásp	Asp	Ser	Lys 220	Val	Phe	Lys	Glu
20	Gly 225	Ser	Cys	Leu	Leu	Ala 230	Asp	Asp	Asn	Phe.	Val 235	Leu	Ile	Gly	Ser	Phe 240
•	Val	Ser	Phe	Phe	11e 245	Pro	Leu	Thr	Ile	Met 250	Val	Ile	Thr	Tyr	Phe 255	Leu
· · · · · · · ·	Thr	Ile	Lys	Ser 260	Leu	Gln	Lys	Glu	Ala 265	Thr	Leu	Cys	Val	Ser 270	Asp	Leu
25	Gly	Thr	Arg 275	Ala	Lys	Leu	Ala	Ser 280	Phe	Ser	Phe	Leu	Pro 285	Gln	Ser	Ser
		290	Ser				295					300				-
30	305		Thr			310					315					320
		-	Lys		325			•		330					335	
•	Cys	Pro	Phe	Phe 340	Ile	Thr	Asn	Ile	Met 345	Ala	Val	Ile	Cys	Lys 350	Glu	Ser
35			Glu 355	-			_	360		_	-		365		_	
	Gly	Tyr	Leu	Ser	Ser	Ala	Val	Asn	Pro	Leu	Val	Tyr	Thr	Leu	Phe	Asr

			370					375					380					
		Lys 385	Thr	Tyr	Arg	Ser	Ala 390	Phe	Ser	Arg	Тут	11e 395	Gln	Cys	Gln	Tyr	Lys 400	
5		Glu	Asn	Lys	Lys	Pro 405	Leu	Gln	Leu	Ile	Leu 410	Val	Asn	Thr	Ile	Pro 415	Ala	
		Leu	Ala	Tyr	Lys 420	Ser	Ser	Gln	Leu	Gln 425	Met	Gly	Gln	Lys	Lys 430	Asn	Ser	
		Lys	Gln	Asp 435	Ala	ГÀЗ	Thr	Thr	Asp 440	Asn	Asp	Cys	Ser	Met 445	Val	Ala	Leu	
.0		Gly	Lys 450		Tyr	Ser	Glu	Glu 455	Ala	Ser	Lys	Asp	Asn 460	Ser	Asp	Gly	Val	
•		Asn 465	Glu	Lys	Val	Ser	Cys 470					٠						
	(124) IN																
15		(i) SE	QUEN	CE C	HARA : 27	CTER	ISTI e pa	CS:					,				
٠			(C)) TY	PE:	nucl EDNE	eic SS:	acid sing										
20		(i	.i) M	OLEC	ULE	TYPE	: DN	IA (g	enon	nic)								
		(x	i) S	EQUE	ENCE	DESC	RIPI	NOI:	SEC] ID	NO:1	.23:						
	GACC	CTCGP	GG T	rrgC1	CAAT	BA CT	GAAG	GC.		•								27
	(125	5) II	IFORI	ATIO	ON FO	OR SI	II QE	NO:	124	:	•	•	•	,				•
25	·	į.)	(2	A) LI	ENGTI	CHARA) bas	se pa	airs									
			((c) s:	rani	nuc: DEDNI OGY:	ESS:	sing	i gle				•					
		. (:	ii) I	MOLE	CULE	TYP	E: Di	NA (geno	mic)								
30		. (:	xi)	SEQU.	ENCE	DES	CRIP'	TION	: SE	Q ID	NO:	124:			•	P.		
	ATT	TCTA	GAC	TATA	GTAG	CT T	GTAC	CG										. 2'
	(12	6) I	NFOR	MATI	ON F	OR S	EQ I	D NO	:125	:								
35		((A) L B) T C) S	ENGT YPE: TRAN	CHAR H: 1 nuc DEDN	377 leic ESS:	base aci sin	pai d	rs						٠		

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:

	ATGGTGAACC	TGAGGAATGC	GGTGCATTCA	TTCCTTGTGC	ACCTAATTGG	CCTATTGGTT	60
	TGGCAATGTG	ATATTTCTGT	GAGCCCAGTA	GCAGCTATAG	TAACTGACAT	TTTCAATACC	120
5	TCCGATGGTG	GACGCTTCAA	ATTCCCAGAC	GGGGTACAAA	ACTGGCCAGC	ACTTTCAATC	180
	GTCATCATAA	TAATCATGAC	AATAGGTGGC	AACATCCTTG	TGATCATGGC	AGTAAGCATG	240
	GAAAAGAAAC	TGCACAATGC	CACCAATTAC	TTCTTAATGT	CCCTAGCCAT	TGCTGATATG	300
	CTAGTGGGAC	TACTTGTCAT	GCCCTGTCT	CTCCTGGCAA	TCCTTTATGA	TTATGTCTGG	360
	CCACTACCTA	GATATTTGTG	CCCCGTCTGG	ATTTCTTTAG	ATGTTTTATT	TTCAACAGCG	420
10	TCCATCATGC	ACCTCTGCGC	TATATCGCTG	GATCGGTATG	TAGCAATACG	TAATCCTATT	480
•	GAGCATAGCC	GTTTCAATTC	GCGGACTAAG	GCCATCATGA	AGATTGCTAT	TGTTTGGGCA	540
	ATTTCTATAG	GTGTATCAGT	TCCTATCCCT	GTGATTGGAC	TGAGGGACGA	AGAAAAGGTG	600
	TTCGTGAACA	ACACGACGTG	CGTGCTCAAC	GACCCAAATT	TCGTTCTTAT	TGGGTCCTTC	660
	GTAGCTTTCT	TCATACCGCT	GACGATTATG	GTGATTACGT	ATTGCCTGAC	CATCTACGTT	720
15	CTGCGCCGAC	AAGCTTTGAT	GTTACTGCAC	GGCCACACCG	AGGAACCGCC	TGGACTAAGT	780
	CTGGATTTCC	TGAAGTGCTG	CAAGAGGAAT	ACGGCCGAGG	AAGAGAACTC	TGCAAACCCT	840
	AACCAAGACC	AGAACGCACG	CCGAAGAAAG	AAGAAGGAGA	GACGTCCTAG	GGGCACCATG	900
	CAGGCTATCA	ACAATGAAAG	AAAAGCTTCG	AAAGTCCTTG	GGATTGTTTT	CTTTGTGTTT	960
	CTGATCATGT	GGTGCCCATT	TTTCATTACC	AATATTCTGT	CTGTTCTTTG	TGAGAAGTCC	1020
20	TGTAACCAAA	AGCTCATGGA	AAAGCTTCTG	AATGTGTTTG	TTTGGATTGG	CTATGTTTGT	1080
	TCAGGAATCA	ATCCTCTGGT	GTATACTCTG	TTCAACAAAA	TTTACCGAAG	GGCATTCTCC	1140
	AACTATTTGC	GTTGCAATTA	TAAGGTAGAG	AAAAAGCCTC	CTGTCAGGCA	GATTCCAAGA	1200
	GTTGCCGCCA	CTGCTTTGTC	TGGGAGGGAG	CTTAATGTTA	ACATTTATCG	GCATACCAAT	1260
	GAACCGGTGA	TCGAGAAAGC	CAGTGACAAT	GAGCCCGGTA	TAGAGATGCA	AGTTGAGAAT	1320
25	TTAGAGTTAC	CAGTAAATCC	CTCCAGTGTG	GTTAGCGAAA	GGATTAGCAG	TGTGTGA	1377

(127) INFORMATION FOR SEQ ID NO:126:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 458 amino acids
 - (B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:

5	Met 1	Val·	Asn	Leu	Arg 5	Asn	Ala	Val	His	Ser 10	Phe	Leu	Val	His	Leu 15	Ile	
	Gly	Leu	Leu	Val 20		Gln	Cys	Asp	Ile 25	Ser	Val	Ser	Pro	Val 30	Ala	Ala	
10	Ile	Val	Thr 35	Asp	Ile	Phe	Asn	Thr 40	Ser	Asp	Gly	Gly	Arg 45	Phe	Lys	Phe	
	Pro	Asp 50	Gly	Val	Gln	Asn	Trp 55	Pro	Ala	Leu	Ser	Ile 60	Val	Ile	Ile	Ile	
	Ile 65	Met	Thr	Ile	Gly	Gly 70	Asn	Ile	Leu	'Val	Ile 75	Met	Ala	Val	Ser	Met 80	
15	Glu	Lys	Lys	Leu	His 85	Asn	Ala	Thr	Asn	Tyr 90	Phe	Leu	Met	Ser	Leu 95	Ala	
	Ile	Ala	Asp	Met 100	Leu	Val	Gly	Leu	Leu 105	Val	Met	Pro	Leu	Ser 110	Leu	Leu	
20	Ala	Ile	Leu 115	Tyr	Asp	Tyr	Val	Trp 120	Pro	Leu	Pro	Arg	Tyr 125	Leu	Cys	Pro	
	Val	Trp 130	Ile	Ser	Leu	Asp	Val 135	Leu	Phe	Ser	Thr	Ala 140	Ser	Ile	Met	His	
	Leu 145	Cys	Ala	Ile	Ser	Leu 150	Asp	Arg	Tyr	Val	Ala 155	Ile	Arg	Asn	Pro	Ile 160	
25	Glu	His	Ser	Arg	Phe 165	Asn	Ser	Arg	Thr	Lys 170	Ala	Ile	Met	Lys	Ile 175	Ala	
	Ile	Val	Trp	Ala 180		Ser	Ile	Gly	Val 185		Val	Pro	Ile	Pro 190	Val	Ile	
30	Gly	Leu	Arg 195	Asp	Glu	Glu	Lys	Val 200		Val	Asn	Asn	Thr 205	Thr	Cys	Val	
	Leu	Asn 210		Pro	Asn	Phe	Val 215		Ile	Gly	Ser	Phe 220		Ala	Phe	Phe	
	11e 225		Leu	Thr	Ile	Met 230		Ile	Thr	Tyr	Cys 235		Thr	Ile	туr	Val 240	
35	Leu	Arg	Arg		Ala 245		Met	Leu	Leu	His 250		His	Thr	Glu	. Glu 255	Pro	

	Pro	Gly	Leu	Ser 260	Leu	Asp	Phe	Leu	Lys 265	Cys	Cys	Lys	Arg	Asn 270	Thr	Ala
	Glu	Glu	Glu 275	Asn	Ser	Ala	Asn	Pro 280	Asn	Gln	Asp	Gln	Asn 285	Ala	Arg	Arg
5	Arg	Lys 290	Lys	Lys	Glu	Arg	Arg 295	Pro	Arg	Ġly	Thr	Met 300	Gln	Ala	Ile	Asn
	Asn 305	Glu	Arg	Lys	Ala	Ser 310	Lys	Val	Leu	Gly	Ile 315	Val	Phe	Phe	Val	Phe 320
0	Leu	Ïle	Met	Trp	Cys 325	Pro	Phe	Бµ́е	Ile	Thr 330	Asn	Ile	Leu	Ser	Val 335	Leu
	Cys	Glu	Lys	Ser 340	Cys	Asn	Gln	Lys	Leu 345	Met	Glu	Lys	Leu	Leu 350	Asn	Val
	Phe	Val	Trp 355	Ile	Gly	Tyr	Val	Cys 360	Ser	Gly	Ile	Asn	Pro 365	Leu	Val	Туr
15	Thr	Leu 370		Asn	Lys	Ile	Туr 375	Arg	Arg	Ala	Phe	Ser 380	Asn	Tyr	Leu	Arg
	Cys 385		Tyr	Lys	Val	Glu 390		Lys	Pro	Pro	Val 395	Arg	Gln	Ile	Pro	Arg 400
20	Val	Ala	Ala	Thr	Ala .405	Leu	Ser	Gly	Arg	Glu 410	Leu	Asn	Val	Asn	Ile 415	Tyr
	Arg	His	Thr	Asn 420		Pro	Val	Ile	Glu 425	Lys	Ala	Ser	Asp	Asn 430	Glu	Pro
	Gly	/ Ile	Glu 435		Gln	Val	Glu	Asn 440	Leu	Glu	Leu	Pro	Val 445	Asn	Pro	Ser
25	Ser	val 450		Ser	Glu	Arg	1le 455		Ser	Val						
	(128) IN	1FORM	ATIC	N FC	R SE	Q II	NO:	127:								
	(:	i) SE	QUEN								•					

- (A) LENGTH: 30 base parts
 (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:
- 35 GGTAAGCTTG GCAGTCCACG CCAGGCCTTC

30

(129) INFORMATION FOR SEQ ID NO:128:

5	(A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:	
	TCCGAATTCT CTGTAGACAC AAGGCTTTGG	. 30
	(130) INFORMATION FOR SEQ ID NO:129:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	·
15	(ii) MOLECULE TYPE: DNA (genomic)	
•	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:	
	ATGGATCAGT TCCCTGAATC AGTGACAGAA AACTTTGAGT ACGATGATTT GGCTGAGGCC	60
	TGTTATATTG GGGACATCGT GGTCTTTGGG ACTGTGTTCC TGTCCATATT CTACTCCGTC	120
	ATCTTTGCCA TTGGCCTGGT GGGAAATTTG TTGGTAGTGT TTGCCCTCAC CAACAGCAAG	180
20	AAGCCCAAGA GTGTCACCGA CATTTACCTC CTGAACCTGG CCTTGTCTGA TCTGCTGTTT	240
	GTAGCCACTT TGCCCTTCTG GACTCACTAT TTGATAAATG AAAAGGGCCT CCACAATGCC	300
	ATGTGCAAAT TCACTACCGC CTTCTTCTTC ATCGGCTTTT TTGGAAGCAT ATTCTTCATC	360
	ACCGTCATCA GCATTGATAG GTACCTGGCC ATCGTCCTGG CCGCCAACTC CATGAACAAC	420
	CGGACCGTGC AGCATGGCGT CACCATCAGC CTAGGCGTCT GGGCAGCAGC CATTTTGGTG	480
25	GCAGCACCCC AGTTCATGTT CACAAAGCAG AAAGAAAATG AATGCCTTGG TGACTACCCC	540
	GAGGTCCTCC AGGAAATCTG GCCCGTGCTC CGCAATGTGG AAACAAATTT TCTTGGCTTC	600
	CTACTCCCCC TGCTCATTAT GAGTTATTGC TACTTCAGAA TCATCCAGAC GCTGTTTTCC	660
	TGCAAGAACC ACAAGAAAGC CAAAGCCATT AAACTGATCC TTCTGGTGGT CATCGTGTTT	720
	TTCCTCTTCT GGACACCCTA CAACGTTATG ATTTTCCTGG AGACGCTTAA GCTCTATGAC	780
30	TTCTTTCCCA GTTGTGACAT GAGGAAGGAT CTGAGGCTGG CCCTCAGTGT GACTGAGACG	840
	GTTGCATTTA GCCATTGTTG CCTGAATCCT CTCATCTATG CATTTGCTGG GGAGAAGTTC	900
	AGARCATACC TTTACCACCT GTATGGGAAA TGCCTGGCTG TCCTGTGTGG GCGCTCAGTC	960

	CACG'	rtgai	T TC	TCCT	CATC	TGA	ATCA	CAA	AGGA	GCAG	GC A	IGGA	AGTG	1 10	IGAG	CAGC	1020	,
	AATT	rtaci	T AC	CACA	CGAG	TGA	TGGA	GAT	GCAT	TGCT	CC I	TCTC	TGA				106	8
	(131)	INE	ORMA	TION	FOR	SEQ	ID	NO : 1	.30:									
5		(i)	(B) (C)	LEN TYP STR		355 mino DNES	ami aci S:	.no a .d	cids	, ;					·			
		(ii	L) MC	LECU	LE I	YPE:	pro	teir	ì									
0		(xi	L) SE	QUEN	ICE I	ESCR	IPTI	: ио	SEQ	ID N	10:13	0:						
		Met 1	Asp	Gln	Phe	Pro 5	Glu	Ser	Val	Thr	Glu 10	Asn	Phe	Glu	Tyr	Asp 15	Asp	
		Leu	Ala	Glu	Ala 20	Cys	Tyr	Ile	Gly	Asp 25	Ile	Val	Val	Phe	Gly 30	Thr	Val	
15	•	Phe	Leu	Ser 35	Ile	Phe	Tyr	Ser	Val 40	Ile	Phe	Ala	Ile	Gly 45	Leu	Val	Gly	
		Asn	Leu 50	Leu	Val	Val	Phe	Ala 55	Leu	Thr	Asn	Ser	Lys 60	Lys	Pro	Lys	Ser	
20		Val 65	Thr	Asp	Ile	Tyr	Leu 70	Leu	Asn	Leu	Ala	Leu 75	Ser	qzA	Leu	Leu	Phe 80	
		Val	Ala	Thr	Leu	Pro 85	Phe	Trp	Thr	His	Туг 90	Leu	Ile	Asn	Glu	Lys 95	Gly	
		Leu	His	Asn	Ala 100	Met	Cys	Lys	Phe	Thr 105	Thr	Ala	Phe	Phe	Phe 110	Ile	Gly	
25		Phe	Phe	Gly 115	Ser	Ile	Phe	Phe	Ile 120	Thr	Val	Ile	Ser	11e 125	Asp	Arg	Tyr	
		Leu	Ala 130	Ile	Val	Leu	Ala	Ala 135		Ser	Met	Asn	Asn 140	Arg	Thr	Val	Gln	
30		His 145	Gly						Gly			Ala 155		Ala	Ile	Leu	Val _. 160	
		Ala	Ala	Pro	Gln	Phe 165	Met	Phe	Thr	Lys	Gln 170		Glu	Asn	Glu	Cys 175	Leu	
		Gly	Asp	Tyr	Pro 180	Glu	Val	Leu		Glu 185	Ile	Trp	Pro	Val	Leu 190	Arg	Asn	
35		Val	Glu	Thr 195	Asn	Phe	Leu	Gly	Phe 200	Leu	Leu	Pro	Leu	Leu 205	Ile	Met	Ser	

	Tyŗ	Cys 210	Tyr	Phe	Arg	Ile	Ile 215	Gln	Thr	Leu	Phe	Ser 220	Cys	Lys	Asn	His	
	Lys 225	Lys	Ala	Lys	Ala	Ile 230	Lys	Leu	Ile	Leu	Leu 235	Val	Val	Ile	Val	Phe 240	
5	Phe	Leu	Phe	Trp	Thr 245	Pro	Tyr	Asn	Val	Met 250	Ile	Phe	Leu	Glu	Thr 255	Leu	
	Lys	Leu	Tyr	Asp 260	Phe	Phe	Pro	Ser	Cys 265	Asp	Met	Arg	Lys	Asp 270	Leu	Arg	
10	Leu	Ala	Leu 275	Ser	Val	Thr		Thr 280	Val	Ala	Phe	Ser	His 285	СЛа	Cys	Leu	
	Asn	Pro 290	Leu	Ile	Tyr	Ala	Phe 295	Ala	Gly	Glu	Lys	Phe 300	Arg	Arg	Tyr	Leu	
	Tyr 305	His	Leu	Tyr	Gly	Lys 310	Cys	Leu	Ala	Val	Leu 315	Cys	Gly	Arg	Ser	Val 320	
15	His	Val	Asp	Phe	Ser 325	Ser	Ser	Glu	Ser	Gln 330	Arg	Ser	Arg	His	Gly 335	Ser	
	Val	Leu	Ser	Ser 340	Asn	Phe	Thr	Tyr	His 345	Thr	Ser	Asp	Gly	Asp 350	Ala	Leu	
20	Leu	Leu	Leu 355			٠		•									
	(132) IN	FORM	ATIO	N FO	R SE	O ID	NO:	131:									
25	(i	(B	QUEN) LE) TY) ST	NGTH PE: 1	: 32 nucl	base eic	e pa acid	irs	•	-							
		-) TO														-
		i) M															
	(×	:i) S	EQUE	NCE 1	DESC:	RIPT	ION:	SEQ	ID	NO:1	31:					•	
	GATCTCCA	GT A	GGCA	TAAG	T GG.	ACAA'	TTCT	GG							•		32
30	(133) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	132:								•	
35	(i	(B (C	QUEN) LE) TY) ST) TO	NGTH PE: RAND	: 30 nucl EDNE	bas eic SS:	e pa acid sing	irs	`						:		
	(i	.i) M	OLEC	ULE	TYPE	: DN	A (g	enom	ic)							٠.	
		i) S	EOUE	NCE	DESC	RIPT	ION:	SEQ	ID	NO:1	32:						

	CICCITCOOL COLOCIACO TIGUADAS	30
	(134) INFORMATION FOR SEQ ID NO:133:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:	
10	AGAAGGCCAA GATCGCGCGG CTGGCCCTCA	30
	(135) INFORMATION FOR SEQ ID NO:134:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:	
	CGGCGCCACC GCACGAAAAA GCTCATCTTC	30
20	(136) INFORMATION FOR SEQ ID NO:135:	-
25	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 33 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:	
*	GCCAAGAAGC GGGTGAAGTT CCTGGTGGTG GCA	33
	(137) INFORMATION FOR SEQ ID NO:136:	
30	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
35	(ii) MOLECULE TYPE: DNA (genomic)	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:	
	CAGGCGGAAG GTGAAAGTCC TGGTCCTCGT	30
	(138) INFORMATION FOR SEQ ID NO:137:	
5	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 33 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:	
	CGGCGCCTGC GGGCCAAGCG GCTGGTGGTG GTG	33
	(139) INFORMATION FOR SEQ ID NO:138:	
15	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 31 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:	
20	CCAAGCACAA AGCCAAGAAA GTGACCATCA C	31
	(140) INFORMATION FOR SEQ ID NO:139:	
25	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:	
	GCGCCGGCGC ACCAAATGCT TGCTGGTGGT	30
30	(141) INFORMATION FOR SEQ ID NO:140:	
35	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 41 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	

		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:	
	CAAAA	AGCTG AAGAAATCTA AGAAGATCAT CTTTATTGTC G	41
	(142)	INFORMATION FOR SEQ ID NO:141:	
5		(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
10		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:	
	CAAGA	CCAAG GCAAAACGCA TGATCGCCAT	30
	(143)	INFORMATION FOR SEQ ID NO:142:	
15 .		(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
20	. •	(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:	
	GTCAA	GGAGA AGTCCAAAAG GATCATCATC	3 (
25	(144)	INFORMATION FOR SEQ ID NO:143: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	
•		(D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:	2
30		GCGTGC GGGCCAAGCA GCTCCTGCTC	3
	(145)	INFORMATION FOR SEQ ID NO:144:	
35		 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	

•		(ii) MOLECULE TYPE: DNA (genomic)		
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:	•	
	CCTGAT	AAGC GCTATAAAAT GGTCCTGTTT CGA		33
•	(146)	INFORMATION FOR SEQ ID NO:145:		
5		(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs		
		(A) LENGIA SO DASS PATES (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear		
10		(ii) MOLECULE TYPE: DNA (genomic)		
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:		
	GAAAG	ACAAA AGAGAGTCAA GAGGATGTCT TTATTG	•	36
٠	(147)	INFORMATION FOR SEQ ID NO:146:		
15		(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 33 base pairs(B) TYPE: nucleic acid		
		(C) STRANDEDNESS: single(D) TOPOLOGY: linear		-
		(ii) MOLECULE TYPE: DNA (genomic)	•	
20		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:	4 L 1	
	CGGAG	AAAGA GGGTGAAACG CACAGCCATC GCC		33
·	(148)	INFORMATION FOR SEQ ID NO:147:		
25		 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 		
		(ii) MOLECULE TYPE: DNA (genomic)	·.	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:		
		TCAGC GGGCCAAGGC ACTGGTCACC		30
. 30		INFORMATION FOR SEQ ID NO:148:		
	(149)	•		
25		(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single		
35		(C) SIKHNDEDNESS: SINGLE		

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:	
	CAGCGGCAGA AGGCAAAAAG GGTGGCCATC	3
	(150) INFORMATION FOR SEQ ID NO:149:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:	
	CGGCAGAAGG CGAAGCGCAT GATCCTCGCG	,3
	(151) INFORMATION FOR SEQ ID NO:150:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:	
	GAGCGCAACA AGGCCAAAAA GGTGATCATC	3 (
	(152) INFORMATION FOR SEQ ID NO:151:	
25	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 39 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:	
80	GGTGTAAACA AAAGGCTAA AAACACAATT ATTCTTATT	35
	(153) INFORMATION FOR SEQ ID NO:152:	
35	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:	
	GAGAGCCAGC TCAAGAGCAC CGTGGTG	27
	(154) INFORMATION FOR SEQ ID NO:153:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:	
. •	CCACAAGCAA ACCAAGAAAA TGCTGGCTGT	30
	(155) INFORMATION FOR SEQ ID NO:154:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:	
	CATCAAGTGT ATCATGTGCC AAGTACGCCC	30
	(156) INFORMATION FOR SEQ ID NO:155:	
25	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 34 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	-
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:	
30	CTAGAGAGTC AGATGAAGTG TACAGTAGTG GCAC	34
	(157) INFORMATION FOR SEQ ID NO:156:	
35	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:	
	CGGACAAAAG TGAAAACTAA AAAGATGTTC CTCATT	36
	(158) INFORMATION FOR SEQ ID NO:157:	
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:	
	GCTGAGGTTC GCAATAAACT AACCATGTTT GTG	33
	(159) INFORMATION FOR SEQ ID NO:158:	
15	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 29 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	•
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:	
	GGGAGGCCGA GCTGAAAGCC ACCCTGCTC	29
	(160) INFORMATION FOR SEQ ID NO:159:	
25	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 31 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
-	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:	
30	CAAGATCAAG AGAGCCAAAA CCTTCATCAT G	31
	(161) INFORMATION FOR SEQ ID NO:160:	
	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 31 base pairs(B) TYPE: nucleic acid	
35	<pre>(C) STRANDEDNESS: single (D) TOPOLOGY: linear</pre>	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:	
	CCGGAGACAA GTGAAGAAGA TGCTGTTTGT C	3.1
	(162) INFORMATION FOR SEQ ID NO:161:	•
5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:	
	GCAAGGACCA GATCAAGCGG CTGGTGCTCA	30
	(163) INFORMATION FOR SEQ ID NO:162:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 34 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
-	(ii) MOLECULE TYPE: DNA (genomic)	
20	(add) analyzing programmer and the volume	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:	
20	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG	34
		34
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG	34
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	34
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	34
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic)	34
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:	
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:163: ATGGAAGATT TGGAGGAAAC ATTATTTGAA GAATTTGAAA ACTATTCCTA TGACCTAGAC	60
25	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG (164) INFORMATION FOR SEQ ID NO:163: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:163: ATGGAAGATT TGGAGGAAAC ATTATTTGAA GAATTTGAAA ACTATTCCTA TGACCTAGAC TATTACTCTC TGGAGTCTGA TTTGGAGGAG AAAGTCCAGC TGGGAGTTGT TCACTGGGTC	60 120

	TTCCACTGGC	CCI	TTGG	CAT	CTGG	CTGT	GC A	AAGC	CAAT	r cc	TTCA	CTGC	CCA	GTTG	AAC	360
	ATGTTTGCC	A GTG	TTTT	TTT	CCTG	ACAG	TG A	TCAG	CCTG	G AC	CACT	TATA	CCA	CTTG	ATC	420
	CATCCTGTCT	TAT	CTCA	TCG	GCAT	CGAA	.cc c	TCAP	GAAC'	т ст	CTGA	TTGI	CAT	TATA	TTC	480
	ATCTGGCTT	r TGC	CTTC	TCT	AATI	reece	GT C	CTGC	CCTG	T AC	TTCC	GGGA	CAC	TGTG	GAG	540
5	TTCAATAAT	C ATA	ACTCI	TTG	CTAT	TAACA	AT 1	TTC	AGAAG	C AI	GATO	CTGA	CCI	CACT	TTG	600
	ATCAGGCAC	TA C	TTCI	rgac	TTGG	GTGA	,AA,	TTAT	CATT	G .GC	TATO	TCTI	CCC	TTTC	CTA	660
	ACAATGAGT	A TT	rgcti	ACTT	GTGT	CTCA	TC 1	TCA	AGGTG	A AC	AAGC	GAAC	AG7	CCTC	SATC	720
	TCCAGTAGG	CAT	AAGTO	GAC	AATT	rctgo	TT (TGG:	ftgtg	G C	TTTT	TGG	TTC	CTG	BACT	780
	CCTTATCAC	C TG	CATTA	CAT	TTG	GAGC	TC ·	ACCA:	rtcac	C A	CAATA	AGCT	TTC	CCA	CAT	840
0	GTGATGCAG	G CT	GGAA:	rccc	CCT	CTCC	CT (GGTT	rggca	T TO	CTC	ATAC	TTC	3CTT(GAAC	900
	CCCATCCTT	T AT	GTCC	TAAT	TAG'	TAAG/	AAG '	TTCC	AAGCT	C G	CTTC	CGGT	CT	CAGT'	rgct	960
	GAGATACTC	a ag	TACA	CACT	GTG	GGAA	STC .	AGCT	GTTCI	G G	CACA	GTGA	G TG	AACA	GCTC	1020
	AGGAACTCA	G AA	ACCA	AGAA	TCT	GTGT	CTC	CTGG.	AAACA	AG C	rcaa'	TAA	-			1068
	(165) INF	ORMA	TION	FOR	SEQ	ID 1	1:01	64:								
.5 ·	(i)	(A) (B) (C)	LEN TYP STR	GTH: E: a ANDE	355 mino DNES	TERI: amin acio S: ot r	no a d	cids				- ·				·
20	(ii) MC	LECU	LE T	YPE:	pro	tein	ı							%.	
	ix)	.) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	0:16	4:			•		
	Met 1	Glu	Asp	Leu	Glu 5	Glu	Thr	Leu	Phe (Glu 10	Glu	Phe	Glu	Asn	Tyr 15	Ser
25	Tyr	Asp	Leu	Asp 20	Tyr	Tyr	Ser	Leu	Glu 25	Ser	Asp	Leu	Glu	Glu 30	Lys	Val
	Gln	Leu	Gly 35	Val	Val	His	Trp	Val 40	Ser	Leu	Val	Leu	Tyr 45	Cys	Leu	Ala
	Phe	Val 50	Leu	Gly	Ile	Pro	Gly 55	Asn	Ala	Ile	Val	11e 60	Trp	Phe	Thr	Gly
30	Leu 65	Lys	Trp	Lys	Lys	Thr 70	Val	Thr	Thr	Leu	Trp 75	Phe	Leu	Asn	Leu	Ala 80
	Ile	Ala	Asp	Phe	Ile 85	Phe	Leu	Leu	Phe	Leu 90	Pro	Leu	Tyr	Ile	Ser 95	Tyr

	Val	Ala	Met	Asn 100	Phe	His	Trp	Pro	Phe 105	Gly	Ile	Trp	Leu	Cys 110	Lys	Ala
	Asn	Ser	Phe 115	Thr	Ala	Gln	Leu	Asn 120	Met	Phe	Ala	Ser	Val 125	Phe	Phe	Leu
5	Thr	Val 130	Ile	Ser	Leu	Asp	His 135	Tyr [']	Ile	His	Leu	Ile 140	His	Pro	Val	Leu
	Ser 145	His	Arg	His	Arg	Thr 150	Leu	Lys	Asn	Ser	Leu 155	Ile	Val	Ile	Ile	Phe 160
10	Ile	Trp	Leu	Leu.	Ala 165		Leu	Ile	Gly	Gly 170	Pro	Ala	Leu	Tyr	Phe 175	Arg
	Asp	Thr	Val	Glu 180	Phe	Asn	Asn	His	Thr 185	Leu	Cys	Tyr	Asn	Asn 190	Phe	Gln
	Lys	His	Asp 195	Pro	Asp	Leu	Thr	Leu 200	Ile	Arg	His	His	Val 205	Leu	Thr	Trp
15	Val	Lys 210		Ile	Ile	Gly	Tyr 215	Leu	Phe	Pro	Leu	Leu 220	Thr	Met	Ser	Ile
٠.	Cys 225	туr	Leu	Cys	Leu	Ile 230		Lys	Val	Lys	Lys 235	Arg	Thr	Val	Leu	Ile 240
20	Ser	Ser	Arg	His	Lys 245		Thr	Ile	Leu	Val 250	Val	Val	Val	Ala	Phe 255	Val
	Val	Cys	Trp	Thr 260		Tyr	His	Leu	Phe 265	Ser	Ile	Trp	Glu	Leu 270	Thr	Ile
	His	His	Asn 275	Ser	Tyr	Ser	His	His 280	Val	Met	Gln	Ala	Gly 285	Ile	Pro	Leu
25	Ser	Thr 290		Leu	Ala	Phe	Leu 295		Ser	Суз	Leu	Asn 300	Pro	Ile	Leu	Tyr
	Val 305		Ile	Ser	Lys	Lys 310		Gln	Ala	Arg	Phe 315	Arg	Ser	Ser	Val	Ala 320
30	Glu	Ile	. Leu	Lys	Tyr 325		Leu	Trp	Glu	330	. Ser	Cys	s Ser	Gly	7hr 335	Val
	Ser	Glu	Gln	Leu 340		Asr	Ser	Glu	345		Asr	Let	ı Cys	350	Lev	Glu
	Thr		Gln 359		•											

- 355
- 35 (166) INFORMATION FOR SEQ ID NO:165:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1089 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

	ATGGGCAACC	ACACGTGGGA	,GGGCTGCCAC	GTGGACTCGC	GCGTGGACCA	CCTCTTTCCG	. 60
	CCATCCCTCT	ACATCTTTGT	CATCGGCGTG	GGGCTGCCCA	CCAACTGCCT	GGCTCTGTGG	120
	GCGGCCTACC	GCCAGGTGCA	ACAGCGCAAC	GAGCTGGGCG	TCTACCTGAT	GAACCTCAGC	180
	ATCGCCGACC	TGCTGTACAT	CTGCACGCTG	CCGCTGTGGG	TGGACTACTT	CCTGCACCAC	240
10	GACAACTGGA	TCCACGGCCC	CGGGTCCTGC	AAGCTCTTTG	GGTTCATCTT	CTACACCAAT	300
	ATCTACATCA	GCATCGCCTT	CCTGTGCTGC	ATCTCGGTGG	ACCGCTACCT	GGCTGTGGCC	360
	CACCCACTCC	GCTTCGCCCG	CCTGCGCCGC	GTCAAGACCG	CCGTGGCCGT	GAGCTCCGTG	420
	GTCTGGGCCA	CGGAGCTGGG	CGCCAACTCG	GCGCCCTGT	TCCATGACGA	GCTCTTCCGA	480
	GACCGCTACA	ACCACACCTT	CTGCTTTGAG	AAGTTCCCCA	TGGAAGGCTG	GGTGGCCTGG	540
15	ATGAACCTCT	ATCGGGTGTT	CGTGGGCTTC	CTCTTCCCGT	GGGCGCTCAT	GCTGCTGTCG	600
	TACCGGGGCA	TCCTGCGGGC	CGTGCGGGGC	AGCGTGTCCA	CCGAGCGCCA	GGAGAAGGCC	660
	AAGATCGCGC	GGCTGGCCCT	CAGCCTCATC	GCCATCGTGC	TGGTCTGCTT	TGCGCCCTAT	720
	CACGTGCTCT	TGCTGTCCCG	CAGCGCCATC	TACCTGGGCC	GCCCCTGGGA	CTGCGGCTTC	780
	GAGGAGCGCG	TCTTTTCTGC	ATACCACAGC	TCACTGGCTT	TCACCAGCCT	CAACTGTGTG	840
20	GCGGACCCCA	TCCTCTACTG	CCTGGTCAAC	GAGGGCGCCC	GCAGCGATGT	GGCCAAGGCC	900
	CTGCACAACC	TGCTCCGCTT	TCTGGCCAGC	GACAAGCCCC	AGGAGATGGC	CAATGCCTCG	960
	CTCACCCTGG	AGACCCCACT	CACCTCCAAG	AGGAACAGCA	CAGCCAAAGC	CATGACTGGC	1020
	AGCTGGGCGG	CCACTCCGCC	TTCCCAGGGG	GACCAGGTGC	AGCTGAAGAT	GCTGCCGCCÀ	1080
	GCACAATGA	ř					1089

- 25 (167) INFORMATION FOR SEQ ID NO:166:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 362 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

	(xi	.) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	10:16	6 :					
	Met 1	Gly	Asn	His	Thr 5	Trp	Glu	Gly	Cys	His 10	Val	Asp	Ser	Arg	Val 15	Asp
5	His	Leu	Phe	Pro 20	Pro	Ser	Leu	Tyr	Ile 25	Phe	Val	Ile	Gly	Val 30	Gly	Leu
	Pro	Thr	Asn 35	Cys	Leu	Ala	Leu	Trp 40	Ala	Ala	Tyr	Arg	Gln 45	Val	Gln	Gln
•	Arg	Asn 50	Glu	Leu	Gly	Val	Tyr 55	Leu	Met	Asn	Leu	Ser 60	Ile	Ala	Asp	Leu
10	Leu 65	Tyr	Ile	Cys	Thr	Leu 70	Pro	Leu	Trp	Val	Asp 75	Tyr	Phe	Leu	His	His 80
	Asp	Asn	Trp	Ile	His 85	Gly	Pro	Gly	Ser	Cys 90	Lys	Leu	Phe	Gly	Phe 95	Ile
15	Phe	туг	Thr	Asn 100	Ile	Tyr	Ile	Ser	Ile 105	Ala	Phe	Leu	Cys	Cys 110	Ile	Ser
	Val	Asp	Arg	Tyr	Leu	Ala	Val	Ala 120	His	Pro	Leu	Arg	Phe 125	Ala	Arg	Leu
•	Arg	Arg 130	Val	Lys	Thr	Ala	Val 135	Ala	Val	Ser	Ser	Val 140	Val	Trp	Ala	Thr
20	Głu 145	Leu	Gly	Ala	Asn	Ser 150	Ala	Pro	Leu	Phe	His 155	Asp	Glu	Leu	Phe	Arg 160
	Asp	Arg	Tyr	Asn	His 165	Thr	Phe	Cys	Phe	Glu 170	Lys	Phe	Pro	Met	Głu 175	Gly
25	Trp	Val	Ala	Trp 180	Met	Asn	Leu	Tyr	Arg 185	Val	Phe	Val	Gly	Phe 190	Leu	Phe
	Pro	Trp	Ala 195	Leu	Met	Leu	Leu	Ser 200		Arg	Gly	Ile	Leu 205		Ala	Val
	Arg	Gly 210		Val	Ser	Thr	Glu 215		Gln	Glu	Lys	Ala 220		Ile	Ala	Arg
30	Leu 225		Leu	Ser	Leu	1le 230		Ile	Val	Leu	Val 235		Phe	Ala	Pro	Tyr 240
					245					250					255	
35	Asp	Cys	Gly	Phe 260		Glu	Arg	Val	Phe 265		Ala	Tyr	His	Ser 270		Leu
•	Ala	Ph∈	Thr	Ser	Leu	. Asr	суз	Val	Ala	Asp	Pro	Ile	Leu	Туг	Cys	Leu

WO 00/22129 PCT/US99/23938

. 116

			•							
		275		, 2	80			285		
	Val Asn 290	Glu Gly		Ser A 295	sp Val	Ala I	Lys Ala 300	Leu H	is Asn	Leu
5	· Leu Arg 305	Phe Leu	Ala Ser 3	Asp L	ys Pro		Glu Met B15	Ala A	sn Ala	Ser 320
	Leu Thr	Leu Glu	Thr Pro 1 325	Leu T	hr Ser	Lys A 330	Arg Asn	Ser T	hr Ala 335	Lys
	Ala Met	Thr Gly :	Ser Trp	Ala A	la Thr 345	Pro F	Pro Ser		ly Asp 50	Gln
10	Val Gln	Leu Lys I 355	Met Leu 1		ro Ala 60	Gln				
	(168) INFORM	ATION FOR	SEQ ID 1	NO:16	7:					
15	(A (B (C	QUENCE CHA) LENGTH:) TYPE: no) STRANDED) TOPOLOGY	1002 bas ucleic ac DNESS: si	se pa cid ingle				٠.	· .	
	· (ii) Mo	OLECULE T	YPE: DNA	(gene	omic)			•		
	(xi) SI	EQUENCE DI	ESCRIPTIO	on: si	EQ ID N	O:167	' :			
20	ATGGAGTCCT C	AGGCAACCC	AGAGAGC	ACC A	CCTTTTT	TT AC	TATGACC	T TCA	GAGCCAG	6
	CCGTGTGAGA A	CCAGGCCTG	GGTCTTTC	GCT A	CCCTCGC	CA CC	ACTGTCC	T GTA	CTGCCTG	120
	GTGTTTCTCC TO	CAGCCTAGT	GGGCAACA	AGC C	rggtcct	GT GG	GTCCTGG	T GAAG	GTATGAG	180
	AGCCTGGAGT CO	CTCACCAA	CATCTTCA	ATC C	FCAACCT	GT GC	CTCTCAG	A CCT	GTGTTC	240
	GCCTGCTTGT TO	CCTGTGTG	GATCTCCC	CA T	ACCACTG	GG GC	TGGGTGC	T GGG	AGACTTC	: 300
25	CTCTGCAAAC TO	CCTCAATAT	GATCTTCT	CC A	rcagcct	CT AC	'AGCAGCA	т стто	CTTCCTG	360
	ACCATCATGA CO	CATCCACCG	CTACCTGT	rcg gi	ragtgag	cc cc	CTCTCCA	с сст	GCGCGTC	. 420
	CCCACCTCC GO	TGCCGGGT	GCTGGTGA	ACC AT	rggctgt	GT GG	GTAGCCA	G CATO	CCTGTCC	480
	TCCATCCTCG AC	CACCATCTT	CCACAAGO	ETG C	PTTCTTC	GG GC	TGTGATT	A TTC	CGAACTC	540
	ACGTGGTACC TO	CACCTCCGT	CTACCAGO	CAC A	ACCTCTT	CT TC	CTGCTGT	C CCT	GGGATT	600
30	ATCCTGTTCT GO	CTACGTGGA	GATCCTCA	AGG AG	CCTGTT	CC GC	TCACGCT	C CAAC	GCGGCGC	660

CACCGCACGA AAAAGCTCAT CTTCGCCATC GTGGTGGCCT ACTTCCTCAG CTGGGGTCCC

TACAACTTCA CCCTGTTTCT GCAGACGCTG TTTCGGACCC AGATCATCCG GAGCTGCGAG

720

	GCCA	AACA	GC A	GCTA	GAAT.	A CG	CCCT	GCTC	ATC	TGCC	GCA	ACCT	CGCC	TT C	TCCC	ACTG	C 840	•
	TGCT	TTAA	cc c	GGTG	CTCT	A TG	TCTT	CGTG	GGG	GTCA	AGT	TCCG	CACA	CA C	CTGA	AACA	т 900	
	GTTC	TCCG	GC A	GTTC	TGGT	T CT	GCCG	GCTG	CAG	GCAC	CCA	GCCC	AGCC	TC G	ATCC	CCCA	C · 960	
	TCCC	CTGG	TG C	CTTC	GCCT	A TG	AGGG	CGCC	TCC'	TTCT	ACT	G A					1002	
5	(169) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	168:									
10		(i	(B (C) LEI) TY:	NGTH PE: 6 RAND	: 33: amino EDNE:	3 am: 5 ac: SS:	ino	acid	.	• •				· .			
		(i:	i) M	OLEC	ULE 7	TYPE	: pro	otei	n									
		(x.	i) SI	EQUE	NCE I	DESCI	RIPT:	ION:	SEQ	ID I	NO:1	68:				٠		
		Met 1	Glu	Ser	Ser	Gly 5	Asn	Pro	Glu	Ser	Thr 10	Thr	Phe	Phe	-	Tyr 15	Asp	-
15		Leu	Gln	Ser	Gln 20	Pro	Cys	Glu	Asn	Gln 25	Ala	Trp	Val	Phe	Ala 30	Thr	Leu	
		Ala	Thr	Thr 35	Val	Leu	Tyr	Cys	Leu 40	Val	Phe	Leu	Leu	Ser 45	Leu	Val	Gly	
20		Asn	Ser 50	Leu	Val	Leu	Trp	Val 55	Leu	Val	Lys	Tyr	Glu 60	Ser	Leu	Glu	Ser	
		Leu 65	Thr	Asn	Ile	Phe	Ile 70	Leu	Asn	Leu	Cys	Leu 75	Ser	Asp	Leu	Val	Phe 80	
		Ala	Cys	Leu	Leu	Pro 85	Val	Trp	Ile	Ser	Pro 90	Tyr	His	Trp	Gly	Trp 95	Val	
25		Leu	Gly	Asp	Phe 100	Leu	Cys	Lys	Leu	Leu 105	Asn	Met	Ile	Phe	Ser 110	Ile	Ser	
	•	Leu	Tyr	Ser 115	Ser	Ile	Phe	Phe	Leu 120	Thr	Ile	Met	Thr	11e 125	His	Arg	Tyr	
30		Leu	Ser 130	Val	Val	Ser	Pro	Leu 135	Ser	Thr	Leu	Arg	Val 140	Pro	Thr	Leu	Arg	
		Cys 145	Arg	Val	Leu	Val	Thr 150	Met	Ala	Val	Trp	Val 155	Ala	Ser	Ile	Leu	Ser 160	
		Ser	Ile	Leu	Asp	Thr 165	Ile	Phe	His	Lys	Val 170	Leu	Ser	Ser	Gly	Cys 175	Asp	
35		Tyr	Ser		Leu 180	Thr	Trp	Tyr	Leu	Thr 185	Ser	Val	Tyr	Gln	His 190	Asn	Leu	

	Phe	Phe	Leu 195	Leu	Ser	Leu	Gly	11e 200	Ile	Leu	Phe	Cys	Tyr 205	Val	Glu	Ile	
	Leu	Arg 210	Thr	Leu	Phe	Arg	Ser 215	Arg	Ser	Lys	Arg	Arg 220		Arg	Thr	Lys	
5	Lys 225	Leu	Ile	Phe	Ala	Ile 230	Val	Val	Ala	Tyr	Phe 235	Leu	Ser	Trp	Gly	Pro 240	
	Tyr	Asn	Phe	Thr	Leu 245	Phe	Leu	Gln	Thr	Leu 250	Phe	Arg	Thr	Gln	Ile 255	Ile	
10	Arg	Ser	Суз	Glu 260	Ala	Lys	Gln	Gln	Leu 265	Glu	Tyr	Ala	Leu	Leu 270	Ile	Cys	
	Arg	Asn	Leu 275	Ala	Phe	Ser	His	Cys 280	Cys	Phe	Asn	Pro	Val 285	Leu	Tyr	Val	
	Phe	Val 290	Gly	Val	Lys	Phe	Arg 295	Thr	His	Leu	Lys	His 300		Leu	Arg	Gln	
15	Phe 305	Trp	Phe	Cys	Arg	Leu 310	Gln	Ala	Pro	Ser	Pro 315	Ala	Ser	Ile	Pro	His 320	
	Ser	Pro	Gly	Ala	Phe 325	Ala	Tyr	Glu	Gly	Ala 330	Ser	Phe	Tyr	*			
•	(170) IN	FORM	OITA	1 FOI	SEÇ) ID	NO:	169:					÷				
20	(i)	(B)	QUENC LEI TYI STI	NGTH: PE: 1 RANDI	987 nucle	7 bas eic a SS: s	se pa acid singl	airs	-				-				
25	(i:	i) M						enom	ic)	•				• .			
	. (x:	i) Si	EQUEI	NCE I	DESCI	RIPT	ON:	SEQ	ID 1	NO:16	59:						٠.
•	ATGGACAA	CG C	CTCG	rtcto	G GGZ	AGCC	CTGG	ccc	GCCA/	ACG (CATC	GGC	CC G	BACC	CGGCC	3	60
	CTGAGCTG	CT C	CAAC	CGT	GAG	CTCT	GCG	CCG	CTGC	CGG (CGCC	CTG	GC G	STGG	CTGT	A :	120
	CCAGTTGT	CT A	CGCG	STGA:	r ctc	3CGC	GTG	GGT	CTGG	CGG (CAA	CTCC	SC C	STGC	rgta(2 . :	180
30	GTGTTGCT	GC G	3GCG	cccc	G CA	rgaac	GACC	GTC	ACCAZ	ACC :	rgtt	CATC	CT C	AACC:	rggc	2 :	240
	ATCGCCGA	CG A	GCTC'	TTCA	G GC	rggt	GCTG	ccc	ATCA	ACA 1	rcgc	CGAC	FT C	CTGC:	rgcgo	3 :	300
	CAGTGGCC	CT T	CGGG	GAGC:	r ,ca:	rgtg	CAAG	CTC	ATCG	rgg. (TAT	CGAC	CA G	TACA	ACAC	= :	360
	TTCTCCAG	CC T	CTAC'	TTCC	CAC	CCGT	CATG	AGC	GCCG2	ACC (GCTA	CCTG	ST GO	GTGT:	rggc	2 -	420
•	ACTGCGGA	GT C	GCGC	CGGG:	r GG	CCGG	CCGC	ACC'	FACA	GCG (CCGC	GCGC	GC G	STGA	CCT	3	480

	GCCGTGTGGG GGATCGTCAC ACTCGTCGTG CTGCCCTTCG CAGTCTTCGC CCGGCTAGAC	540
	GACGAGCAGG GCCGGCGCA GTGCGTGCTA GTCTTTCCGC AGCCCGAGGC CTTCTGGTGG	600
	CGCGCGAGCC GCCTCTACAC GCTCGTGCTG GGCTTCGCCA TCCCCGTGTC CACCATCTGT	660
	GTCCTCTATA CCACCCTGCT GTGCCGGCTG CATGCCATGC	720
5	GCCCTGGAGC GCGCCAAGAA GCGGGTGAAG TTCCTGGTGG TGGCAATCCT GGCGGTGTGC	780
	CTCCTCTGCT GGACGCCCTA CCACCTGAGC ACCGTGGTGG CGCTCACCAC CGACCTCCCG	840
	CAGACGCCGC TGGTCATCGC TATCTCCTAC TTCATCACCA GCCTGACGTA CGCCAACAGC	900
	TGCCTCAACC CCTTCCTCTA CGCCTTCCTG GACGCCAGCT TCCGCAGGAA CCTCCGCCAG	960
	CTGATAACTT GCCGCGCGC AGCCTGA	987
10	(171) INFORMATION FOR SEQ ID NO:170:	
	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 328 amino acids	
	(B) TYPE: amino acid (C) STRANDEDNESS:	. *
15	(D) TOPOLOGY: not relevant	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:	
	Met Asp Asn Ala Ser Phe Ser Glu Pro Trp Pro Ala Asn Ala Ser Gly 1 5 10 15	
20	Pro Asp Pro Ala Leu Ser Cys Ser Asn Ala Ser Thr Leu Ala Pro Leu 20 25 30	٠.
	Pro Ala Pro Leu Ala Val Ala Val Pro Val Val Tyr Ala Val Ile Cys 35 40 45	
25	Ala Val Gly Leu Ala Gly Asn Ser Ala Val Leu Tyr Val Leu Leu Arg 50 55 60	
	Ala Pro Arg Met Lys Thr Val Thr Asn Leu Phe Ile Leu Asn Leu Ala 65 70 75 80	
	Ile Ala Asp Glu Leu Phe Thr Leu Val Leu Pro Ile Asn Ile Ala Asp 85 90 95	
30	Phe Leu Leu Arg Gln Trp Pro Phe Gly Glu Leu Met Cys Lys Leu Ile 100 105 110	
	Val Ala Ile Asp Gln Tyr Asn Thr Phe Ser Ser Leu Tyr Phe Leu Thr 115 120 125	
	Val Met Ser Ala Asn Ard Tyr Leu Val Val Leu Ala Thr Ala Clu Ser	

PCT/US99/23938

		130					135					140					
	Arg 145	Arg	Val	Ala	Gly	Arg 150	Thr	Tyr	Ser	Ala	Ala 155	Arg	Ala	Val		Leu 160	
5	Ala	Val	Trp	Gly	Ile 165	_Val	Thr	Leu	Val	Val 170	Leu	Pro	Phe	Ala	Val 175	Phe	•
	Ala	Arg	Leu	Asp 180	Asp	Glu	Gln	Gly	Arg 185	Arg	Gln	Cys	Val	Leu 190	Val	Phe	
	Pro	Gln	Pro 195	Glu	Ala	Phe	Trp	Trp 200	Arg	Ala	Ser	Arg	Leu 205	Tyr	Thr	Leu	
10	Val	Leu 210		Phe	Ala	Ile	Pro 215	Val	Ser	Thr	Ile	Cys 220	Val	Leu	Tyr	Thr	
	Thr 225	Leu	Leu	Cys	Arg	Leu 230	His	Ala	Met	Arg	Leu 235	Asp	Ser	His	Ala	Lys 240	
15	Ala	Leu	Glu	Arg	Ala 245	Lys	Lys	Arg	Val	Lys 250	Phe	Leu	Val	Val	Ala 255	Ile	
	/ Leu	Ala	Val	Cys 260	Leu	Leu	Cys	Trp	Thr 265	Pro	Tyr	His	Leu	Ser 270	Thr	Val	
	Val	Ala	Leu 275	Thr	Thr	Asp	Leu	Pro 280	Gln	Thr	Pro		Val 285	Ile	Ala	Ile	
20	Ser	Tyr 290	Phe	Ile	Thr	Ser	Leu 295	Thr	Tyr	Ala	Asn	Ser 300	-	Leu	Asn	Pro	
	Phe 305	Leu	Tyr	Ala	Phe	Leu 310	Asp	Ala	Ser	Phe	Arg 315	Arg	Asn	Leu	Arg	Gln 320	
25	Leu	Ile	Thr	Суз	Arg 325	Ala	Ala	Ala									٠
	(172) INI	FORM	ATION	FOF	SEC) ID	NO:1	71:									
		SE((A) (B)	LE	IGTH :	100)2 ba	se p				•						
30	•	(C)	STI	POLOG	DNES	SS: S	ingl	e				•			-		
	(ii	L) MC	DLECT	TLE I	YPE:	DNA	ı (ge	nomi	.c)					٠			
	(xi	i)·SE	EQUE	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:17	1:						
	ATGCAGGC	CG CI	rgggc	CACCO	AGA	GCCC	CTT	GAC	GCAG	GG G	CTCC	TTCT	c cc	TCCC	CACG		60
35	ATGGGTGC	CA AC	GTCI	CTCF	GGA	CAAT	rggc	ACTO	GCCA	CA A	TGCC	ACCI	T CI	CCGA	AGCCA	. 1	.20
	CTGCCGTTC	CC TC	TATO	TGCI	CCI	GCCC	GCC	GTGT	ACTO	CG G	GATC	TGTG	C TO	TGGG	GCTG	1	.80

PCT/US99/23938

	ACTGGCAACA CGGCCGTCAT CCTTGTAATC CTAAGGGCGC CCAAGATGAA GACGGTGACC	240
	AACGTGTTCA TCCTGAACCT GGCCGTCGCC GACGGGCTCT TCACGCTGGT ACTGCCTGTC	300
	AACATCGCGG AGCACCTGCT GCAGTACTGG CCCTTCGGGG AGCTGCTCTG CAAGCTGGTG	360
	CTGGCCGTCG ACCACTACAA CATCTTCTCC AGCATCTACT TCCTAGCCGT GATGAGCGTG	420
5	GACCGATACC TGGTGGTGCT GGCCACCGTG AGGTCCCGCC ACATGCCCTG GCGCACCTAC	480
	CGGGGGGCGA AGGTCGCCAG CCTGTGTGTC TGGCTGGGCG TCACGGTCCT GGTTCTGCCC	540
	TTCTTCTCTT TCGCTGGCGT CTACAGCAAC GAGCTGCAGG TCCCAAGCTG TGGGCTGAGC	600
	TTCCCGTGGC CCGAGCAGGT CTGGTTCAAG GCCAGCCGTG TCTACACGTT GGTCCTGGGC	660
	TTCGTGCTGC CCGTGTGCAC CATCTGTGTG CTCTACACAG ACCTCCTGCG CAGGCTGCGG	720
10	GCCGTGCGGC TCCGCTCTGG AGCCAAGGCT CTAGGCAAGG CCAGGCGGAA GGTGAAAGTC	780
-	CTGGTCCTCG TCGTGCTGGC CGTGTGCCTC CTCTGCTGGA CGCCCTTCCA CCTGGCCTCT	840
	GTCGTGGCCC TGACCACGGA CCTGCCCCAG ACCCCACTGG TCATCAGTAT GTCCTACGTC	900
	ATCACCAGCC TCACGTACGC CAACTCGTGC CTGAACCCCT TCCTCTACGC CTTTCTAGAT	960
	GACAACTTCC GGAAGAACTT CCGCAGCATA TTGCGGTGCT GA	.002
15	(173) INFORMATION FOR SEQ ID NO:172:	
20	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 333 amino acids(B) TYPE: amino acid(C) STRANDEDNESS:(D) TOPOLOGY: not relevant	
•	(ii) MOLECULE TYPE: protein	
V	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:172:	
	Met Gln Ala Ala Gly His Pro Glu Pro Leu Asp Ser Arg Gly Ser Phe 1 5 10 15	
25	Ser Leu Pro Thr Met Gly Ala Asn Val Ser Gln Asp Asn Gly Thr Gly 20 25 30	
	His Asn Ala Thr Phe Ser Glu Pro Leu Pro Phe Leu Tyr Val Leu Leu 35 40 45	
30	Pro Ala Val Tyr Ser Gly Ile Cys Ala Val Gly Leu Thr Gly Asn Thr 50 55 60	
	Ala Val Ile Leu Val Ile Leu Arg Ala Pro Lys Met Lys Thr Val Thr 65 70 75 80	

	A	sn '	Val	Phe	Ile	Leu 85	Asn	Leu	Ala	Val	Ala 90	Asp	Gly	Leu	Phe	Thr 95	Leu
	V	al	Leu	Pro	Val 100	Asn	Ile	Ala		His 105	Leu	Leu	Gln	Tyr	Trp 110	Pro	Phe
5	G	ly	Glu	Leu 115	Leu	Cys	Lys	Leu	Val 120	Leu	Ala	Val	Asp	His 125	Tyr	Asn	Ile
	P		Ser 130	Ser	Ile	Tyr	Phe	Leu 135	Ala	Val	Met	Ser	Val 140	Asp	Arg	Tyr	Leu
10		al 45	Val	Leu	Ala	Thr	Val 150	Arg	Ser	Arg	His	Met 155	Pro	Trp	Arg	Thr	Tyr 160
	A	rg	Gly	Ala	Lys	Val 165	Ala	Ser	Leu	Ċys	Val 170	Trp	Leu	Gly	Val	Thr 175	Val
	L	eu	Val	Leu	Pro 180	Phe	Phe	Ser	Phe	Ala 185	Gly	Val	Tyr	Ser	Asn 190	Glu	Leu
15	G	ln	Val	Pro 195	Ser	Cys ·	Gly	Leu	Ser 200	Phe	Pro	Trp	Pro	Glu 205	Gln	Val	Trp
	` F	?he	Lys 210	Ala	Ser	Arg	'Val	Tyr 215	Thr	Leu	Val	Leu	Gly 220	Phe	Val	Leu	Pro
20		/al 225	Cys	Thr	Ile	Cys	Val 230	Leu	Tyr	Thr	Asp	Leu 235	Leu	Arg	Arg	Leu	Arg 240
•	F	Ala	Val	Arg	Leu	Arg 245	Ser	Gly	Ala	Lys	Ala 250	Leu	Gly	Lys	Ala	Arg 255	Arg
	. I	Lуs	Val	Lys	Val 260	Leu	Val	Leu	Val	Val 265		Ala	Vaʻl	Cys	Leu 270	Leu	Cys
25	7	Trp	Thr	Pro 275		His	Leu	Ala	Ser 280	Val	Val	Ala	Leu	Thr 285	Thr	Asp	Leu
	1	Pro :	Gln 290		Pro	Leu	Val	11e 295		Met	Ser	Tyr	Val 300	Ile	Thr	Ser	Leu
30		Thr 305	Tyr	Ala	Asn	Ser	Cys 310		Asn	Pro	Phe	Leu 315	Tyr	Ala	Phe	Leu	320
	:	Asp	Asn	Phe	Arg	Lys 325		Phe	Arg	Ser	: 1le	Leu	Arg	Cys			

(174) INFORMATION FOR SEQ ID NO:173:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1107 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

						•	
	ATGGTCCTTG	AGGTGAGTGA	CCACCAAGTG	CTAAATGACG	CCGAGGTTGC	CGCCCTCCTG	60
	GAGAACTTCA	GCTCTTCCTA	TGACTATGGA	GAAAACGAGA	GTGACTCGTG	CTGTACCTCC	120
. 5	CCGCCCTGCC	CACAGGACTT	CAGCCTGAAC	TTCGACCGGG	CCTTCCTGCC	AGCCCTCTAC	180
	AGCCTCCTCT	TTCTGCTGGG	GCTGCTGGGC	AACGGCGCGG	TGGCAGCCGT	GCTGCTGAGC	240
	CGGCGGACAG	CCCTGAGCAG	CACCGACACC	TTCCTGCTCC	ACCTAGCTGT	AGCAGACACG	300
	CTGCTGGTGC	TGACACTGCC	GCTCTGGGCA	GTGGACGCTG	CCGTCCAGTG	GGTCTTTGGC	360
	TCTGGCCTCT	GCAAAGTGGC	AGGTGCCCTC	TTCAACATCA	ACTTCTACGC	AGGAGCCCTC	420
10	CTGCTGGCCT	GCATCAGCTT	TGACCGCTAC	CTGAACATAG	TTCATGCCAC	CCAGCTCTAC	480
	CGCCGGGGGC	CCCCGGCCCG	CGTGACCCTC	ACCTGCCTGG	CTGTCTGGGG	GCTCTGCCTG	540
	CTTTTCGCCC	TCCCAGACTT	CATCTTCCTG	TCGGCCCACC	ACGACGAGCG	CCTCAACGCC	600
	ACCCACTGCC	AATACAACTT	CCCACAGGTG	GGCCGCACGG	CTCTGCGGGT	GCTGCAGCTG	660
	GTGGCTGGCT	TTCTGCTGCC	CCTGCTGGTC	ATGGCCTACT	GCTATGCCCA	CATCCTGGCC	720
15	GTGCTGCTGG	TTTCCAGGGG	CCAGCGGCGC	CTGCGGGCCA	AGCGGCTGGT	GGTGGTGGTC	780
	GTGGTGGCCT	TTGCCCTCTG	CTGGACCCCC	TATCACCTGG	TGGTGCTGGT	GGACATCCTC	840
-	ATGGACCTGG	GCGCTTTGGC	CCGCAACTGT	GGCCGAGAAA	GCAGGGTAGA	CGTGGCCAAG	900
	TCGGTCACCT	CAGGCCTGGG	CTACATGCAC	TGCTGCCTCA	ACCCGCTGCT	CTATGCCTTT	960
	GTAGGGGTCA	AGTTCCGGGA	GCGGATGTGG	ATGCTGCTCT	TGCGCCTGGG	CTGCCCCAAC	1020
20	CAGAGAGGGC	TCCAGAGGCA	GCCATCGTCT	TCCCGCCGGG	ATTCATCCTG	GTCTGAGACC	1080
	TCAGAGGCCT	CCTACTCGGG	CTTGTGA				1107

(175) INFORMATION FOR SEQ ID NO:174:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 368 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

	Met 1	Val	Leu	Glu	Val 5	Ser	Asp	His	Gln	Val 10	Leu	Asn	Asp	Ala	Glu 15	Val
	Ala	Ala	Leu	Leu 20	Glu	Asn	Phe	Ser	Ser 25	Ser	Tyr	Asp	Tyr	Gly 30	Glu	Asn
5	Glu	Ser	Asp 35	Ser	Cys	Cys	Thr	Ser 40	Pro	Pro	Cys	Pro	Gln 45	Asp	Phe	Ser
	Leu	Asn 50	Phe	Asp	Arg	Ala	Phe 55	Leu	Pro	Ala	Leu	Tyr 60	Ser	Leu	Leu	Phe
10	Leu 65	Leu	Gly	Leu	Leu	Gly 70	Asn	Gly	Ala	Val	Ala 75	Ala	Vál	Leu	Leu	Ser 80
•			Thr		85		• .	-		90					95	
			Asp	100					105					110		
15			Val 115					120					125			
		130	Phe				135					140				•
20	145		Phe			150					155					160
		:	Gly		165		*			170		•		-	175	
	_		Cys	180					185				٠.	190		
25			Asp 195					200					205			
		210	-				215					220				Phe
30	225					230					235					Ala 240
		•	Leu		245					250					255	·
			Val	260					265					270		-
35			275					280					285	٠.		Arg
	Asn	Cys	Gly	Arg	Glu	Ser	Arg	Val	Asp	Val	Ala	Lys	Ser	Val	Thr	Ser

Gly Leu Gly Tyr Met His Cys Cys Leu Asn Pro Leu Leu Tyr Ala Phe 305 Val Gly Val Lys Phe Arg Glu Arg Met Trp Met Leu Leu Leu Arg Leu 325 Gly Cys Pro Asn Gln Arg Gly Leu Gln Arg Gln Pro Ser Ser Ser Arg 340 Arg Asp Ser Ser Trp Ser Glu Thr Ser Glu Ala Ser Tyr Ser Gly Leu 355 (i) SEQUENCE CHARACTERISTICS: (a) Length: 1074 base pairs (b) Type: nucleic acid (c) STRANDEDNESS: single (d) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175: ATGGCTGATG ACTATGGCTC TGAATCCACA TCTTCCATGG AAGACTACGT TAACTTCAAC	
Gly Cys Pro Asn Gln Arg Gly Leu Gln Arg Gln Pro Ser Ser Arg 340 345 350 Arg Asp Ser Ser Trp Ser Glu Thr Ser Glu Ala Ser Tyr Ser Gly Leu 355 360 365 (176) INFORMATION FOR SEQ ID NO:175: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1074 base pairs (B) Type: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE Type: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
Arg Asp Ser Ser Trp Ser Glu Thr Ser Glu Ala Ser Tyr Ser Gly Leu 355 360 365 10 (176) INFORMATION FOR SEQ ID NO:175: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1074 base pairs (B) Type: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE Type: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
355 360 365 365 360 365 10 (176) INFORMATION FOR SEQ ID NO:175: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1074 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1074 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
(A) LENGTH: 1074 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:	
AMCCCTCATG ACTATGGCTC TGAATCCACA TCTTCCATGG AAGACTACGT TAACTTCAAC	
AIGGCIGAIG ACIAIGCTC LC.	60
TTCACTGACT TCTACTGTGA GAAAAACAAT GTCAGGCAGT TTGCGAGCCA TTTCCTCCCA	120
20 CCCTTGTACT GGCTCGTGTT CATCGTGGGT GCCTTGGGCA ACAGTCTTGT TATCCTTGTC	180
TACTGGTACT GCACAAGAGT GAAGACCATG ACCGACATGT TCCTTTTGAA TTTGGCAATT	240
GCTGACCTCC TCTTTCTTGT CACTCTTCCC TTCTGGGCCA TTGCTGCTGC TGACCAGTGG	300
AAGTTCCAGA CCTTCATGTG CAAGGTGGTC AACAGCATGT ACAAGATGAA CTTCTACAGC	360
TGTGTGTTGC TGATCATGTG CATCAGCGTG GACAGGTACA TTGCCATTGC CCAGGCCATG	420
25 AGAGCACATA CTTGGAGGGA GAAAAGGCTT TTGTACAGCA AAATGGTTTG CTTTACCATC	480
TGGGTATTGG CAGCTGCTCT CTGCATCCCA GAAATCTTAT ACAGCCAAAT CAAGGAGGAA	540
TCCGGCATTG CTATCTGCAC CATGGTTTAC CCTAGCGATG AGAGCACCAA ACTGAAGTCA	600
GCTGTCTTGA CCCTGAAGGT CATTCTGGGG TTCTTCCTTC CCTTCGTGGT CATGGCTTGC	66
TGCTATACCA TCATCATTCA CACCCTGATA CAAGCCAAGA AGTCTTCCAA GCACAAAGCC	72
30 AAGAAAGTGA CCATCACTGT CCTGACCGTC TTTGTCTTGT CTCAGTTTCC CTACAACTGC	78

ATTTTGTTGG TGCAGACCAT TGACGCCTAT GCCATGTTCA TCTCCAACTG TGCCGTTTCC

10.

ACCAACAT"	rg ac	CATCI	GCTI	CCA	GGTC	ACC	CAGA	CCAT	cg c	CTTC	TTCC	A CF	GTTG	CCTG	900
AACCCTGT"	rc To	CTATO	TTTT	TGI	GGGT	GAG	AGAT	TCCG	CC G	GGAI	CTC	T GA	AAAC	CCTG	960
AAGAACTT	GG G1	TGC	ATCAG	CC?	GGCC	CAG	TGGG	TTTC	AT I	TACA	AGGA	G AC	AGGG	AAGC	1020
TTGAAGCT	ST CO	TCT	TGTT	GCI	GGAC	ACA	ACCI	CAGG	AG C	ACTO	TCCC	т ст	'GA		1074
(177) IN	FORMA	TION	1 FOF	SEÇ) ID	ΝО: Э	L76:		:						
	(B) (C) (D)	LEN TYP STF	NGTH: PE: & RANDI POLOC	: 357 amino EDNES EY: 1	ami aci SS: not r	no a .d :elev	cids ant	;	,						
	i) M(
	i) SI														
Met 1	Ala	Asp	Asp	Tyr 5	Gly	Ser	Glu	Ser	Thr 10	Ser	Ser	Met	Glu	Asp 15	Tyr
Val	Asn		Asn 20	Phe	Thr	Asp	Phe	Tyr 25	Cys	Glu	Lys	Asn	Asn 30	Val	Arg
Gln	Phe	Ala 35	Ser	His	Phe	Leu	Pro 40	Pro	Leu	Tyr	Trp	Leu 45	Val	Phe	Ile
Val	Gly 50	Ala	Leu	Gly	Asn	Ser 55	Leu	Val	Ile	Leu	Val 60	Tyr	Trp	Tyr	Cys
Thr 65	Arg	Val	Lys	Thr	Met 70	Thr	Asp	Met	Phe	Leu 75	Leu	Asn	Leu	Ala	Ile 80
Ala	Asp	Leu	Leu	Phe 85	Leu	Val	Thr	Leu	Pro 90	Phe	Trp	Ala	Ile	Ala 95	Ala
Ala	Asp	Gln	Trp		Phe	Gln	Thr	Phe 105	Met	Cys	Lys	Val	Val 110	Asn	Ser
Met	туг	Lys 115	Met	Asn	Phe	Tyr	Ser 120	Cys	Val	Leu	Leu	Ile 125	Met	Cys	Ile
Ser	Val	Asp	Arg	Tyr	Ile	Ala 135	Ile	Ala	Gln	Ala	Met 140	Arg	Ala	His	Thr
Trp	Arg	Glu	Lys	Arg	Leu 150	Leu	Tyr	Ser		Met 155		Cys	Phe	Thr	Ile 160
Trp	Val	Leu	Ala	Ala 165		Leu	Суѕ	Ile	Pro 170	Glu	Ile	Leu	Tyr	Ser 175	Gln
Ile	. Lys	Glu	Glu 180		Gly	Ile	Ala	Ile 185	Cys	Thr	Met	Val	Tyr 190	Pro	Ser

	Asp	. Glu	Ser 195	Thr	Lys	Leu	Lys	Ser 200	Ala	Val	Leu	Thr	Leu 205,		Val	Ile	
	Leu	Gly 210	Phe	Phe	Leu	Pro	Phe 215	Val	Val	Met	Ala	Cys 220	Cys	туг	Thr	Ile	
5	Ile 225	lle	His	Thr	Leu	Ile 230	Gln	Ala	Lys	Lys	Ser 235	Ser	Lys	His	Lys	Ala 240	
	Lys	Lys	Val	Thr	Ile 245	Thr	Val	Leu	Thr	Val 250	Phe	Val	Leu	Ser	Gln 255	Phe	
10	Pro	Tyr	Asn	Cys 260	Ile	Leu	Leu	Val	Gln 265	Thr	Ile	Asp	Ala	Tyr 270	Ala	Met	
	Phe	Ile	Ser 275	Asn	Cys	Ala	Val	Ser 280	Thr	Asn	Ile	Asp	Ile 285	Cys	Phe	Gln	
	Val	Thr 290	Gln	Thr	Ile	Ala	Phe 295	Phe	His	Ser	Cys	Leu 300	Asn	Pro	Val	Leu	
15	305					310					315			·		320	
	Lys	Asn	Leu	Gly	Cys 325	Ile	Ser	Gln	Ala	Gln 330	Trp	Val	Ser	Phe	Thr 335	Arg	
20	Arg	Glu	Gly	Ser 340	Leu	Lys	Leu	Ser	Ser 345	Met	Leu	Leu		Thr 350	Thr	Ser	
	Gly	Ala	Leu 355	Ser	Leu					-				. •		٠.	
	(178) IN	IFORM	OITA	N FOI	R SEC) ID	NO:	177:								•	
25	, (i	(B) LEI) TYI) STI	NGTH PE: 1	: 111 nucle	LO ba	ase p acid	pairs	5								
) TO 1														
		.i) M										-					•
30	ATGGCCTC	i) S										rrcre	eg go	ግፕርርር	recco	3	60
	GCGGTCAC															•	
	GGCGCGGA		•									•					.80
	GGGCTGAT	CG T	GCTG	CTCT	A CAC	CGT	CGTG	GTG	TCG'	rgg (GGCT	GTG	GG CZ	AACT	CCT	₃ _. 2	240
35 [°]	CTGGTGCT	GG T	GATC	GCGC	g GG	rgcc	GCGG	CTG	CACA	ACG 7	rgaco	GAAC	rr co	CTCA	rcgg	. 3	300

	AACCTGGCCT TGTCCGACGT GCTCATGTGC ACCGCCTGCG TGCCGCTCAC GCTGGCCTAT	360
	GCCTTCGAGC CACGCGGCTG GGTGTTCGGC GGCGGCCTGT GCCACCTGGT CTTCTTCCTG	420
	CAGCCGGTCA CCGTCTATGT GTCGGTGTTC ACGCTCACCA CCATCGCAGT GGACCGCTAC	480
	GTCGTGCTGG TGCACCCGCT GAGGCGCGCA TCTCGCTGCG CCTCAGCCTA CGCTGTGCTG	540
5	GCCATCTGGG CGCTGTCCGC GGTGCTGGCG CTGCCGCCCG CCGTGCACAC CTATCACGTG	600
	GAGCTCAAGC CGCACGACGT GCGCCTCTGC GAGGAGTTCT GGGGCTCCCA GGAGCGCCAG	660
	CGCCAGCTCT ACGCCTGGGG GCTGCTGCTG GTCACCTACC TGCTCCCTCT GCTGGTCATC	720
	CTCCTGTCTT ACGTCCGGGT GTCAGTGAAG CTCCGCAACC GCGTGGTGCC GGGCTGCGTG	780
	ACCCAGAGCC AGGCCGACTG GGACCGCGCT CGGCGCCGGC GCACCAAATG CTTGCTGGTG	840
0	GTGGTCGTGG TGGTGTTCGC CGTCTGCTGG CTGCCGCTGC ACGTCTTCAA CCTGCTGCGG	900
	GACCTCGACC CCCACGCCAT CGACCCTTAC GCCTTTGGGC TGGTGCAGCT GCTCTGCCAC	960
	TGGCTCGCCA TGAGTTCGGC CTGCTACAAC CCCTTCATCT ACGCCTGGCT GCACGACAGC	1020
	TTCCGCGAGG AGCTGCGCAA ACTGTTGGTC GCTTGGCCCC GCAAGATAGC CCCCCATGGC	1080
	CAGAATATGA CCGTCAGCGT GGTCATCTGA	1110
15	(179) INFORMATION FOR SEQ ID NO:178:	
20	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 369 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:	
	Met Ala Ser Ser Thr Thr Arg Gly Pro Arg Val Ser Asp Leu Phe Se 1 5 10 15	r
25	Gly Leu Pro Pro Ala Val Thr Thr Pro Ala Asn Gln Ser Ala Glu Al 20 25 30	.a
	Ser Ala Gly Asn Gly Ser Val Ala Gly Ala Asp Ala Pro Ala Val Th 35 40 45	ır [`]
30	Pro Phe Gln Ser Leu Gln Leu Val His Gln Leu Lys Gly Leu Ile Va 50 55 60	11
	Leu Leu Tyr Ser Val Val Val Val Gly Leu Val Gly Asn Cys Le	

		Leu	Val	Leu	Val	Ile 85	Ala	Arg	Val	Pro	Arg 90	Leu	His	Asn	Val	Thr 95	Asn
	-	Phe	Leu	Ile	Gly 100	Asn	Leu	Ala	Leu	Ser 105	Asp	Val	Leu	Met	Cys 110	Thr	Ala
5		Cys	Val	Pro 115	Leu	Thr	Leu	Ala	Tyr 120	Ala	Phe	·Glu	Pro	Arg 125	Gly	Trp	Val
		Phe	Gly 130	Ġly	Gly	Leu	Суз	His 135	Leu	Val	Phe	Phe ·	Leu 140	Gln	Pro	Val	Thr
10		Val 145	Tyr	Val	Ser	Val	Phe 150	Thr	Leu	Thr	Thr	I·le 155	Ala	Val	Asp	Arg	Туг 160
-		Val	Val	Leu	Val	His 165	Pro	. Leu	Arg	Arg	Ala 170	Ser	Arg	Cys	Ala	Ser 175	Ala
		Tyr	Ala	Val	Leu 180	Ala	Ile	Trp	Ala	Leu 185	Ser	Ala	Val	Leu	Ala 190	Leu	Pro
15		Pro	Ala	Val 195	His	Thr	Tyr	His	Val 200	Glu	Leu	Lys	Pro	His 205	Asp	Val	Arg
		Leu	Cys 210	Glu	Glu	Phe	Trp	Gly 215	Ser	Gln	Glu	Arg	Gln 220	Arg	Gln	Leu	Tyr
20		Ala 225	Trp	Gly	Leu	Leu	Leu 230	Val	Thr	Tyr	Leu	Leu 235	Pro	Leu	Leu	Val	Ile 240
٠.		Leu	Leu	Ser	Tyr	Val 245	Arg	Val	Ser	Val	Lys 250	Leu	Arg	Asn	Arg	Val 255	Val
		Pro	Gly	Суз	Val 260	Thr	Gln	Ser	Gln	Ala 265	Asp	Trp	Asp	Arg	Ala 270	Arg	Arg
25		Arg	Arg	Thr 275	Lys	Cys	Leu	Leu	Val 280	Val	Val	Val	Val	Val 285		Ala	Val
		Cys	Trp 290	Leu	Pro	Leu	His	Val 295	Phe	Asn	Leu	Leu	Arg 300	Asp	Leu	Asp	Pro
30		His 305	Ala	Ile	Asp		Tyr 310		Phe	Gly-	Leu	Val 315	Gln	Leu	Leu	Суз	His 320
		Trp	Leu	Ala	Met	Ser 325	Ser	Ala	Сув	Tyr	Asn 330	Pro	Phe	Ile	Tyr	Ala 335	Trp
		Leu	His	Asp	Ser 340	Phe	Arg	Glu	Glu	Leu 345	Arg	Lys	Leu	Leu	Val 350	Ala	Trp
35		Pro	Arg	Lys 355	Ile	Ala	Pro	His	Gly 360	Gln	Asn	Met	Thr .	Val 365	Ser	Val	Val
		Ile															

30

(180) INFORMATION FOR SEQ ID NO:179:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1083 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:
- ATGGACCCAG AAGAAACTTC AGTTTATTTG GATTATTACT ATGCTACGAG CCCAAACTCT 10 GACATCAGGG AGACCCACTC CCATGTTCCT TACACCTCTG TCTTCCTTCC AGTCTTTTAC 120 ACAGCTGTGT TCCTGACTGG AGTGCTGGGG AACCTTGTTC TCATGGGAGC GTTGCATTTC 180 AAACCCGGCA GCCGAAGACT GATCGACATC TTTATCATCA ATCTGGCTGC CTCTGACTTC ATTTTTCTTG TCACATTGCC TCTCTGGGTG GATAAAGAAG CATCTCTAGG ACTGTGGAGG ACGGGCTCCT TCCTGTGCAA AGGGAGCTCC TACATGATCT CCGTCAATAT GCACTGCAGT GTCCTCCTGC TCACTTGCAT GAGTGTTGAC CGCTACCTGG CCATTGTGTG GCCAGTCGTA TCCAGGAAAT TCAGAAGGAC AGACTGTGCA TATGTAGTCT GTGCCAGCAT CTGGTTTATC 480 TCCTGCCTGC TGGGGTTGCC TACTCTTCTG TCCAGGGAGC TCACGCTGAT TGATGATAAG 540 CCATACTGTG CAGAGAAAAA GGCAACTCCA ATTAAACTCA TATGGTCCCT GGTGGCCTTA ATTTTCACCT TTTTTGTCCC TTTGTTGAGC ATTGTGACCT GCTACTGTTG CATTGCAAGG 660 20 AAGCTGTGTG CCCATTACCA GCAATCAGGA AAGCACAACA AAAAGCTGAA GAAATCTAAG 720 AAGATCATCT TTATTGTCGT GGCAGCCTTT CTTGTCTCCT GGCTGCCCTT CAATACTTTC 780 AAGTTCCTGG CCATTGTCTC TGGGTTGCGG CAAGAACACT ATTTACCCTC AGCTATTCTT CAGCTTGGTA TGGAGGTGAG TGGACCCTTG GCATTTGCCA ACAGCTGTGT CAACCCTTTC 900 ATTTACTATA TCTTCGACAG CTACATCCGC CGGGCCATTG TCCACTGCTT GTGCCCTTGC 25 960 CTGAAAAACT ATGACTTTGG GAGTAGCACT GAGACATCAG ATAGTCACCT CACTAAGGCT 1020. CTCTCCACCT TCATTCATGC AGAAGATTTT GCCAGGAGGA GGAAGAGGTC TGTGTCACTC 1080 1083
 - (181) INFORMATION FOR SEQ ID NO:180:
 - (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 360 amino acids

(B) TYPE: amino acid

	•				GY:		rele	yant							٠	
·	(i	i). M	OLEC	ULE	TYPE	: pr	otei	n					·			-
5	(×	i) S	EQUE:	NCE	DESC	RIPT	ION:	SEQ	ID	NO:1	80:					
	Met 1	Asp	Pro	Glu	Glu 5	Thr	Ser	Val	Tyr	Leu 10	Asp	Tyr	Tyr	Tyr	Ala 15	Thr
	Ser	Pro	Asn	Ser 20	Asp	Ile	Arg	Glu	Thr 25	His	Ser	His	Val	Pro 30	Tyr	Thr
10	Ser	Val	Phe 35	Leu	Pro	Val	Phe	Tyr 40	Thr	Ala	Val	. Phe	Leu 45	Thr	Gly	Val
	Leu	Gly 50	Asn	Leu	Val	Leu	Met 55	Gly	Ala	Leu	His	Phe 60	Lys	Pro	Gly	Ser
15	Arg 65	Arg	Leu	Ile	Asp	Ile 70	Phe	Ile	Ile	Asn	Leu 75	Ala	Ala	Ser	Asp	Phe 80
	Ile	Phe	Leu	Val	Thr 85	Leu	Pro	Leu	Trp	Val 90	Asp	Lys	Glu	Ala	Ser 95	Leu
	Gly	Leu	Trp	Arg 100	Thr	Gly	Ser	Phe	Leu 105	Cys	Lys	Gly	Ser	Ser 110	Tyr	Met
20 .	Ile		Val 115	Asn	Met	His	Cys	Ser 120	Val	Leu	Leu	Leu	Thr 125	Cya	Met	Ser
	Val	Asp 130	Arg	Tyr	Leu	Ala	11e 135	Val	Trp	Pro	Val	Val 140	Ser	Arg	Lys	Phe
25	Arg 145	Arg	Thr	Asp	Cys	Ala 150	Tyr ·	Val	Val	Cys	Ala 155	Ser	Ile	Trp	Phe	Ile 160
	Ser	CÀa	Leu	Leu	Gly 165	Leu	Pro	Thr	Leu	Leu 170	Ser	Arg	Glu	Leu	Thr 175	Leu
	Ile	Asp	Asp	Lys 180	Pro	Tyr	Cys	Ala	Glu 185	Lys	Lys	Ala	Thr	Pro 190	Ile	Lys
	Leu	Ile	Trp 195	Ser	Leu	Val	Ala	Leu 200	lle	Phe	Thr	Phe	Phe 205	Vaļ	Pro	Leu
	Leu	Ser 210	Ile	Val	Thr	Cys	Туг 215	Cys	Cys	Ile	Ala	Arg 220	Lys	Leu	Cys	Ala
35	His 225	Tyr	Gln	Gln	Ser	Gly 230	Lys	His	Asn	Lys	Lys 235	Leu	Lys	Lys	Ser	Lys 240
•	Lys	Ile	Ile	Phe	Ile 245	Val	Val	Ala	Ala	Phe 250	Leu	Val	Ser	Trp	Leu 255	

	Phe	Asn	Thr	Phe 260	Lys	Phe	Leu	Ala	Ile 265	Val	Ser	Gly	Leu	Arg 270	Gln	Glu	
	_ His	Tyr	Leu 275	Pro	Ser	Ala	Ile	Leu 280	Gln	Leu	Gly	Met	Glu 285	Val	Ser	Gly	
5	Pro	Leu 290	Ala	Phe	Ala	Asn	Ser 295	Cys	Val	Asn	Pro	Phe 300	Ile	Tyr	Tyr	Ile	
-	Phe 305	Asp	Ser	Tyr	Ile	Arg 310	Arg	Ala	Ile	Val	His 315	Cys [.]	Leu	Cys	Pro	Cys 320	
10	Leu	Lys	Asn	Tyr.	Asp 325	Phe	Gly ·	Ser	Ser	Thr 330	Glu	Thr	Ser	Asp	Ser 335	His	
	Leu	Thr	Lys	Ala 340	Leu	Śer	Thr	Phe	Ile 345	His	Ala	Glu	Asp	Phe 350	Ala	Arg	
	Arg	Arg	Lys 355	Arg	Ser	Val	Ser	Leu 360									
15	(182) IN	FORM	AT.IOI	1 FOF	SEÇ	Q ID	NO:	181:									
4	(i)	(B)	LEI	NGTH: PE: r	102 ucle	20 ba	ase p acid	pairs				• •					
20				POLO				le									
									i a)								
		i) MC						•									
	(x:	i) SI	EQUE	ICE I	ESC	RIPT	ION:	SEQ	ID N	10:18	31:						
	ATGAATGG	CC T	rgaac	TGGC	TC	CCCCI	AGGT	CTG	ATCAC	CCA A	ACTTO	CTÇCC	CŢ GO	CCAC	CGGC	Ą	60
	GAGCAATG'	rg go	CAGO	GAGAC	GCC	CACTO	GGAG	AAC	TGC	rg T 1	rcgc	TCCI	T C	ACCI	TCT	3	120
25	GATTTTAT	CC TO	GCT	rtagi	TGC	CAA:	racc	CTG	CTC	rgt (GCT	TTC	AT CO	GAGA	ACCA	•	180
	AAGTCCGG	GA CO	CCGC	GCCA/	CG	rgtt	CCTG	ATG	CATC	rgg (CCGT	GCC	SA C	TGTC	GTG	2	240
	GTGCTGGT	CC TO	ĢCCC <i>I</i>	ACCCC	CC1	rggto	CTAC	CAC	TCTC	CTG (GAAG	CACI	rg go	CCATI	rtgg	3	300
	GAAATCGC	AT GO	CCGT	CTCAC	c ccc	CTT	CCTC	TTC	racci	CA I	ACATO	TÁC	3C C	AGCAT	CTA	2	360
	TTCCTCAC	CT GO	CATC	AGCGC	CG?	ACCG	TTTC	CTG	GCCAT	rrĠ 1	rgcao	CCGG	T C	AGT	CCT	2	420
30	AAGCTCCG	CA GO	3CCC	CTCT#	CGC	CACA	CCTG	GCC	rgtgo	CŢ:	CCT	TGGC	T G	STGGT	rggc:	r	480
	GTGGCCAT	GG C	CCGG	CTGCT	GG	rgage	CCCA	CAG	ACCG?	rgc 1	AGAC	CAACO	CA C	ACGGT	rggT	2	54(
	TGCCTGCA	GC TO	GTAC	:GGG	A GAZ	AGGC	CTCC	CAC	CATGO	ccc :	rggt(TCCC	T GO	CAG	rggc	3	600

TTCACCTTCC CGTTCATCAC CACGGTCACC TGCTACCTGC TGATCATCCG CAGCCTGCGG

	CAGGGCCTC	GC G	rgtg	GAGA	A GCC	CCT	CAAG	ACC	AAGGG	CAA I	AACG	CATG	AT C	GCCA:	PAGTO	720
	CTGGCCAT	T TO	CTG	STCT	G CTT	CGT	3CCC	TAC	CACG	rca i	ACCG	CTCC	et C	racg:	rgcTo	780
	CACTACCG	CA GO	CAT	GGGG	CTC	CTG	CGCC	ACC	CAGCO	GCA 1	CCT	GCC	T G	GCAA!	ACCGG	840
	ATCACCTC	CT GO	CTC	ACCA	G CC	CAAC	iggg	GCA	CTCG	ACC (CATO	CATG	FA T	rtct:	CGT	900
5 .	GCTGAGAA	TO	CCGC	CACG	2 001	GTG	CAAC	TTG	CTCTC	TG (GCAA!	AAGG	CT C	AAGG	3CCC	960
	CCCCCCAGO	T TO	CGAA	GGA/	A AAC	CAAC	CGAG	AGC	rcgci	rga (STGC	CAAG	rc a	GAGC	rgtgæ	1020
	(183) IN	FORM	TIOI	o FOI	R SEC	O ID	NO: 1	L82:								
10	(i)	(A) (B) (C)	LEI TYI	CE CINGTH: PE: 6 RANDI	: 339 amino EDNES	ami aci SS:	ino a id	acids								
	(ii	L) MO	OLEC	JLE :	TYPE:	pro	oteir	1 .	•						*	
	. (xi	i) SI	EQUE	NCE I	DESCI	RIPT	ON:	SEQ	ID N	10:18	32:					
15	Met 1	Asn	Gly	Leu	Glu 5	Val	Ala	Pro	Pro	Gly 10	Leu	Ile	Thr	Asn	Phe 15	Ser
-	Leu	Ala	Thr	Ala 20	Glu	Gln	Cyś	Gly	Gln 25	Glu	Thr	Pro	Leu	Glu 30	Asn	Met
20	Leu	Phe	Ala 35	Ser	Phe	Tyr	Leu	Leu 40	Asp	Phe	Ile	Leu	Ala 45	Leu	Val	Gly
	Asn	Thr 50	Leu	Ala	Leu	Trp	Leu 55	Phe	Ile	Arg	Asp	His 60	Lys	Ser	Gly	Thr
	Pro - 65	Ala	Asn	Val	Phe	Leu 70	Met	His	Leu	Ala	Val 75	Ala	Asp	Leu	Ser	Cys 80
25	Val	Leu	Val	Leu	Pró 85	Thr	Arg	Leu	Val	Tyr 90	His	Phe	Ser	Gly	Asn 95	His
	Trp	Pro	Phe	Gly 100	Glu	Ile	Ala		Arg 105	Leu	Thr	Gly	Phe	Leu 110		Tyr
30	Leu	Asn	Met 115		Ala	Ser	Ile	Tyr 120	Phe	Leu	Thr	Cys	Ile 125	Ser	Ala	Asp .
	Arg	Phe 130	Leu	Ala	Ile	Val	His 135	Pro	Val	Lys	Ser	Leu 140	Lys	Leu	Arg	Arg .
	Pro 145	Leu	Tyr	Ala	His	Leu 150	Ala	Суѕ	Ala	Phe	Leu 155	Trp	Val	Val	Val	Ala 160
35	Val	Ala	Met	Ala	Pro	Leu	Leu	Val	Ser	Pro	Gln	Thr	Val	Gln	Thr	Asn

					165	٠.				170					175	
•	His	Thr	Val	Val 180	Cys	Leu	Gln	Leu	Tyr 185	Arg	Glu	Lys	Ala	Ser 190	His	His
5	Ala	Leu	Val 195	Ser	Leu	Ala	Val	Ala 200		Thr	Phe	Pro	Phe 205	Ile	Thr	Thr
	Val	Thr 210		Tyr	Leu	Leu	Ile 215	Ile	Arg	Ser	Leu	Arg 220	Gln	Gly	Leu	Arg
	Val 225	Glu	Lys	Arg	Leu	Lys 230	Thr	Lys	Ala	Lys	Arg 235	Met	Ile	Ala	Ile	Val 240
10	Leu	Ala	Ile	Phe	Leu 245	Val	Сув	Phe	Val	Pro 250	тут	His	Val	Asn	Arg 255	Ser
	Val	Tyr	Val	Leu 260	His	Tyr	Arg	Ser	His 265	Gly	Ala	Ser	Cys	Ala. 270		Gln
15	Arg	Ile	Leu 275	Ala	Leu	Ala	Asn	Arg 280	Ile	Thr	Ser	Cys	Leu 285	Thr	Ser	Leu
	Asn	Gly 290	Ala	Leu	Asp	Pro	Ile 295	Met	Tyr	Phe	Phe	Val 300	Ala	Glu-	Lys	Phe
	Arg 305	His	Ala	Leu	Cys	Asn 310		Leu	Cys	Gly	Lys 315	Arg	Leu	Lys	Gly	Pro 320
20	Pro	Pro	Ser	Phe	Glu 325	Gly	Lys	Thr	Asn	Glu 330	Ser	Ser	Leu		Ala 335	Lys
	Ser	Glu	Leu					• •		-		*				
	(183) IN	FORM	ATION	FOR	SEC	ID	NO:1	.83:								
25	(i	(B)	UENC LEN TYP STR	IGTH: PE: n RANDE	996 ucle DNES	bas ic a S: s	e pa cid ingl	irs								
30	(i.	i) MC	DLECT	LE I	YPE:	DNA	(ge	nomi	.c)							
	(x:	i) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ .	ID N	0:18	3:					
	ATGATCAC	CC TG	BAACA	ATCA	·AGA	TCAA	CCT	GTCC	CTTT	TA A	CAGC	TCAC	A TC	CAGA	TGAA	. 60
	TACAAAAT"	rg CA	GCCC	TTGT	CTI	CTAT	AGC	T GTA	TCTT	CA I	'AATT	GGAT	T AT	TTGT	TAAC	120
	ATCACTGC	AT TA	TGGG	TTTT	CAG	TTGT	ACC	ACCA	AGAA	GA G	AACC	ACGG	T AA	CCAT	CTAT	180
35	ATGATGAA:	rg Te	GCAT	TAGT	GGA	CTTG	ATA	TTTA	TAAT	GA C	TTTA	CCCT	т тс	GAAT	GTTT	240

	TATTATGCAA AAGATGAATG GCCATTTGGA GAGTACTTCT GCCAGATTCT TGGAGCTCTC 3	00
	ACAGTGTTTT ACCCAAGCAT TGCTTTATGG CTTCTTGCCT TTATTAGTGC TGACAGATAC 3	60
	ATGGCCATTG TACAGCCGAA GTACGCCAAA GAACTTAAAA ACACGTGCAA AGCCGTGCTG 4	20
	GCGTGTGTGG GAGTCTGGAT AATGACCCTG ACCACGACCA CCCCTCTGCT ACTGCTCTAT 4	80
5	AAAGACCCAG ATAAAGACTC CACTCCCGCC ACCTGCCTCA AGATTTCTGA CATCATCTAT 5	40
	CTAAAAGCTG TGAACGTGCT GAACCTCACT CGACTGACAT TTTTTTTCTT GATTCCTTTG. 6	00
	TTCATCATGA TTGGGTGCTA CTTGGTCATT ATTCATAATC TCCTTCACGG CAGGACGTCT 6	60
	AAGCTGAAAC CCAAAGTCAA GGAGAAGTCC AAAAGGATCA TCATCACGCT GCTGGTGCAG 7	20
	GTGCTCGTCT GCTTTATGCC CTTCCACATC TGTTTCGCTT TCCTGATGCT GGGAACGGGG 7	80
10	GAGAATAGTT ACAATCCCTG GGGAGCCTTT ACCACCTTCC TCATGAACCT CAGCACGTGT 8	40
	CTGGATGTGA TTCTCTACTA CATCGTTTCA AAACAATTTC AGGCTCGAGT CATTAGTGTC 9	00
	ATGCTATACC GTAATTACCT TCGAAGCATG CGCAGAAAAA GTTTCCGATC TGGTAGTCTA 9	60
	AGGTCACTAA GCAATATAAA CAGTGAAATG TTATGA 9	96
	(185) INFORMATION FOR SEQ ID NO:184:	
15	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 331 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 	
20	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:184:	
	Met Ile Thr Leu Asn Asn Gln Asp Gln Pro Val Pro Phe Asn Ser Ser 1 5 10 15	
25	His Pro Asp Glu Tyr Lys Ile Ala Ala Leu Val Phe Tyr Ser Cys Ile 20 25 30	
	Phe Ile Ile Gly Leu Phe Val Asn Ile Thr Ala Leu Trp Val Phe Ser 35 40 45	
	Cys Thr Thr Lys Lys Arg Thr Thr Val Thr Ile Tyr Met Met Asn Val 50 55 60	
30	Ala Leu Val Asp Leu Ile Phe Ile Met Thr Leu Pro Phe Arg Met Phe 65 70 75 80	•
	Tyr Tyr Ala Lys Asp Glu Trp Pro Phe Gly Glu Tyr Phe Cys Gln Ile 85	

	•																
		Leu	Gly	Ala	Leu 100	Thr	Val	Phe	Tyr	Pro 105	Ser	Ile	Ala	Leu	Trp 110	Leu	Leu
		Ala	Phe	Ile 115	Ser	Ala	Asp	Arg	Tyr 120		Ala	Ile	Val	Gln 125	Pro	Lys	Tyr
5		Ala	Lys 130	Glu	Leu	Lys	Asn	Thr 135	Cys	Lys	Ala	Val	Leu 140	Ala	Cys	Val	Gly
	•	Val 145	Trp	Ile	Met	Thr	Leu 150	Thr	Thr	Thr	Thr	Pro 155	Leu	Leu	Leu	Leu	Tyr 160
10		Lys	Asp	Pro	Asp	Lys 165	Asp	Ser	Thr	Pro	Ala 170	Thr	Cys	Leu	Lys	Ile 175	Ser
		Asp	Ile	Ile	Tyr 180	Leu	Lys	Ala	Val	Asn 185	Val	Leu	Asn	Leu	Thr 190	Arg	Leu
		Thr	Phe	Phe 195	Phe	Leu	Ile	Pro	Leu 200	Phe	Ile	Met ;	Ile	Gly 205	Cys	Tyr	Leu
15		Val	Ile 210	Ile	His	Asn	Leu	Leu 215	His	Gly	Arg	Thr	Ser 220	Lys	Leu	Lys	Pro
<i>:</i>		Lys 225	Val	Lys	Glu	Lys	Ser 230	Lys	Arg	Ile	Ile	11e 235		Leu	Leu	Val	Gln 240
20	•	Val	Leu	Val	CAa	Phe 245	Met	Pro	Phe	His	Ile 250	Cys	Phe	Ala	Phe	Leu 255	Met
٠.	•	Leu	Gly	Thr	Gly 260	Glu	Asn	Ser	Tyr	Asn 265	Pro	Trp	Gly	Ala	Phe 270	Thr	Thr
	÷.	Phe	Leu	Met 275	Asn	Leu	Ser		Cys 280	Leu	Asp	Vaļ	Ile	Leu 285	Tyr	Tyr	Ile
25		Val	Ser 290	Lys	Gln	Phe	Gln	Ala 295	Arg	Val	Ile	Ser	Val. 300	Met	Leu	Tyr	Arg
		Asn 305	Tyr	Leu	Arg	Ser	Met 310		Arg	Lys	Ser	Phe 315	Arg	Ser	Gly	Ser	Leu 320
30		Arg	Ser	Leu	Ser	Asn 325	Ile	Asn	Ser	Glu	Met 330	Leu					
÷	(186) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	185:	<i>:</i>			•				
							~~~~		~~								

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1077 base pairs
    (B) TYPE: nucleic acid
    (C) STRANDEDNESS: single
    (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

	(xi)	SEQUENCE DE	ESCRIPTION:	SEQ ID NO:	185:		
	ATGCCCTCTG	TGTCTCCAGC	GGGGCCCTCG	GCCGGGGCAG	TCCCCAATGC	CACCGCAGTG	6
	ACAACAGTGC	GGACCAATGC	CAGCGGGCTG	GAGGTGCCCC	TGTTCCACCT	GTTTGCCCGG	12
	CTGGACGAGG	AGCTGCATGG	CACCTTCCCA	GGCCTGTGCG	TGGCGCTGAT	GGCGGTGCAC	18
5	GGAGCCATCT	TCCTGGCAGG	GCTGGTGCTC	AACGGGCTGG	CGCTGTACGT	CTTCTGCTGC	24
	CGCACCCGGG	CCAAGACACC	CTCAGTCATC	TACACCATCA	ACCTGGTGGT	GACCGATCTA	306
	CTGGTAGGGC	TGTCCCTGCC	CACGCGCTTC	GCTGTGTACT	ACGGCGCCAG	GGGCTGCCTG	360
	CGCTGTGCCT	TCCCGCACGT	CCTCGGTTAC	TTCCTCAACA	TGCACTGCTC	CATCCTCTTC	420
	CTCACCTGCA	TCTGCGTGGA	CCGCTACCTG	GCCATCGTGC	GGCCCGAAGG	CTCCCGCCGC	486
10	TGCCGCCAGC	CTGCCTGTGC	CAGGGCCGTG	TGCGCCTTCG	TGTGGCTGGC	CGCCGGTGCC	540
	GTCACCCTGT	CGGTGCTGGG	CGTGACAGGC	AGCCGGCCCT	GCTGCCGTGT	CTTTGCGCTG	600
•	ACTGTCCTGG	AGTTCCTGCT	GCCCCTGCTG	GTCATCAGCG	TGTTTACCGG	CCGCATCATG	666
	TGTGCACTGT	CGCGGCCGGG	TCTGCTCCAC	CAGGGTCGCC	AGCGCCGCGT	GCGGGCCAAG	72
	CAGCTCCTGC	TCACGGTGCT	CATCATCTTT	CTCGTCTGCT	TCACGCCCTT	CCACGCCCGC	78
15	CAAGTGGCCG	TGGCGCTGTG	GCCCGACATG	CCACACCACA	CGAGCCTCGT	GGTCTACCAC	84
	GTGGCCGTGA	CCCTCAGCAG	CCTCAACAGC	TGCATGGACC	CCATCGTCTA	CTGCTTCGTC	90
	ACCAGTGGCT	TCCAGGCCAC	CGTCCGAGGC	CTCTTCGGCC	AGCACGGAGA	GCGTGAGCCC	96
	AGCAGCGGTG	ACGTGGTCAG	CATGCACAGG	AGCTCCAAGG	GCTCAGGCCG	TCATCACATC	102
	CTCAGTGCCG	GCCCTCACGC	CCTCACCCAG	GCCCTGGCTA	ATGGGCCCGA	GGCTTAG	107

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 358 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

(187) INFORMATION FOR SEQ ID NO:186:

20

25

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

Met Pro Ser Val Ser Pro Ala Gly Pro Ser Ala Gly Ala Val Pro Asn
1 5 10 15

30 Ala Thr Ala Val Thr Thr Val Arg Thr Asn Ala Ser Gly Leu Glu Val 20 25 30

	Pro	Leu	Phe 35	His	Leu	Phe	Ala	Arg 40	Leu	Asp	Glu	Glu	Leu 45	His	Gly	Thr
	Phe	Pro 50	Gly	Leu	Cys	Val	Ala 55	Leu	Met	Ala	Val	His 60	Gly	Ala	Ile	Phe
5	Leu 65	Ala	Gly	Leu	Val	Leu 70	Asn	Gly	Leu	Ala	Leu 75	Tyr	Val	Phe	Cys	Cys 80
	Arg	Thr	Arg	Ala	Lys 85	Thr	Pro	Ser	Val	Ile 90	Tyr	Thr	Ile	Asn	Leu 95	Val
10	Val	Thr	Asp	Leu 100	Leu	Val	Gly	Leu	Ser 105	Leu	Pro	Thr	Arg	Phe 110	Ala	Val
	Tyr	Tyr	Gly 115	Ala	Arg	Gly	Cys	Leu 120	Arg	Cys	Ala	Phe	Pro 125	His	Val	Leu
	Gly	Tyr 130	Phe	Leu	Asn	Met	His 135	Cys	Ser	Ile	Leu	Phe 140	Leu	Thr	Cys	Ile
15	Cys 145	Val	Asp	Arg	Tyr	Leu 150	Ala	Ile	Val	Arg	Pro 155	Glu	Gly	Ser	Arg	Ala 160
	Cys	Arg	Gln	Pro	Ala 165	Суз	Ala	Arg	Ala	Va:1 170	Cys	Ala	Phe	Val	Trp 175	Leu
20	Ala	Ala	Gly	Ala 180	Val	Thr	Leu	Ser	Val 185	Leu	.Gly	Val	Thr	Gly 190	Ser	Arg
	Pro	_	Сув 195		Val	Phe	Ala	Leu 200	Thr	Val	Leu	Glu	Phe 205	Leu	Leu	Pro
		Leu . 210	Val	Ile	Ser	Val	Phe 215	Thr	Gly	Arg	Ile	Met 220	Cys	Ala	Leu	Ser
25	Arg 225	Pro	Gly	Leu	Leu	His 230	Gln	Gly	Arg	Gln	Arg 235	Arg	Val	Arg	Ala	Lys 240
	Gln	Leu	Leu	Leu	Thr 245	Val	Leu	Ile	Ile	Phe 250	Leu	Val	Суз	Phe	Thr 255	Pro
30	Phe	His	Ala	Arg 260		Val	Ala	Val		Leu	Trp	Pro	Asp	Met 270	Pro	His
	His	Thr	Ser 275			Val	Tyr	His 280		Ala	Val	Thr	Leu 285	Ser	Ser	Leu
	Asn	Ser 290	_	Met	Asp	Pro	Ile 295		Tyr	Cys	Phe	Val 300	Thr	Ser	Gly	Phe
35	Gln 305	Ala	Thr	Val	Arg	Gly 310	Leu	Phe	Gly		His 315	Gly	Glu	Arg	Glu	Pro 320
	Ser	Ser	Gly	Asp	Val	Val	Ser	Met	His	Arg	Ser	Ser	Lys	Gly	Ser	Gly

139

325	330	335

Arg His His Ile Leu Ser Ala Gly Pro His Ala Leu Thr Gln Ala Leu 340 345 350

Ala Asn Gly Pro Glu Ala 355

#### (188) INFORMATION FOR SEQ ID NO:187:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1050 base pairs
  - (B) TYPE: nucleic acid
- 10 (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:

ATGAACTCCA CCTTGGATGG TAATCAGAGC AGCCACCCTT TTTGCCTCTT GGCATTTGGC TATTTGGAAA CTGTCAATTT TTGCCTTTTG GAAGTATTGA TTATTGTCTT TCTAACTGTA 120 TTGATTATTT CTGGCAACAT CATTGTGATT TTTGTATTTC ACTGTGCACC TTTGTTGAAC 180 CATCACACTA CAAGTTATTT TATCCAGACT ATGGCATATG CTGACCTTTT TGTTGGGGTG 240 AGCTGCGTGG TCCCTTCTTT ATCACTCCTC CATCACCCCC TTCCAGTAGA GGAGTCCTTG 300 ACTTGCCAGA TATTTGGTTT TGTAGTATCA GTTCTGAAGA GCGTCTCCAT GGCTTCTCTG 360 20 GCCTGTATCA GCATTGATAG ATACATTGCC ATTACTAAAC CTTTAACCTA TAATACTCTG 420 GTTACACCCT GGAGACTACG CCTGTGTATT TTCCTGATTT GGCTATACTC GACCCTGGTC TTCCTGCCTT CCTTTTTCCA CTGGGGCAAA CCTGGATATC ATGGAGATGT GTTTCAGTGG 540 TGTGCGGAGT CCTGGCACAC CGACTCCTAC TTCACCCTGT TCATCGTGAT GATGTTATAT 600 GCCCCAGCAG CCCTTATTGT CTGCTTCACC TATTTCAACA TCTTCCGCAT CTGCCAACAG CACACAAAGG ATATCAGCGA AAGGCAAGCC CGCTTCAGCA GCCAGAGTGG GGAGACTGGG 720 GAAGTGCAGG CCTGTCCTGA TAAGCGCTAT AAAATGGTCC TGTTTCGAAT CACTAGTGTA 780 TTTTACATCC TCTGGTTGCC ATATATCATC TACTTCTTGT TGGAAAGCTC CACTGGCCAC 840 AGCAACCGCT TCGCATCCTT CTTGACCACC TGGCTTGCTA TTAGTAACAG TTTCTGCAAC 900 TGTGTAATTT ATAGTCTCTC CAACAGTGTA TTCCAAAGAG GACTAAAGCG CCTCTCAGGG 960 GCTATGTGTA CTTCTTGTGC AAGTCAGACT ACAGCCAACG ACCCTTACAC AGTTAGAAGC AAAGGCCCTC TTAATGGATG TCATATCTGA 1050

	(189)	INFC	KMWI	LON	1011												
5		(i)	(A) (B) (C)	LENC TYPE STR	E: an ANDEI	349 nino NESS	amii acio	STICS no ac d eleva	ias						٠		
					LE T	-											
								ON: S									*
10		Met i				5		•			10						
		Leu	Ala		Gly '	Tyr	Leu	Glu '	Thr	Val 25	Asn	Phe (	Cys 1	Leu	Leu 30	Glu	Val
		Leu	Ile	11e 35	Val	Phe	Leu	Thr	Val 40	Leu	Ile	Ile	Ser (	Gly 45	Asn	Ile	Ile
15	,	Val	Ile 50	Phe	Val	Phe	His	Cys 55	Ala	Pro	Leu	Leu	Asn 60	His	His	Thr	Thr
		Ser 65	Tyr	Phe	Ile	Gln	Thr 70	Met	Ala	Tyr	Ala	Asp 75	Leu	Phe	Val	Gly	Val 80
20		Ser	Cys	Val	Val	Pro 85	Ser	Leu	Ser	Leu	Leu 90	His	His	Pro	Leu	Pro 95	Val
		Glu	Glu	Ser	Leu 100	Thr	Cys	Gln	Ile	Phe 105	Gly	Phe	Val	Val	Ser 110	Val	Leu
		Lys	Ser	Val		Met	Ala	Ser	Leu 120	Ala	Сув	Ile	Ser	11e 125	Àsp	Arg	Tyr
25		Ile	Ala		Thr	Lys	Pro	Leu 135	Thr	туг	Asn	Thr	Leu 140	Val	Thr	Pro	Trp
	· .:	Arg		a Arg	, Leu	Cys	11e	e Phe	Lev	ı Ile	e Trp	Leu 155	туг	Ser	Thr	Lev	1 Val 160
30		Phe	. Lei	ı Pro	ser	Phe 165	Phe	e His	Tr	, Gl	y Lys 170	Pro	Gly	Туз	His	5 Gl	y Asp 5
		Va!	L Phe	e Glı	n Trp	o Cys	s Al	a Glu	ı Se	r Tr	р Ніs 5	s Thr	: Asp	Set	r Ty	r Ph O	e Thr
		Le	u Ph	e Il 19		l Me	t Me	t Le	ı Ту 20	r Al O	a Pr	o Ala	a Ala	20	u Il 5	e Va	l Cys
35	5	Ph		r Ty	r Ph	e As	n Il	e Ph	e Ar 5	g Il	e Cy	s Gl	n Gli 22	n Hi O	s Th	r Ly	rs As _]

	Ile 225	Ser	Glu	Arg	Gln	Ala 230	Arg	Phe	Ser	Ser	Gln 235	Ser	Gly	Glu	Thr	Gly 240	
	Glu	Val	Gln	Ala	Cys 245	Pro	Asp	Lys	Arg	Tyr 250	ГÀЗ	Met	Val	Leu	Phe 255	Arg	•
5	Ile	Thr	Ser	Val 260	Phe	Tyr	Ile	Leu	Trp 265	Leu	Pro	Tyr	Ile	Ile 270	Tyr	Phe	
	Leu	Leu	Glu 275	Ser	Ser	Thr	Gly	His 280	Ser	Asn	Arg	Phe	Ala 285	Ser	Phe	Leu	
10	Thr	Thr 290		Leu	Ala	Ile	Ser 295	Asn	Ser	Phe	Cys	Asn 300	Cys	Val	Ile	Tyr	
	Ser 305	Leu	Ser	Asn	Ser	Val 310	Phe	Gln	Arg	Gly	Leu 315	Lys	Arg	Leu	Ser	Gly 320	
	Ala	Met	Cys	Thr	Ser 325	Cys	Ala	Ser	Gln	Thr 330	Thr	Ala	·Asn	Asp	9ro 335	Tyr	
15	Thr	Val	Arg	Ser 340	Lys	Gly	Pro		Asn 345	Gly	Суѕ	His	Ile				٠
	(190) IN	FORM	ATIO	n FO	R SE	Q ID	NO:	189:									•
20	(i	(B	) LE ) TY ) ST	NGTH PE : RAND	: 13 nucl EDNE	02 b eic SS:	ase : acid sing	pair	s	,							
					GY:												
	(i	i) M	OLEC	ULE	TYPE	: DN	A (g	enóm	ic)								
	· (x	i) S	EQUE	NCE	DESC	RIPT	ION:	SEQ	IĐ	NO : 1	89:					٠.	
25	ATGTGTTT	TT C	TCCC	ATTC	T GG	AAAT	CAAC	ATG	CAGT	CTG	AATC	TAAC	T TA	ACAG	TGCG	A	60
	GATGACAT	TG A	TGAC	ATCA	A CA	CCAA	TATG	TAC	CAAC	CAC	TATO	'ATAT	CC G	TTAA	GCTT	T.	120
	CAAGTGTC	TC I	CACC	GGAT	T TC	TTAT	GTTA	GAA	ATTG	TGT	TGGG	ACTI	rgg c	AGCA	ACCI	'C	180
	ACTGTATI	GG I	ACTI	TACI	G CA	TGAA	ATCC	: AAC	TTAA	TCA	ACTO	TGTC	AG I	AACA	TTAT	T	240
	ACAATGAA	ATC. I	TCAT	GTAC	т тс	ATGI	AATA	TTA	TGTG	TGG	GATO	TAT	CC 1	CTAP	CTAI	·A	300
30	GTTATCCT	TC I	GCTI	TCAC	T GG	AGAG	TAAC	: ACI	GCTC	TÇA	TTTC	CTGI	TT C	CATO	AGGC	T	360
*	TGTGTATO	err I	TGC	AGTO	T CI	CAAC	AGC	ATC	AACG	TTT	TTGC	TATO	CAC T	TTG	ACAC	Ä	420
	TATGACA	rct (	TGT	AAA.	C TO	CAA	ACCGA	ATI	CTG	ACAA	TĢGG	GCAG#	AGC 1	TATE	TGT	ra	480
-	ATGATATO	CA 1	rttge	BATT	rr rı	CTT	CTTT	e TCI	TTC	TGA	TTC	CTTT:	rat 1	rgago	KAATE	AT .	540
	TTTTTCAC	GTC 1	rtca <i>i</i>	AAGT	G A	ATA	CTG	GAZ	AAAC	AAGA	CAC	rttt2	ATG :	rgtc/	AGTA	CA	60

	AATGAATACT	ACACTGAACT	GGGAATGTA	T TATC	ACCTGT !	TAGTAC	AGAT C	CCAATA	ATTC	660
	TTTTTCACTG	TTGTAGTAAT	GTTAATCAC	A TACA	CCAAAA '	TACTTC	AGGC T	CTTAAT	TTAT	720
	CGAATAGGCA	CAAGATTTTC	AACAGGGCA	G AAGA	AGAAAG (	CAAGAA	AGAA A	AAGAC	ATT	780
	TCTCTAACCA	CACAACATGA	GGCTACAGA	C ATGT	CACAAA (	GCAGTG	GTGG G.	AGAAA:	rgta	. 840
5	GTCTTTGGTG	TAAGAACTTC	AGTTTCTGT	'A ATAA'	TTGCCC '	TCCGGC	GAGC T	GTGAA	ACGA	900
	CACCGTGAAC	GACGAGAAAG	ACAAAAGAG	A GTCA	AGAGGA '	TGTCTT	TATT G	ATTAT:	TTCT	960
	ACATTTCTTC	TCTGCTGGAC	ACCAATTTC	T GTTT	TAAATA 🔻	CCACCA	TTTT A	TGTTT	AGGC	1020
	CCAAGTGACC	TTTTAGTAAA	ATTAAGATT	G TGTT	TTTTAG '	TCATGG	CTTA T	GGAAC	AACT	1080
	ATATTTCACC	CTCTATTATA	TGCATTCAC	T AGAC	ТАААА	TTCAAA	AGGT C	TTGAA	AAGT	1140
0	AAAATGAAAA	AGCGAGTTGT	TTCTATAGI	'A GAAG	CTGATC	CCCTGC	CTAA T	AATGC'	rgta	1200
	ATACACAACT	CTTGGATAGA	TCCCAAAAG	A AACA	AAAAA	TTACCT	TTGA A	GATAG'	TGAA	1260
	ATAAGAGAAA	AACGTTTAGT	GCCTCAGGT	T GTCA	CAGACT	AG .				1302
	(191) INFO	RMATION FOR	SEQ ID NO	190:	•					•
	(i)	SEQUENCE CH	ARACTERIST	TICS:						
15		(B) TYPE: a	mino acid	acius	,					
		(C) STRANDE (D) TOPOLOG	Y: not re	levant						
	(ii)	MOLECULE I	YPE: prote	∍in						
20	(xi)	SEQUENCE D	ESCRIPTION	N: SEQ	ID NO:1	L90:				
	Met C	ys Phe Ser	Pro Ile Le 5	eu Glu	Ile Asn 10	n Met G	ln Ser	Glu	Ser 15	Asn
	Ile T	hr Val Arg 20	Asp Asp I	le Asp	Asp Ile 25	e Asn T	hr Ası	Met 30	Tyr	Gln
25	Pro I	eu Ser Tyr 35	Pro Leu S	er Phe 40	Gln Val	l Ser I	eu Thi	c Gly	Phe	Leu
		eu Glu Ile 50	Val Leu G		Gly Ser	r Asn I	eu Th	r Val	Leu	Val
30	Leu 7 65	Tyr Cys Met	Lys Ser A	sn Leu	Ile Ası	n Ser \ 75	/al Se:	r Asn	Ile	Ile 80
	Thr N	Met Asn Leu	His Val L 85	eu Asp	Val Ile	e Ile (	Cys Va	l Gly	Суз 95	Ile
	Pro I	Leu Thr Ile	Val Ile L	eu Leu	Leu Se	r Leu (	Glu Se	r Asn	Thr	Ala

				100					105					110		
	Leu	Ile	Cys 115	Cys	Phe	His	Glu	Ala 120	CAa	Val	Ser	Phe .	Ala 125	Ser	Val	Ser
5 `	Thr	Ala 130	Ile	Asn	Val	Phe	Ala 135	Ile	Thr	Leu	Asp	Arg 140	Tyr	Asp	Ile	Ser
	Val 145	Lys	Pro	Ala	Asn	Arg 150	Ile	Leu	Thr	Met	Gly 155	Arg	Ala	Val	Met	Leu 160
	Met	Ile	Ser	Ile	Trp 165	Ile	Phe	Ser	Phe	Phe 170	Ser	Phe	Leu	Ile	Pro 175	Phe
0	Ile	Glu	Val	Asn 180	Phe	Phe	Ser	Leu	Gln 185	Ser	Gly	Asn	Thr	Trp 190	Glu	Asn
	Lys	Thr	Leu 195		Cys	Val	Ser	Thr 200	Asn	Glu	Tyr	Tyr	Thr 205	Glu	Leu	Gly
15	Met	Tyr 210		His	Leu	Leu	Val 215	Gln	Ile	Pro	Ile	Phe 220	Phe	Phe	Thr	Val
	Val 225		. Met	Leu	Ile	Thr 230	Tyr	Thr	Lys	Ile	Leu 235	Gln	Ala	Leu	Asn	Ile 240
٠.	Arg	Ile	Gly	Thr	Arg 245		Ser	Thr	Gly	Gln 250	Lys	Lys	Lys	Ala	Arg 255	Lys
20	Lys	Lys	Thr	260		Leu	Thr	Thr	Gln 265	His	Glu	Ala	Thr	Asp 270	Met	Ser
	Glr	se:	ser 275		, Gly	Arg	Asn	Val 280	. Val	Phe	Gly	Val	Arg 285	Thr	Ser	· Val
25	Sei	va:		e Ile	e Ala	. Lev	Arg 295	Arg	, Ala	val	Lys	Arg	His	Arg	: Glu	a Arg
	Arg 30!		u Arg	g Gli	n Lys	310		Lys	a Arg	, Met	Ser 315	Leu	Lev	ı Ile	e Ile	320
	Th	r Ph	e Le	u Le	u Cys 32!	s Trp 5	Thi	r Pro	o Ile	330	val	. Lev	ı Ası	n Thi	33!	r Ile
30	Le	u Cy	s Le	u Gl 34		o Se	r Asj	o Le	u Let 34!	va. 5	L Lys	: Let	ı Ar	g Let 350	CA:	s Phe
	Le	u Va	1 Me 35		а Ту	r Gl	y Th	r Th	r Il	e Pho	e His	B Pro	36	u Lei 5	u Ty	r Ala
35	Ph	e Th		g Gl	n Ly	s Ph	e Gl 37	n Ly 5	s Va	l Le	u Ly	s Se:	r Ly 0	s Me	t Ly	s Ly
	Ar		al Va	al Se	r _. Il	e Va 39	1 Gl	u Al	a As	p Pr	o Le	u Pr	o As	n As	n Al	a Va 40

Ile His Asn Ser Trp Ile Asp Pro Lys Arg Asn Lys Lys Ile Thr Phe
405 410 415

Glu Asp Ser Glu Ile Arg Glu Lys Arg Leu Val Pro Gln Val Val Thr 420 425 430

5 Asp

## (192) INFORMATION FOR SEQ ID NO:191:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1209 base pairs
- 10 (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

ATGTTGTGTC CTTCCAAGAC AGATGGCTCA GGGCACTCTG GTAGGATTCA CCAGGAAACT 15 CATGGAGAAG GGAAAAGGGA CAAGATTAGC AACAGTGAAG GGAGGGAGAA TGGTGGGAGA GGATTCCAGA TGAACGGTGG GTCGCTGGAG GCTGAGCATG CCAGCAGGAT GTCAGTTCTC 180 AGAGCAAAGC CCATGTCAAA CAGCCAACGC TTGCTCCTTC TGTCCCCAGG ATCACCTCCT CGCACGGGGA GCATCTCCTA CATCAACATC ATCATGCCTT CGGTGTTCGG CACCATCTGC 300 CTCCTGGGCA TCATCGGGAA CTCCACGGTC ATCTTCGCGG TCGTGAAGAA GTCCAAGCTG 360 20 CACTGGTGCA ACAACGTCCC CGACATCTTC ATCATCAACC TCTCGGTAGT AGATCTCCTC 420 TTTCTCCTGG GCATGCCCTT CATGATCCAC CAGCTCATGG GCAATGGGGT GTGGCACTTT 480 GGGGAGACCA TGTGCACCCT CATCACGGCC ATGGATGCCA ATAGTCAGTT CACCAGCACC 540 TACATCCTGA CCGCCATGGC CATTGACCGC TACCTGGCCA CTGTCCACCC CATCTCTTCC 600 ACGAAGTTCC GGAAGCCCTC TGTGGCCACC CTGGTGATCT GCCTCCTGTG GGCCCTCTCC TTCATCAGCA TCACCCCTGT GTGGCTGTAT GCCAGACTCA TCCCCTTCCC AGGAGGTGCA 720 GTGGGCTGCG GCATACGCCT GCCCAACCCA GACACTGACC TCTACTGGTT CACCCTGTAC 780 CAGTTTTCC TGGCCTTTGC CCTGCCTTTT GTGGTCATCA CAGCCGCATA CGTGAGGATC CTGCAGCGCA TGACGTCCTC AGTGGCCCCC GCCTCCCAGC GCAGCATCCG GCTGCGGACA 900 AAGAGGGTGA AACGCACAGC CATCGCCATC TGTCTGGTCT TCTTTGTGTG CTGGGCACCC 960 30 TACTATGTGC TACAGCTGAC CCAGTTGTCC ATCAGCCGCC CGACCCTCAC CTTTGTCTAC 1020 TTATACAATG CGGCCATCAG CTTGGGCTAT GCCAACAGCT GCCTCAACCC CTTTGTGTAC 1080 ATCGTGCTCT GTGAGACGTT CCGCAAACGC TTGGTCCTGT CGGTGAAGCC TGCAGCCCAG 1140

	GGGCAG	CTTC	GCC	GCTG:	rcag	CAA	CGCT	CAG A	ACGG	CTGA	CG A	GGAG	AGGA	AG	AAAGO	AAA	1200	)
	GGCACC	TCA								•							1209	}
	(193)	INFO	ORMA'	TION	FOR	SEQ	ID 1	NO:1	92:								•	
5		(i) [*]	(A) (B) (C)	LENO TYP: STR	GTH: E: a ANDE	ARACT 402 mino DNES Y: n	ami: aci S:	no ao d	cids		. •						·	
0		(ii)	) MO	LECU	LE T	YPE:	pro	tein								-		
						ESCR	•										•	
	M 1		Leu	Cys	Pro	Ser 5	Lys	Thr	Asp	Gly	Ser 10	Gly	His	Ser	Gly .	Arg 15	Ile	
15	F	lis (	Gln		Thr 20	His	Gly	Glu	Gly	Lys 25	Arg	Asp	Lys	Ile	Ser 30	Asn	Ser	•
	C	3lu	Gly	Arg 35	Glu	Asn	Gly	Gly	Arg 40	Gly	Phe	Gln	Met	Asn 45	Gly	Gly	Ser	
			Glu 50	Ala	Głu	His	Ala	Ser 55	Arg	Met	Ser	Val	Leu 60	Arg	Ala	Lys	Pro	
20		Met 65	Ser	Asn	Ser	Gln	Arg 70	Leu	Lẹu	Leu	Leu	Ser 75	Pro	Gly	Ser	Pro	Pro 80	
		Arg	Thr	Gly	Ser	Ile 85	Ser	Tyr	Ile	Asn	Ile 90	lle	Met	Pro	Ser	Val 95	Phe	•
25		Gly	Thr	Ile	Cys 100	Leu	Leu	Gly	Ile	Ile 105	Gly	Asn	Ser	Thr	Val 110	Ile	Phe	
		Ala	Val	Val 115		Ļys	Ser	Lys	Leu 120	His	Trp	Cys	Asn	Asn 125	Val	Pro	Asp	
		Ile	Phe 130	Ile	Ile	Asn	Leu	Ser 135	Val	Val	Asp	Leu	Leu 140	Phe	Leu	Leu	Gly	
30		Met 145	Pro	Phe	Met	Ile	His 150		Leu	Met	Gly	Asn 155	Gly	Val	Trp	His	Phe 160	
		Gly	Glu	Thr	Met	. Cys 165		Leu	Ile	Thr	Ala 170	Met	Asp	Ala	Asn	Ser 175	Gln	
35		Phe	Thr	Ser	Thr 180		Ile	. Leu	Thr	Ala 185		Ala	Ile	Asp	Arg 190	Tyr	Leu	
		Ala	Thr	· Val	. His	Pro	Ile	Ser	Ser	Thr	Lys	Phe	Arg	Lys	Pro	Ser	Val	•

		Ala	Thr 210	Leu	Val	Ile	Cys	Leu 215	Leu	Trp	Ala	Leu	Ser 220	Phe	Ile	Ser	Ile	
5		Thr 225	Pro	Val	Trp	Leu	Tyr 230	Ala	Arg	Leų	Ile	Pro 235	Phe	Pro	Gly	Gly	Ala 240	
		Val	Gly	Cys	Gly	Ile 245	Arg	Leu	Pro	Asn	Pro 250	Asp	Thr	Asp	Leu	Tyr 255	Trp	
		Phe	Thr	Leu	Tyr 260	Gln	Phe	Phe	Leu	Ala 265	Phe	Ala	Leu	Pro	Phe 270	Val	Val	
10		Ile	Thr	Ala 275	Ala	Tyr	Val	Arg	Ile 280	Leu	Gln	Arg	Met	Thr 285	Ser	Ser	Val	
		Ala	Pro 290	Ala	Ser	Gln	Arg	Ser 295	Ile	Arg	Leu	Arg	Thr 300	Lys	Arg	Val	ГÀЗ	
15		Arg 305	Thr	Ala	Ile		11e 310	Cys	Leu	Val	Phe	Phe 315	Val	Cys	Trp	Ala	Pro 320	
		Tyr	Tyr	Val	Leu	Gln 325	Leu	Thr	Gln	Leu	Ser 330		Ser	Arg	Pro	Thr 335	Leu	
		Thr	Phe	Val	Tyr 340	Leu	Tyr	Asn	Ala	Ala 345	Ile	Ser	Leu	Gly	Tyr 350	Ala	Asn	
20		Ser	Cys	Leu 355	Asn	Pro	Phe	Val	Туг 360	Ile	Val	Leu	Cys	Glu 365	Thr	Phe	Arg	
		Lys	Arg 370		Val	Leu	Ser	Val 375	Lys	Pro	Ala	Ala	Gln 380	Gly	Gln	Leu	Arg	
25		Ala 385	Val	Ser	Asn	Ala	Gln 390	Thr	Ala	Asp	Glu	Glu 395		Thr	Glu	Ser	Lys 400	
	(104)	_	Thr	<b>N TT (</b> )	N PO	- CF	TD	NO.	193.									
	(194)	. TW1	OKM	ATTO	N FO	K SE(	עג ג	NO:	193;						٠			
30	. •	(i)	(A (B (C	LE TY	CE CI NGTH PE: 1 RANDI POLO	: 11: nucle EDNE:	28 b eic SS:	ase pacid	pair	5								
		(i:	i) M	OLEC	ULE '	TYPE	: DN	A (g	enom	ic)					Ÿ			
35	•	(x:	i) S	EQUE	NCE I	DESC	RIPT	ION:	SEQ	ID :	NO:1	93:						
	ATGG												•					6
	GCTG	CGGC	CC C	CAAC	ACCA	C CT	cccc	CGAG	CTC.	AACC	TGT	CCCA	CCCG	CT C	CTGG	GCAC	C :	12

	GCCCTGGCCA	ATGGGACAGG	TGAGCTCTCG	GAGCACCAGC	AGTACGTGAT	CGGCCTGTTC	180
	CTCTCGTGCC	TCTACACCAT	CTTCCTCTTC	CCCATCGGCT	TTGTGGGCAA	CATCCTGATC	240
	CTGGTGGTGA	ACATCAGCTT	CCGCGAGAAG	ATGACCATCC	CCGACCTGTA	CTTCATCAAC	300
	CTGGCGGTGG	CGGACCTCAT	CCTGGTGGCC	GACTCCCTCA	TTGAGGTGTT	CAACCTGCAC	360
5	GAGCGGTACT	ACGACATCGC	CGTCCTGTGC	ACCTTCATGT	CGCTCTTCCT	GCAGGTCAAC	420
	ATGTACAGCA	GCGTCTTCTT	CCTCACCTGG	ATGAGCTTCG	ACCGCTACAT	CGCCCTGGCC	480
	AGGGCCATGC	GCTGCAGCCT	GTTCCGCACC	AAGCACCACG	CCCGGCTGAG	CTGTGGCCTC	540
	ATCTGGATGG	CATCCGTGTC	AGCCACGCTG	GTGCCCTTCA	CCGCCGTGCA	CCTGCAGCAC	600
	ACCGACGAGG	CCTGCTTCTG	TTTCGCGGAT	GTCCGGGAGG	TGCAGTGGCT	CGAGGTCACG	660
0	CTGGGCTTCA	TCGTGCCCTT	CGCCATCATC	GCCTGTGCT	ACTCCCTCAT	TGTCCGGGTG	720
	CTGGTCAGGG	CGCACCGGCA	CCGTGGGCTG	CGGCCCCGGC	GGCAGAAGGC	GAAACGCATG	780
	ATCCTCGCGG	TGGTGCTGGT	CTTCTTCGTC	TGCTGGCTGC	CGGAGAACGT	CTTCATCAGC	840
	GTGCACCTCC	TGCAGCGGAC	GCAGCCTGGG	GCCGCTCCCT	GCAAGCAGTC	TTTCCGCCAT	900
	GCCCACCCCC	TCACGGGCCA	CATTGTCAAC	CTCGCCGCCT	TCTCCAACAG	CTGCCTAAAC	960
5	CCCCTCATCT	ACAGCTTTCT	CGGGGAGACC	TTCAGGGACA	AGCTGAGGCT	GTACATTGAG	1020
	CAGAAAACAA	ATTTGCCGGC	CCTGAACCGC	TTCTGTCACG	CTGCCCTGAA	GGCCGTCATT	1080
	CCAGACAGCA	CCGAGCAGTC	GGATGTGAGG	TTCAGCAGTG	CCGTGTGA		1128
	(195) INFO	RMATION FOR	SEQ ID NO:	194:			

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 375 amino acids

- (B) TYPE: amino acid (C) STRANDEDNESS:

  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:194: 25

Met Asp Val Thr Ser Gln Ala Arg Gly Val Gly Leu Glu Met Tyr Pro

Gly Thr Ala His Ala Ala Ala Pro Asn Thr Thr Ser Pro Glu Leu Asn 20 25 30 20 25

Leu Ser His Pro Leu Leu Gly Thr Ala Leu Ala Asn Gly Thr Gly Glu 30 40

	Leu	Ser 50	Glu	His	Gln	Gln	Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
	Tyr 65	Thr	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
5	Leu	Val	Val	Asn	Ile 85	Ser	Phe	Arg	Glu	Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
	Tyr	Phe	Ile	Asn 100	Leu	Ala	Val	Ala	Asp 105	Leu		Leu	Val	Ala 110	Asp	Ser
10	Leu	Ile	Glu 115	Val	Phe	Asn		His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
	Leu	Cys 130	Thr	Phe	Met	Ser	Leu 135		Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
	Val 145	Phe	Phe	Leu	Thr	Trp 150	Met	Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
15					165				•	170		,	His	: .	175	
				180					185					190		Pro .
20	Phe	Thr	Ala 195	Val	His	Leu	Gln	His 200		Asp	Glu	Ala	205 Cys	Phe	Cys	Phe
		210					215		÷			220	Leu			
	225					230				,	235	•	Ile			240
25					245					250		,	Arg		255	
		•		260					265					270		Trp
30			275		٠.			280	, -				285			Gln
		290	•				295					300				Leu
	305	1				310				٠	315	•				320
35	Pro	Lev	ılle	туг	Ser 325		Leu	ı Gly	/ Glu	330		Arg	Asp	Lys	335	Arg
	Leu	тут	: Ile	Glu	Glr	Lys	Thr	Asr	ı Lev	ı Pro	Ala	Lev	ı Asn	Arg	Phe	Cys

PCT/US99/23938

10

30

149

340 345 350

His Ala Ala Leu Lys Ala Val Ile Pro Asp Ser Thr Glu Gln Ser Asp 355 360 365

Val Arg Phe Ser Ser Ala Val 5. 370 375

#### (196) INFORMATION FOR SEQ ID NO:195:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 960 base pairs
  - (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:195:

ATGCCATTCC CAAACTGCTC AGCCCCCAGC ACTGTGGTGG CCACAGCTGT GGGTGTCTTG 60 CTGGGGCTGG AGTGTGGGCT GGGTCTGCTG GGCAACGCGG TGGCGCTGTG GACCTTCCTG 15 TTCCGGGTCA GGGTGTGGAA GCCGTACGCT GTCTACCTGC TCAACCTGGC CCTGGCTGAC CTGCTGTTGG CTGCGTGCCT GCCTTTCCTG GCCGCCTTCT ACCTGAGCCT CCAGGCTTGG CATCTGGGCC GTGTGGGCTG CTGGGCCCTG CGCTTCCTGC TGGACCTCAG CCGCAGCGTG GGGATGGCCT TCCTGGCCGC CGTGGCTTTG GACCGGTACC TCCGTGTGGT CCACCCTCGG 360 CTTAAGGTCA ACCTGCTGTC TCCTCAGGCG GCCCTGGGGG TCTCGGGCCT CGTCTGGCTC 420 CTGATGGTCG CCCTCACCTG CCCGGGCTTG CTCATCTCTG AGGCCGCCCA GAACTCCACC 480 AGGTGCCACA GTTTCTACTC CAGGGCAGAC GGCTCCTTCA GCATCATCTG GCAGGAAGCA 540 CTCTCCTGCC TTCAGTTTGT CCTCCCCTTT GGCCTCATCG TGTTCTGCAA TGCAGGCATC 600 ATCAGGGCTC TCCAGAAAAG ACTCCGGGAG CCTGAGAAAC AGCCCAAGCT TCAGCGGGCC AAGGCACTGG TCACCTTGGT GGTGGTGCTG TTTGCTCTGT GCTTTCTGCC CTGCTTCCTG 720 GCCAGAGTCC TGATGCACAT CTTCCAGAAT CTGGGGAGCT GCAGGGCCCT TTGTGCAGTG 780 GCTCATACCT CGGATGTCAC GGGCAGCCTC ACCTACCTGC ACAGTGTCGT CAACCCCGTG GTATACTGCT TCTCCAGCCC CACCTTCAGG AGCTCCTATC GGAGGGTCTT CCACACCCTC CGAGGCAAAG GGCAGGCAGC AGAGCCCCCA GATTTCAACC CCAGAGACTC CTATTCCTGA 960

(i) SEQUENCE CHARACTERISTICS:

(197) INFORMATION FOR SEQ ID NO:196:

(A) LENGTH: 319 amino acids

		(B)	STE	PE: & RANDE	mino EDNES	aci SS:	.d		•							
5	(ii	L) MC	LECT	πe i	YPE:	pro	teir	ı								
	(xi	i) SE	EQUE	ICE I	ESCF	RIPTI	: ÑO	SEQ	ID N	10:19	96 :	•				÷
	Met 1	Pro	Phe	Pro	Asn 5	Cys	Ser	Ala	Pro	Ser 10	Thr	Val	Val	Ala	Thr 15	Ala
10	Val	Gly	Val	Leu 20	Leu	Gly	Leu	Glú	Cys 25	Gly	Leu	Gly	Leu	Leu 30	Gly	Asn
	Ala	Val	Ala 35	Leu	Trp	Thr	Phe	Leu 40	Phe	Arg	Val	Arg	Val 45	Trp	Lys	Pro
	Tyr	Ala 50	Val	Tyr	Leu	Leu	Asn 55	Leu	Ala	Leu	Ala	Asp 60.	Leu	Leu	Leu	Ala
15	Ala 65	Cys	Leu	Pro	Phe	Leu 70	Ala	Ala	Phe	Tyr	Leu 75	Ser	Leu	Gln	Ala	Trp 80
	His	Leu	Gly	Arg	Val 85	Gly	Cys	Trp	Ala	Leu 90	Arg	Phe	Leu	Leu	Asp 95	Leu
20	Ser	Arg	Ser	Val 100	Gly	Met	Ala	Phe	Leu 105	Ala	Ala	Val	Ala	Leu 110	Asp	Arg
	Tyr	Leu	Arg 115		Val	His	Pro	Arg 120	Leu	Lys	Val	Asn	Leu 125		Ser	Pro
	Gln	Ala. 130	Ala	Leu	Gly	Val	Ser 135	Gly	Leu	Val	Trp	Leu 140	Leu	Met	Val	Ala
25	Leu 145	Thr	Cys	Pro	Gly	Leu 150	Leu	Ile	Ser	Glu	Ala 155	Ala	Gln	Asn	Ser	Thr 160
	Arg	Cys	His	Ser	Phe 165	Tyr	Ser	Arg	Ala	Asp 170	Gly	Ser	Phe	Ser	11e 175	Ile
30	Trp	Gln		Ala 180	Leu	Ser	Cys	Leu	Gln 185	Phe	Val	Leu	Pro	Phe 190	Gly	Leu
	Ile	Val	Phe 195	СЛа	Asn	Ala	Gly	Ile 200	Ile	Arg	Ala	Leu	Gln 205		Arg	Leu
	Arg	Glu 210	Pro	Glu	Lys	Gln	Pro 215	Lys	Leu	Gln	Arg	Ala 220		Ala	Leu	Val
35	Thr 225	Leu	Val	Val	Val	Leu 230	Phe	Ala	Leu	Cys	Phe 235	Leu	Pro	Cys	Phe	Leu 240
	Ala	Arg	Val	Leu	Met	His	Ile	Phe	Gln	Asn	Leu	Gly	Ser	Cys	Arg	Ala

		245	250		255
	Leu Cys Ala Val 260	Ala His Thr S	Ser Asp Val 265	Thr Gly Ser	Leu Thr Tyr 270
5	Leu His Ser Val 275	· ·	Val Val Tyr 280	Cys Phe Ser 285	Ser Pro Thr
	Phe Arg Ser Ser 290	Tyr Arg Arg \ 295	Val Phe His	Thr Leu Arg 300	Gly Lys Gly
	Gln Ala Ala Glu 305	Pro Pro Asp 1	Phe Asn Pro	Arg Asp Ser 315	Tyr Ser
10	(198) INFORMATION FOR	SEQ ID NO:1	97:		
15	(B) TYPE: n	1143 base pa ucleic acid DNESS: single	airs		
	(ii) MOLECULE T	YPE: DNA (ge)	nomic)	•	
	(xi) SEQUENCE D			97:	
	ATGGAGGAAG GTGGTGATTT			*.	GAGTGTGAG 60
	TACACAGACT GGAAATCCTC	GGGGGCCCTC	ATCCCTGCCA '	TCTACATGTT G	GTCTTCCTC 120
20	CTGGGCACCA CGGGAAACGG	• .			
	AGGCGCTCAG CTGATATCTT	CATTGCTAGC	CTGGCGGTGG	CTGACCTGAC C	TTCGTGGTG 240
	ACGCTGCCCC TGTGGGCTAC	CTACACGTAC	CGGGACTATG	ACTGGCCCTT T	GGGACCTTC 300
	TTCTGCAAGC TCAGCAGCTA	CCTCATCTTC	GTCAACATGT	ACGCCAGCGT C	TTCTGCCTC 360
	ACCGGCCTCA GCTTCGACCG	CTACCTGGCC	ATCGTGAGGC	CAGTGGCCAA T	GCTCGGCTG 420
25	AGGCTGCGGG TCAGCGGGGC	CGTGGCCACG	GCAGTTCTTT	GGGTGCTGGC C	GCCCTCCTG 480
	GCCATGCCTG TCATGGTGTT	ACGCACCACC	GGGGACTTGG	AGAACACCAC T	AAGGTGCAG 540
	TGCTACATGG ACTACTCCAT	GGTGGCCACT	GTGAGCTCAG	AGTGGGCCTG G	GAGGTGGGC 600
	CTTGGGGTCT CGTCCACCAC	CGTGGGCTTT	GTGGTGCCCT	TCACCATCAT G	CTGACCTGT 660
	TACTTCTTCA TCGCCCAAAC	: CATCGCTGGC	CACTTCCGCA	AGGAACGCAT C	GAGGGCCTG 720
30	CGGAAGCGGC GCCGGCTTAA	GAGCATCATC	GTGGTGCTGG	TGGTGACCTT T	GCCCTGTGC 780
	TGGATGCCCT ACCACCTGGT	GAAGACGCTG	TACATGCTGG	GCAGCCTGCT G	CACTGGCCC 840

TGTGACTTTG ACCTCTTCCT CATGAACATC TTCCCCTACT GCACCTGCAT CAGCTACGTC

- 5

	AACAGCTGCC TCAACCCCTT CCTCTATGCC TTTTTCGACC CCCGCTTCCG CCAGGCCTGC 96	0													
	ACCTCCATGC TCTGCTGTGG CCAGAGCAGG TGCGCAGGCA CCTCCCACAG CAGCAGTGGG 102	0													
	GAGAAGTCAG CCAGCTACTC TTCGGGGCAC AGCCAGGGGC CCGGCCCCAA CATCGGCAAG 108	0													
	GGTGGAGAAC AGATGCACGA GAAATCCATC CCCTACAGCC AGGAGACCCT TGTGGTTGAC 114	0													
5	TAG 114	3													
	(199) INFORMATION FOR SEQ ID NO:198:														
10	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 380 amino acids  (B) TYPE: amino acid  (C) STRANDEDNESS:  (D) TOPOLOGY: not relevant  (ii) MOLECULE TYPE: protein														
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:														
15	Met Glu Glu Gly Gly Asp Phe Asp Asn Tyr Tyr Gly Ala Asp Asn Gln 1 5 10 15														
15	Ser Glu Cys Glu Tyr Thr Asp Trp Lys Ser Ser Gly Ala Leu Ile Pro 20 25 30														
	Ala Ile Tyr Met Leu Val Phe Leu Leu Gly Thr Thr Gly Asn Gly Leu 35 40 45														
20	Val Leu Trp Thr Val Phe Arg Ser Ser Arg Glu Lys Arg Arg Ser Ala 50 55 60														
	Asp Ile Phe Ile Ala Ser Leu Ala Val Ala Asp Leu Thr Phe Val Val 65 70 75 80														
25	Thr Leu Pro Leu Trp Ala Thr Tyr Thr Tyr Arg Asp Tyr Asp Trp Pro 85 90 95														
	Phe Gly Thr Phe Phe Cys Lys Leu Ser Ser Tyr Leu Ile Phe Val Asn 100 105 110														
	Met Tyr Ala Ser Val Phe Cys Leu Thr Gly Leu Ser Phe Asp Arg Tyr 115 120 125														
30	Leu Ala Ile Val Arg Pro Val Ala Asn Ala Arg Leu Arg Leu Arg Val 130 135 140														
	Ser Gly Ala Val Ala Thr Ala Val Leu Trp Val Leu Ala Ala Leu Leu 145 150 155 160														
35	Ala Met Pro Val Met Val Leu Arg Thr Thr Gly Asp Leu Glu Asn Thr 165 170 175														

Thr Lys Val Gln Cys Tyr Met Asp Tyr Ser Met Val Ala Thr Val Ser 180 185 190

		Ser	Glu	Trp 195	Ala	Trp	Glu	Val	Gly 200	Leu	Gly	Val	Ser	Ser 205	Thr	Thr	Val	
5		Gly	Phe 210	Val	Val	Pro	Phe	Thr 215	Ile	Met	Leu	Thr	Cys 220	Tyr	Phe	Phe	Ile	
		Ala 225	Gln	Thr	Ile	Ala	Gly 230	His	Phe	Arg	Lys	Glu 235	Arg	Ile	Glu	Gly	Leu 240	
0		Arg	Lys	Arg	Arg	Arg 245	Leu	Lys	Ser	Ile	11e 250		Val	Leu	Val	Val 255	Thr	
		Phe	Ala	Leu	Cys 260	-	Met	Pro	Tyr	His 265	Leu	Val	Lys	Thr	Leu 270	Tyr	Met	
		Leu	Gly	Ser 275	Leu :	Leu	His	Trp	Pro 280	Cys	Asp	Phe	Asp	Leu 285	Phe	Leu	Met	
5		Asn [.]	Ile 290	Phe	Pro	Tyr	СЛа	Thr 295	Сув	Ile	Ser	Tyr	Val 300	Asn	Ser	Cys	Leu	
		Asn 305	Pro	Phe	Leu	Tyr	Ala 310	Phe	Phe	Asp	Pro	Arg 315	Phe	Arg	Gln	Ala	Cys 320	
20		Thr	Ser	Met	Leu	Cys 325	Суз	Gly	Gln	Ser	Arg 330	Cys	Ala	Gly	Thr	Ser 335	His	
-		Ser	Ser	Ser	Gly 340	Glu	Lys	Ser	Ala	Ser 345	Tyr	Ser	Ser	Gly	His 350	Ser	Gln	
		Gly	Pro	Gly 355	Pro	Asn	Met	Gly	Lys 360	Gly	Gly	Glu	Gl'n	Met 365	His	Glu	Lys	
25		Ser	Ile 370	Pro	Tyr	Ser	Gln	Glu 375	Thr	Leu	Val	Val	Asp 380	٠				
	(200)	INF	ORMA	MOITA	FOR	SEÇ	) ID	NO:1	.99:					-				
80		(i)	_	LEN	E CH GTH: E: n	111	.9 ba	se p		3				٠				
		٠	(C)	STR	ANDE	DNES	S: s	ingl	.e									
		(ii	.) MC	LECU	LE I	YPE:	DNA	(ge	nomi	.c)								
		ix)	.) SE	QUEN	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:19	9:						
15	ATGAA	CTAC	C CG	CTAA	CGCI	GGA	AATO	GAC	CTC	SAGAZ	CC 1	rggac	GACC	T GI	TCT	GGA	4	60
	CTGGA	CAGA	T TG	GACA	ACTA	TAP	CGAC	CACC	ŤCCC	TGGT	rgg <i>I</i>	LAAAI	CATO	T CI	GCCC	TGC	2 1	.20

	ACAGAGGGTC	CCCTCATGGC	CTCCTTCAAG	GCCGTGTTCG	TGCCCGTGGC	CTACAGCCTC	180
	ATCTTCCTCC	TGGGCGTGAT	CGGCAACGTC	CTGGTGCTGG	TGATCCTGGA	GCGGCACCGG	240
	CAGACACGCA	GTTCCACGGA	GACCTTCCTG	TTCCACCTGG	CCGTGGCCGA	CCTCCTGCTG	300
	GTCTTCATCT	TGCCCTTTGC	CGTGGCCGAG	GGCTCTGTGG	GCTGGGTCCT	GGGGACCTTC	360
5	CTCTGCAAAA	CTGTGATTGC	CCTGCACAAA	GTCAACTTCT	ACTGCAGCAG	CCTGCTCCTG	420
	GCCTGCATCG	CCGTGGACCG	CTACCTGGCC	ATTGTCCACG	CCGTCCATGC	CTACCGCCAC	480
	CGCCGCCTCC	TCTCCATCCA	CATCACCTGT	GGGACCATCT	GGCTGGTGGG	CTTCCTCCTT	540
	GCCTTGCCAG	AGATTCTCTT	CGCCAAAGTC	AGCCAAGGCC	ATCACAACAA	CTCCCTGCCA	600
	CGTTGCACCT	TCTCCCAAGA	GAACCAAGCA	GAAACGCATG	CCTGGTTCAC	CTCCCGATTC	660
0	CTCTACCATG	TGGCGGGATT	CCTGCTGCCC	ATGCTGGTGA	TGGGCTGGTG	CTACGTGGGG	720
	GTAGTGCACA	GGTTGCGCCA	GGCCCAGCGG	CGCCCTCAGC	GGCAGAAGGC	AAAAAGGGTG	780
	GCCATCCTGG	TGACAAGCAT.	CTTCTTCCTC	TGCTGGTCAC	CCTACCACAT	CGTCATCTTC	840
	CTGGACACCC	TGGCGAGGCT	GAAGGCCGTG	GACAATACCT	GCAAGCTGAA	TGGCTCTCTC	900
	CCCGTGGCCA	TCACCATGTG	TGAGTTCCTG	GGCCTGGCCC	ACTGCTGCCT	CAACCCCATG	960
5.	CTCTACACTT	TCGCCGGCGT	GAAGTTCCGC	AGTGACCTGT	CGCGGCTCCT	GACCAAGCTG	1020
	GGCTGTACCG	GCCCTGCCTC	CCTGTGCCAG	CTCTTCCCTA	GCTGGCGCAG	GAGCAGTCTC	1080
	TCTGAGTCAG	AGAATGCCAC	CTCTCTCACC	ACGTTCTAG		•	1119
	(201) INFO	MATTON FOR	SEO ID NO:2	200:		•	

(i) SEQUENCE CHARACTERISTICS: 20

(A) LENGTH: 372 amino acids

- (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:

Met Asn Tyr Pro Leu Thr Leu Glu Met Asp Leu Glu Asn Leu Glu Asp 1 .

Leu Phe Trp Glu Leu Asp Arg Leu Asp Asn Tyr Asn Asp Thr Ser Leu 25

30 Val Glu Asn His Leu Cys Pro Ala Thr Glu Gly Pro Leu Met Ala Ser

Phe Lys Ala Val Phe Val Pro Val Ala Tyr Ser Leu Ile Phe Leu Leu

	•		50					55					60			,	
		Gly 65	Val	Ile	Gly	Asn	Val 70	Leu	Val	Leu		11e 75	Leu	Glu	Arg	His	Arg 80
5 .		Gln	Thr	Arg	Ser	Ser 85	Thr	Glu	Thr	Phe	Leu 90	Phe	His	Leu	Ala	Val 95	Ala
		Asp	Leu	Leu	Leu 100	Val	Phe	Ile	Leu	Pro 105	Phe	Ala	Val	Ala	Glu 110	Gly	Ser
		Val	Gly	Trp 115	Val	Leu	Gly	Thr	Phe 120	Leu	Суз	Lys	Thr	Val 125	Ile	Ala	Leu
10			130					135		•			140	Ala			
•		145	, -				150	-				155		Ala			160
15						165				•	170			Ile		175	
	•	1. T			180					185			-	Lys	190		
				195		,			200					Ser 205	-		•
20			210					215					220	Leu			
	•	225			•		230		•			235		Сув			240
25						245					250	٠		Gln		255	
			-		260					265				Phe	270		
				275					280	•				Ala 285			
30			290					295					300	Pro			
		305			•		310					315		Leu			320
35						325	٠				330			Leu		335	
		Leu	Thr	Lys	Leu 340	Gly	Cys	Thr	Gly	Pro 345	Ala	Ser	Leu	Cys	Gln 350	Leu	Phe

WO 00/22129 PCT/US99/23938

156

Pro Ser Trp Arg Arg Ser Ser Leu Ser Glu Ser Glu Asn Ala Thr Ser 355 360 365

Leu Thr Thr Phe

- 5 (202) INFORMATION FOR SEQ ID NO:201:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 1128 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
- 10 (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:201:

ATGGATGTGA CTTCCCAAGC CCGGGGCGTG GGCCTGGAGA TGTACCCAGG CACCGCGCAG 60 CCTGCGGCCC CCAACACCAC CTCCCCCGAG CTCAACCTGT CCCACCCGCT CCTGGGCACC 120 GCCCTGGCCA ATGGGACAGG TGAGCTCTCG GAGCACCAGC AGTACGTGAT CGGCCTGTTC CTCTCGTGCC TCTACACCAT CTTCCTCTTC CCCATCGGCT TTGTGGGCAA CATCCTGATC 240 CTGGTGGTGA ACATCAGCTT CCGCGAGAAG ATGACCATCC CCGACCTGTA CTTCATCAAC 300 CTGGCGGTGG CGGACCTCAT CCTGGTGGCC GACTCCCTCA TTGAGGTGTT CAACCTGCAC GAGCGGTACT ACGACATCGC CGTCCTGTGC ACCTTCATGT CGCTCTTCCT GCAGGTCAAC 420 20 ATGTACAGCA GCGTCTTCTT CCTCACCTGG ATGAGCTTCG ACCGCTACAT CGCCCTGGCC 480 AGGGCCATGC GCTGCAGCCT GTTCCGCACC AAGCACCACG CCCGGCTGAG CTGTGGCCTC 540 ATCTGGATGG CATCCGTGTC AGCCACGCTG GTGCCCTTCA CCGCCGTGCA CCTGCAGCAC ACCGACGAGG CCTGCTTCTG TTTCGCGGAT GTCCGGGAGG TGCAGTGGCT CGAGGTCACG 660 CTGGGCTTCA TCGTGCCCTT CGCCATCATC GGCCTGTGCT ACTCCCTCAT TGTCCGGGTG 720 25 CTGGTCAGGG CGCACCGGCA CCGTGGGCTG CGGCCCCGGC GGCAGAAGGC GAAGCGCATG 780 840 GTGCACCTCC TGCAGCGGAC GCAGCCTGGG GCCGCTCCCT GCAAGCAGTC TTTCCGCCAT 900 GCCCACCCC TCACGGGCCA CATTGTCAAC CTCACCGCCT TCTCCAACAG CTGCCTAAAC 960 CCCCTCATCT ACAGCTTTCT CGGGGAGACC TTCAGGGACA AGCTGAGGCT GTACATTGAG 1020 CAGAAACAA ATTTGCCGGC CCTGAACCGC TTCTGTCACG CTGCCCTGAA GGCCGTCATT 1080 CCAGACAGCA CCGAGCAGTC GGATGTGAGG TTCAGCAGTG CCGTGTAG 1128

(203) INFORMATION FOR SEQ ID NO:202	: :
-------------------------------------	-----

•																
5	(i)	(A) (B) (C)	LEN TYP STR	IGTH: PE: a LANDE	375 mino DNES	ami aci S:	STIC no a d	cids	•							
	(ii	) MC	LECU	LE I	YPE:	pro	tein		-							
	(xi	) SE	QUEN	ICE I	ESCR	IPTI	ON:	SEQ	ID N	0:20	2:					٠
	Met	) an	val	Thr	Ser	Gln	Ala	Arq	Gly	Val	Gly	Leu	Glu	Met	Tyr	Pro
10	1	riop			5					10					15	
-	Gly	Thr	Ala	Gln 20	Pro	Ala	Ala	Pro	Asn 25	Thr	Thr	Ser	Pro	Glu 30	Leu _.	Asn
	Leu	Ser	His 35	Pro	Leu	Leu	Gly	Thr 40	Ala	Leu	Ala	Asn	Gly 45	Thr	Gly	Glu
15	Leu	Ser 50	Glu	His	Gln	Gln	Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
	Туг 65	Thr	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
20	Leu	Val	Val	Asn	Ile 85	Ser	Phe	Arg	Glu	Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
	Tyr	Phe	Ile	Asn 100	Leu	Ala	Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
	Leu	Ile	Glu 115	Val	Phe	Asn	Leu	His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
25	Leu	Cys 130		Phe	Met	Ser	Leu 135		Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
-	Val 145	Phe	Phe	Leu	Thr	Trp 150	Met	Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
30	Arg	Ala	Met	Arg	Cys 165		Leu	Phe	Arg	Thr 170		His	His	Ala	Arg 175	Leu
-	Ser	Cys	Gly	Leu 180		Trp	Met	Ala	Ser 185	Val	Ser	Ala	Thr	Leu 190	Val	Pro
	Phe	Thr	Ala 195		His	Leu	Gln	His 200		Asp	Glu	Ala	Cys 205	Phe	Cys	Phe
35	Ala	Asp 210		Arg	Glu	Val	. Gln 215		Leu	Glu	Val	Thr 220	Leu	Gly	Phe	Ile
	Val	Pro	Phe	Ala	Ile	: Ile	Gly	Lev	. Cys	Туг	Ser	Leu	Ile	val	Arg	Val

PCT/US99/23938

	225		230		235	240
	. Leu V	_	is Arg His 45	Arg Gly Leu 250	Arg Pro Arg Arg	Gln Lys 255
5	Ala L	ys Arg Met I 260	le Leu Ala	Val Val Leu 265	Val Phe Phe Val	Cys Trp
	Leu P	ro Glu Asn Va 275	al Phe Ile	Ser Val His 280	Leu Leu Gln Arg 285	Thr Gln
		ly Ala Ala Pi 90	ro Cys Lys 295	Gln Ser Phe	Arg His Ala His	Pro Leu
0	Thr G	ly His Ile V	al Asn Leu 310	Thr Ala Phe	Ser Asn Ser Cys 315	Leu Asn 320
	Pro L	_	er Phe Leu 25	Gly Glu Thr 330	Phe Arg Asp Lys	Leu Arg
.5	Leu T	yr Ile Glu G 340	ln Lys Thr	Asn Leu Pro 345	Ala Leu Asn Arg	Phe Cys
	His A	la Ala Leu Ly 355	ys Ala Val	Ile Pro Asp 360	Ser Thr Glu Gln 365	Ser Asp
		rg Phe Ser Se 70	er Ala Val 375	100		
20	(204) INFO	RMATION FOR	SEQ ID NO:	203:		
25		SEQUENCE CHAI  (A) LENGTH:  (B) TYPE: nuc  (C) STRANDEDI  (D) TOPOLOGY	1137 base cleic acid NESS: sing	pairs	·	
	•	MOLECULE TY		enomic)		
	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:20	D3:	-
	ATGGACCTGG	GGAAACCAAT (	GAAAAGCGTG	CTGGTGGTGG (	CTCTCCTTGT CATTTI	CCAG 60
	GTATGCCTGT	GTCAAGATGA (	GGTCACGGAC	GATTACATCG (	GAGACAACAC CACAGI	GGAC 120
0	TACACTTTGT	TCGAGTCTTT	GTGCTCCAAG	AAGGACGTGC (	GGAACTTTAA AGCCTG	GTTC 180
	CTCCCTATCA	TGTACTCCAT (	CATTTGTTTC	GTGGGCCTAC	rgggcaatgg gctggt	CGTG 240
	TTGACCTATA	TCTATTTCAA (	GAGGCTCAAG	ACCATGACCG A	ATACCTACCT GCTCA	CCTG 300
	GCGGTGGCAG	ACATCCTCTT	CCTCCTGACC	CTTCCCTTCT (	GGGCCTACAG CGCGGC	CAAG 360
	TCCTGGGTCT	TCGGTGTCCA	CTTTTGCAAG	CTCATCTTTG (	CCATCTACAA GATGAG	CTTC 420

	TTCAGTGGCA															480
	GCTGTCTCAG	CTC	ACCG	CCA	CCGT	GCCC	GC G	TCCT	TCTC	A TC	AGCA	AGCT	GTC	CTGT	GTG	540
	GGCATCTGGA	TAC	TAGO	CAC	AGTG	CTCT	CC F	ATCCC	AGAG	C TC	CTGT	'ACAG	TGÀ	CCTC	CAG	600
	AGGAGCAGCA	GTG	AGCA	AGC	GATG	CGAT	GC 1	CTCI	CATC	A CA	GAGC	ATGT	GGA	GGCC	TTT	660
5	ATCACCATCO	AGG	TGGC	CCA	GATG	GTGA	TC (	GCTI	TCTG	G TC	cccc	TGCT	GGC	CATG	AGC	720
	TTCTGTTACC	TTG	TCAT	CAT	ccG	ACCO	TG (	CTCC	AGGCA	C GC	CAACT	TTGA	GCG	CAAC	AAG	780
	GCCAAAAAGG	TG#	TCAT	rcgc	TGT	GTC	TG (	GTCTT	CATA	G T	CTTCC	CAGCI	GCC	CTAC	TAAT	840
	GGGGTGGTC	TGG	SCCC#	AGAC	GGT	GCC	AAC 1	TTCA	ACATO	A C	CAGT	AGCAC	CTC	TGAC	CTC	900
	AGTAAGCAA	TC	ACA?	rcgc	CTA	CGAÇ	STC 2	ACCT	ACAGO	CC . TO	GCC.	rgcgi	r ccc	CTG	CTGC	960
10	GTCAACCCT	r TC	rtgt?	ACGC	CTT	CATC	GC (	GTCA	AGTTO	C G	CAAC	GATC'	r CT	CAAC	CTC	1020
	TTCAAGGAC	TGC	GCT	<b>SCCT</b>	CAG	CAG	GAG	CAGC'	TCCGC	C A	GTGG'	rctt(	CTO	STCG	CAC	1080
	ATCCGGCGC'	r cc	rcca'	TGAG	ŢGT	GGAG	GCC	GAGA	CCAC	CA C	CACC'	TTCT	c cc	CATA	3	1137
	(205) INF	ORMA'	TION	FOR	SEQ	ID I	NO : 2	04:								
15	(i)	(A) (B) (C)	LEN TYP STR	GTH: E: a ANDE	ARAC 378 mino DNES	ami aci S:	no a d	cids	<i>1</i> .							
	(ii	) MO	LECU	LE T	YPE:	pro	teir	1								
20									ID N							
	Met 1	Asp	Leu	Gly	Lys 5	Pro	Met	Lys	Ser	Val 10	Leu	Val	Val	Ala	Leu 15	Leu
	Val	Ile	Phe	Gln 20	Val	Сув	Leu	Суз	Gln 25	Asp	Glu	Val	Thr	qeA 06	Asp	Tyr
25	Ile	Gly	Asp 35	Asn	Thr	Thr	Val	Asp 40	Tyr	Thr	Leu	Phe	Glu 45	Ser	Leu	Cys
	Ser	Lys 50	Lys	Asp	Val	Arg	Asn 55	Phe	Lys	Ala	Trp	Phe 60	Leu	Pro	Ile	Met
30	Tyr 65	Ser	Ile	Ile	Cys	Phe 70	Val	Gly	Leu	Leu	Gly 75	Asn	Gly	Leu	Val	Val 80
	Leu	Thr	Tyr	Ile	Tyr 85	Phe	Lys	Arg	Leu	Lys 90	Thr	Met	Thr	Asp	Thr 95	Tyr
	Leu	Leu	Asn	Leu	Ala	Val	Ala	Asp	Ile	Leu	Phe	Leu	Leu	Thr	Leu	Pro

					100					105					110		•
		Phe	Trp	Ala 115	Tyr	Ser	Ala	Ala	Lys 120	Ser	Trp	Val	Phe	Gly 125	Val	His	Phe
5		Суѕ	Lys 130	Leu	Ile	Phe	Ala	Ile 135	Tyr	Lys	Met	Ser	Phe 140	Phe	Ser	Gly	Met
		Leu 145	Leu	Leu	Leu	Cys	Ile 150		Ile	Asp	Arg	Tyr 155	Val	Ala	Ile	Val	Gln 160
		Ala	Val	Ser	Ala	His 165	Arg	His	Arg	Ala	Arg 170	Vaļ	Leu	Leu	Ile	Ser 175	Lys
10	٠.	Leu	Ser	Cys	Val 180	Gly	Ile	Trp	Ile	Leu 185	Ala	Thr	Val	Leu	Ser 190	Ile	Pro
٠		Glu	Leu	Leu 195	Tyr	Ser	Asp	Leu	Gln 200	Arg	Ser	Ser	Ser	Glu 205	Gln	Ala	Met
15		Arg	Cys 210	Ser	Leu	Ile	Thr	Glu 215	His	Val	Glu	Ala	Phe 220	Ile	Thr	Ile	Gln
		Val 225	Ala	Gln	Met	Val	Ile 230	Gly	Phe	Leu	Val	Pro 235	Leu	Leu	Ala	Met	Ser 240
		Phe	Cys	Tyr	Leu	Val 245	Ile	Ile	Arg	Thr	Leu 250	Leu	Gln	Ala	Arg	Asn 255	Phe
20		Glu	Arg	Asn	Lys 260	Ala	Lys	Lys	Val	11e 265	Ile	Ala	Val	Val	Val 270	Val	Phe
		Ile	Val	Phe 275	Gln	Leu	Pro	Tyr	Asn 280	Gly	Val	Val	Leu	Ala 285	Gln	Thr	Val
25		Ala	Asn 290	Phe	Asn	Ile	Thr	Ser 295	Ser	Thr	Сув	Glu	Leu 300	Ser	Lys	Gln	Leu
		Asn 305	Ile	Ala	Tyr	Asp	Val 310	Thr	Tyr	Ser	Leu	Ala 315	Cys	Val	Arg	Cys	Cys 320
		Val	Asn	Pro	Phe	Leu 325	Tyr	Ala	Phe	Ile	Gly 330	Val	Lys	Phe	Arg	Asn 335	Asp
30		Leu	Phe	Lys	Leu 340	Phe	Lys	Asp	Leu	Gly 345	Сув	Leu	Ser	Gln	Glu 350	Gln	Leu
		Arg	Gln	Trp 355	Ser	Ser	Cys	Arg	His 360	Ile	Arg	Arg	Ser	Ser 365	Met	Ser	Val
35		Glu	Ala 370	Glu	Thr	Thr	Thr	Thr 375		Ser	Pro				•		
	(206	) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	205:								

(1)	SEQUENCE	CHARACTERISTICS:
111	SPSOUVER	CIBECTERICS I CO.

- (A) LENGTH: 1086 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- 5 (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:

		ATGGATATAC	AAATGGCAAA	CAATTTTACT	CCGCCCTCTG	CAACTCCTCA	GGGAAATGAC	60
		TGTGACCTCT	ATGCACATCA	CAGCACGGCC	AGGATAGTAA	TGCCTCTGCA	TTACAGCCTC	120
	10	GTCTTCATCA	TTGGGCTCGT	GGGAAACTTA	CTAGCCTTGG	TCGTCATTGT	TCAAAACAGG	180
		AAAAAAATCA	ACTCTACCAC	CCTCTATTCA	ACAAATTTGG	TGATTTCTGA	TATACTTTTT	240
		ACCACGGCTT	TGCCTACACG	AATAGCCTAC	TATGCAATGG	GCTTTGACTG	GAGAATCGGA	300
		GATGCCTTGT	GTAGGATAAC	TGCGCTAGTG	TTTTACATCA	ACACATATGC	AGGTGTGAAC	360
		TTTATGACCT	GCCTGAGTAT	TGACCGCTTC	ATTGCTGTGG	TGCACCCTCT	ACGCTACAAC	420
-	15	AAGATAAAAA	GGATTGAACA	TGCAAAAGGC	GTGTGCATAT	TTGTCTGGAT	TCTAGTATTT	480
		GCTCAGACAC	TCCCACTCCT	CATCAACCCT	ATGTCAAAGC	AGGAGGCTGA	AAGGATTACA	540
		TGCATGGAGT	ATCCAAACTT	TGAAGAAACT	AAATCTCTTC	CCTGGATTCT	GCTTGGGGCA	600
		TGTTTCATAG	GATATGTACT	TCCACTTATA	ATCATTCTCA	TCTGCTATTC	TCAGATCTGC	660
		TGCAAACTCT	TCAGAACTGC	CAAACAAAAC	CCACTCACTG	AGAAATCTGG	TGTAAACAAA	720
	20	AAGGCTAAAA	ACACAATTAT	TCTTATTATT	GTTGTGTTTG	TTCTCTGTTT	CACACCTTAC	780
		CATGTTGCAA	TTATTCAACA	TATGATTAAG	AAGCTTCGTT	TCTCTAATTT	CCTGGAATGT	840
	•	AGCCAAAGAC	ATTCGTTCCA	GATTTCTCTG	CACTTTACAG	TATGCCTGAT	GAACTTCAAT	900
		TGCTGCATGG	ACCCTTTTAT	CTACTTCTTT	GCATGTAAAG	GGTATAAGAG	AAAGGTTATG	960
		AGGATGCTGA	AACGGCAAGT	CAGTGTATCG	ATTTCTAGTG	CTGTGAAGTC	AGCCCCTGAA	1020
	25	GAAAATTCAC	GTGAAATGAC	AGAAACGCAG	ATGATGATAC	ATTCCAAGTC	TTCAAATGGA	1080
		AAGTGA						1086

#### (207) INFORMATION FOR SEQ ID NO:206:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 361 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

30

(D) TOPOLOGY: not relevant

									_							
	(ii	) MO	LECU	LE I	YPE:	pro	tein	ı				•		•		
	(xi	) SE	QUEN	ICE I	ESCR	RIPTI	ON:	SEQ	ID N	10:20	6 :					
	Met 1	Asp	Ile	Gln	Met 5	Ala,	Asn	Asn	Phe	Thr 10	Pro	Pro	Ser	Ala	Thr 15	Pro
5	Gln	Gly	Asn	Asp 20	Суз	Asp	Leu	Tyr	Ala 25	His	His	Ser	Thr	Ala 30	Arg	Ile
	Val	Met	Pro 35	Leu	His	Tyr	Ser	Leu 40	Val	Phe	Ile	Ile	Gly 45	Leu	Val	Gly ·
10	Asn	Leu 50	Leu	Ala	Leu	Val	Val 55	Ile	Val	Gln	Asn	Arg 60	Lys	Lys	Ile	Asn
	Ser 65	Thr	Thr	Leu	Tyr	Ser 70	Thr	Asn	Leu	Val	Île 75	Ser	Asp	Ile	Leu	Phe 80
•	Thr	Thr	Ala	Leu	Pro 85	Thr	Arg	Ile	Ala	Tyr 90	Tyr	Ala	Met	Gly	Phe 95	Asp
15	Trp	Arg	Ile	Gly 100	Asp	Ala	Leu	Сув	Arg 105	Ile	Thr	Ala	Leu	Val 110	Phe	Tyr.
	Ile	Asn	Thr 115	Tyr	Ala	Gly	Val	Asn 120	Phe	Met	Thr	Cys	Leu 125	Ser	Ile	Asp
20	Arg	Phe 130	Ile	Ala	Val	Val	His 135	Pro	Leu	Arg	Tyr	Asn 140	Lys	Ile	Lys	Arg
	Ile 145	Glu	His	Ala		Gly 150		Cys	Ile	Phe	Val 155	Trp	Ile	Leu	Val	Phe 160
	Ala	Gln	Thr	Leu	Pro 165	Leu	Leu	Ile	Asn	Pro 170		Ser	Lys	Gln	GÌu 175	Ala
25	Glu	Arg	Ile	Thr 180		Met	Glu	тух	Pro 185		Phe	Glu	Glu	Thr 190	Lys	Ser
	Leu	Pro	Trp 195		Leu	Leu		Ala 200		Phe	Ile	Gly	Туг 205		Leu	Pro
30	Leu	210		Ile	Leu	Ile	Cys 215		Ser	Gln	Ile	Cys 220	Cys	Lys	Leu	Phe
	Arg 225		Ala	Lys	Gln	Asn 230		Leu	Thr	Glu	Lys 235		Gly	Val	Asn	Lys 240
	Lys	Ala	Lys	Asn	Thr		lle	Leu		: Ile			Phe	Val	Leu 255	Cys

35

250 255

Phe Thr Pro Tyr His Val Ala Ile Ile Gln His Met Ile Lys Lys Leu 260 265 270

	Arg Phe Ser Asn Phe Leu Glu Cys Ser Gln Arg His Ser Phe Gln Ile 275 280 285	
	Ser Leu His Phe Thr Val Cys Leu Met Asn Phe Asn Cys Cys Met Asp 290 295 300	
5	Pro Phe Ile Tyr Phe Phe Ala Cys Lys Gly Tyr Lys Arg Lys Val Met 305 310 315 320	
	Arg Met Leu Lys Arg Gln Val Ser Val Ser Ile Ser Ser Ala Val Lys 325 330 335	l
10	Ser Ala Pro Glu Glu Asn Ser Arg Glu Met Thr Glu Thr Gln Met Met 340 345 350	:
	Ile His Ser Lys Ser Ser Asn Gly Lys 355 360	
	(208) INFORMATION FOR SEQ ID NO:207:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1446 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:207:	
	ATGCGGTGGC TGTGGCCCCT GGCTGTCTCT CTTGCTGTGA TTTTGGCTGT GGGGCTAAGC	60
	AGGGTCTCTG GGGGTGCCCC CCTGCACCTG GGCAGGCACA GAGCCGAGAC CCAGGAGCAG	120
	CAGAGCCGAT CCAAGAGGG CACCGAGGAT GAGGAGGCCA AGGGCGTGCA GCAGTATGTG	180
	CCTGAGGAGT GGGCGGAGTA CCCCCGGCCC ATTCACCCTG CTGGCCTGCA GCCAACCAAG	240
25	CCCTTGGTGG CCACCAGCCC TAACCCCGAC AAGGATGGGG GCACCCCAGA CAGTGGGCAG	300
	GAACTGAGGG GCAATCTGAC AGGGGCACCA GGGCAGAGGC TACAGATCCA GAACCCCCTG	360
	TATCCGGTGA CCGAGAGCTC CTACAGTGCC TATGCCATCA TGCTTCTGGC GCTGGTGGTG	420
	TTTGCGGTGG GCATTGTGGG CAACCTGTCG GTCATGTGCA TCGTGTGGCA CAGCTACTAC	480
	CTGAAGAGCG CCTGGAACTC CATCCTTGCC AGCCTGGCCC TCTGGGATTT TCTGGTCCTC	540
30	TTTTTCTGCC TCCCTATTGT CATCTTCAAC GAGATCACCA AGCAGAGGCT ACTGGGTGAC	600
	GTTTCTTGTC GTGCCGTGCC CTTCATGGAG GTCTCCTCTC TGGGAGTCAC GACTTTCAGC	660
	CTCTGTGCCC TGGGCATTGA CCGCTTCCAC GTGGCCACCA GCACCCTGCC CAAGGTGAGG	720

CCCATCGAGC GGTGCCAATC CATCCTGGCC AAGTTGGCTG TCATCTGGGT GGGCTCCATG

	ACGCTGGCTG	TGCCTGA	AGCT	CCT	GCTG'	rgg	CAGC'	rggc <i>i</i>	AC A	GGAG	CCTG	CC	CCAC	CATG	840
	GGCACCCTGG	ACTCATO	CAT	CAT	SAAA	CCC	TCAG	CCAG	C T	GCCC	GAGT	c cc	rgta:	<b>FTCA</b>	900
	CTGGTGATGA	CCTACC	AGAA	CGC	CCGC	ATG	TGGT	GTA(	CT T	TGGC'	TGCT	A CT	rctg	CCTG	960
	CCCATCCTCT	TCACAG	CAC	CTG	CCAG	CTG	GTGA	CATG	GC G	GGTG	CGAG	G CC	CTCC	AGGG	1020
5	AGGAAGTCAG	AGTGCAG	GGC	CAG	CAAG	CAC	GAGC	AGTG	rg A	GAGC	CAGC	r ca	AGAG	CACC	1080
	GTGGTGGGCC	TGACCG	rggt	CTA	CGCC'	TTC	TGCA	CCCT	cc c	AGAG.	AACG'	r cr	GCAA	CATC	1140
	GTGGTGGCCT	ACCTCT	CCAC	CGA	GCTG.	ACC	CGCC.	AGAC	CC T	GGAC	CTCC'	r GG	GCCT	CATC	-1200
	AACCAGTTCT	CCACCT	rctt	CAA	GGGC	GCC	ATCA	cccc	AG T	GCTG	CTCC'	г тт	GCAT	CTGC	1260
	AGGCCGCTGG	GCCAGG	CCTT	CCT	GGAC	TGC	TGCT	GCTG	CT G	CTGC	TGTG	A GG	agtg	CGGC	1320
0	GGGGCTTCGG	AGGCCT	CTGC	TGC	CAAT	GGG	TCGG	ACAA	CA A	GCTC	AAGA	C CG	AGGT	GTCC	1380
	TCTTCCATCT	ACTTCC	ACAA	GCC	CAGG	GAG	TCAC	cccc.	AC T	CCTG	CCCC	T GG	GCAC	ACCT	1440
	TGCTGA			. =											1446
	(209) INFO	RMATION	FOR	SEQ	ID	NO : 2	:80		-	٠					
5		SEQUENC (A) LEN (B) TYP (C) STR (D) TOP	GTH: E: a: ANDE	481 mino DNES	ami aci S:	no a	cids		•						
	(ii)	MOLECU	LE T	YPE:	pro	teir	1		. •						
20	(xi)	SEQUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:20	8:					
	Met A	rg Trp		Trp 5	Pro	Leu	Ala	Val	Ser 10	Leu	Ala	Val	Ile	Leu 15	Ala
	Val G	ly Leu	Ser 20	Arg	Val	Ser	Gly	Gly 25	Ala	Pro	Leu	His	Leu 30	Gly	Arg
25	His A	rg Ala 35	Glu	Thr	Gln	Glu	Gln 40	Gln	Ser	Arg	Ser	Lys 45	Arg	Gly	Thr
		sp Glu 0	Glu	Ala	Lys	Gly 55	Val	Gln	Gln	Tyr	Val 60	Pro	Glu	Glu	Trp
30	Ala G 65	du Tyr	Pro	Arg	Pro 70	Ile	His	Pro	Ala	Gly 75	Leu	Gln	Pro	Thr	80 Lys
	· Pro L	eu Val	Ala	Thr 85	Ser	Pro	Asn	Pro	Asp 90	Lys	qeA	Gly	Gly	Thr 95	Pro
	Asp S	er Gly	Gln	Glu	Leu	Arg	Gly	Asn	Leu	Thr	Gly	Ala	Pro	Gly	Gln

				100					105					110		
	Arg	Leu	Gln 115	Ile	Gln	Asn	Pro	Leu 120	Tyr	Pro	Val	Thr	Glu 125	Ser	Ser	Tyr
5	Ser	Ala 130	Tyr	Ala	Ile	Met	Leu 135	Leu	Ala	Leu	Val	Val 140	Phe	Ala	Val	Gly
	Ile 145	Val	Gly	Asn	Leu	Ser 150	Val	Met	Суѕ	Ile	Val 155	Trp	His	Ser	Tyr	Tyr 160
	Leu	Lys	Ser	Ala	Trp 165	Asn	Ser	Ile	Leu	Ala 170	Ser	Leu	Ala	Leu	Trp 175	Asp.
0	Phe	Leu	Val	Leu 180	Phe	Phe	Cys	Leu	Pro 185	Ile	Val	Ile	Phe	Asn 190	Glu	Ile
· .	Thr	Lys	Gln 195	Arg	Leu	Leu	Gly	Asp 200	Val	Ser	Cys	Arg	Ala 205	Val	Pro	Phe
5	Met	Glu 210	Val	Ser	Ser	Leu	Gly 215	Val	Thr	Thr	Phe	Ser 220	Leu	Cys	Ala	Leu
	Gly 225		Asp	Arg	Phe	His 230	Val	Ala	Thr	Ser	Thr 235	Leu	Pro	Lys	Val	Arg 240
	Pro	Ile	Glu	Arg	Cys 245	Gln	Ser	Ile	Leu	Ala 250	Lys	Leu	Ala	Val	Ile 255	Trp
20	Val	Gly	Ser	Met 260		Leu	Ala	Val	Pro 265		Leu	Leu	Leu	Trp 270	Gln	Leu
	Ala	Gln	Glu 275		Ala	Pro	Thr	Met 280	Gly	Thr	Leu	Asp	Ser 285	Суз	Ile	Met
25	Lys	Pro 290	Ser	Ala	Ser	Leu	Pro 295		Ser	Leu	Tyr	Ser 300		Val	Met	Thr
	Туг 305		Asn	Ala	Arg	Met 310		Trp	Туг	Phe	Gly 315		Tyr	Phe	Cys	Leu 320
	Pro	Ile	Leu	Phe	Thr 325		Thr	Cys	Gln	Leu 330		Thr	Trp	Arg	Val 335	Arg
30	Gly	Pro	Pro	Gly 340		Lys	Ser	Glu	Cys 345	Arg	Ala	Ser	Lys	His 350	Glu	Gln
	Суя	Glu	Sex 355		Leu	Lys	Ser	Thr 360		. Val	. Gly	Leu	365	Val	Val	Tyr
35	Ala	2 Phe	e Cys	Thr	Lev	Pro	375		Val	Cys	. Asn	11e 380		. Val	Ala	Tyr
	Leu 385		Thi	Glu	. Lev	1 Thr 390		g Gln	Thr	. Leu	395		. Lev	Gly	Leu	11e

. •	Asn	Gln	Phe	Ser	Thr 405	Phe	Phe	Lys	Gly	Ala 410	Ile	Thr	Pro	Val	Leu 415	Leu
	Leu	Cys	Ile	Cys 420	-	Pro	Leu	Gly	Gln 425	Ala	Phe	Leu	Asp	Cys 430	Cys	Cys
5	Cys	Cys	Cys 435	Cys	Glu	Glu	Cys	Gly 440	Gly	Ala	Ser	Glu	Ala 445	Ser	Ala	Ala
	Asn	Gly 450	Ser	Asp	Asn	Lys		Lys		Glu	Val	Ser 460	Ser	Ser	Ile	Tyr
0 .	Phe 465	His	Lys	Pro	Arg	Glu 470	Ser	Pro	Pro	Leu	Leu 475	Pro	Leu	Gly	Thr	Pro 480
	Суз															

#### (210) INFORMATION FOR SEQ ID NO:209:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1101 base pairs
- (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:209: 20

	ATGTGGAACG	CGACGCCCAG	CGAAGAGCCG	GGGTTCAACC	TCACACTGGC	CGACCTGGAC	60
	TGGGATGCTT	CCCCGGCAA	CGACTCGCTG	GGCGACGAGC	TGCTGCAGCT	CTTCCCCGCG	120
	CCGCTGCTGG	CGGGCGTCAC	AGCCACCTGC	GTGGCACTCT	TCGTGGTGGG	TATCGCTGGC	180
	AACCTGCTCA	CCATGCTGGT	GGTGTCGCGC	TTCCGCGAGC	TGCGCACCAC	CACCAACCTC	240
25	TACCTGTCCA	GCATGGCCTT	CTCCGATCTG	CTCATCTTCC	TCTGCATGCC	CCTGGACCTC	300
	GTTCGCCTCT	GGCAGTACCG	GCCCTGGAAC	TTCGGCGACC	TCCTCTGCAA	ACTCTTCCAA	360
	TTCGTCAGTG	AGAGCTGCAC	CTACGCCACG	GTGCTCACCA	TCACAGCGCT	GAGCGTCGAG	420
	CGCTACTTCG	CCATCTGCTT	CCCACTCCGG	GCCAAGGTGG	TGGTCACCAA	GGGGCGGGTG	480
	AAGCTGGTCA	TCTTCGTCAT	CTGGGCCGTG	GCCTTCTGCA	GCGCCGGGCC	CATCTTCGTG	540
30	CTAGTCGGGG	TGGAGCACGA	GAACGGCACC	GACCCTTGGG	ACACCAACGA	GTGCCGCCCC	600
	ACCGAGTTTG	CGGTGCGCTC	TGGACTGCTC	ACGGTCATGG	TGTGGGTGTC	CAGCATCTTC	.660
	TTCTTCCTTC	CTGTCTTCTG	TCTCACGGTC	CTCTACAGTC	TCATCGGCAG	GAAGCTGTGG	720
	CGGAGGAGGC	GCGGCGATGC	TGTCGTGGGT	GCCTCGCTCA	GGGACCAGAA	CCACAAGCAA	780 [°]

	ACCAAGAAA	AA TG	CTGG	CTGT	AGT	GGTG	TTT	GCCT	TCAT	CC I	CTGC	TGGC	T CC	CCTT	CCAC	840
	GTAGGGCG	TA TA	TTAT	TTTC	CAA	ATCC	TTT	GAGC	CTGG	CT C	CTTG	GAGA	T TG	CTCA	GATC	900
	AGCCAGTAC	T GC	AACC	TCGT	GTC	CTTT	GTC	CTCT	TCTA	.cc ı	CAGI	GCTG	C CA	TCAA	.cccc	960
	ATTCTGTAC	CA AC	ATCA	TGTC	CAA	GAAG	TAC	CGGG	TGGC	AG I	GTTC	AGAC	т тс	TGGG	ATTC	1020
5	GAACCCTTC	T CC	CAGA	GAAA	GCT	CTCC	ACT	CTGA	AAGA	TGA	AAGI	TCTC	G GG	CCTG	GACA	1080
	GAATCTAGT	TT AT	TAATA	CATC	A											1101
	(211) INI	FORMA	AOITA	1 FOR	SEQ	ID	NO:2	10:		•						
10		(B) (C) (D)	LEN TYPE STF TOP	NGTH: PE: a RANDE POLOG	366 minc DNES	ami aci S: ot r	no a d	cids ant							٠	
		i) MC							~D \							
	•	i) SE										<b>m</b> 1	· ·		The sec	Tou
15	Met 1	Trp	Asn	Ala	Thr 5	Pro	Ser	Gin	GIU	10	GIA	Pne	ASI	теп	15	Leu .
	Ala	Asp	Leu	Asp 20	Trp	Asp	Ala	Ser	Pro 25	Gly	Asn	Asp	Ser	Leu 30	Gly	Asp
20	Glu	Leu	Leu 35	Gln	Leu	Phe		Ala 40	Pro	Leu	Leu	Ala	Gly 45	Val	Thr	Ala
	Thr	Суз 50	Val	Ala	Leu	Phe	Val 55	val	Gly	Ile	Ala	Gly 60	Asn	Leu	Leu	Thr
	Met 65	Leu	Val	Val	Ser	Arg 70	Phe	Arg	Glu	Leu	Arg 75	Thr	Thr	Thr	Asn	Leu 80
25	Tyr	Leu	Ser	Ser	Met 85	Ala	Phe	Ser	Asp	Leu 90	Leu	Ile	Phe	Leu	Cys 95	Met
	Pro	Leu	Asp	Leu 100	Val	Arg	Leu	Trp	Gln 105	Tyr	Arg	Pro	Trp	Asn 110	Phe	Gly
30	Asp	Leu	Leu 115		Lys	Leu	Phe	Gln 120	Phe	Val	Ser	Glu	Ser 125	Сув	Thr	Tyr
	Ala	Thr 130		Leu	Thr	Ile	Thr 135		Leu ·	Ser	Val	Glu 140		Tyr	Phe	Ala
	Ile 145	Cys	Phe	Pro	Leu	Arg 150		Lys	Val	Val	Val 155		Lys	Gly	Arg	Val 160
35	Lys	Leu	Val	Ile	Phe	Val	Įle	Trp	Ala	Val	Ala	Phe	Cys	Ser	Ala	Gly

					165					170					175		
	Pro	Ile	Phe	Val 180	Leu	Val	Gly	Val	Glu 185	His	Glu	Asn	Gly	Thr 190	Asp	Pro	
5	Trp	Asp	Thr 195	Asn	Glu	Çys	Arg	Pro 200	Thr	Glu	Phe	Ala	Val 205	Arg	Ser	Gly	٠
	Leu	Leu 210	Thr	Val	Met	Val	Trp 215	Val	Ser	Ser	Ile	Phe 220	Phe	Phe	Leu	Pro	
	Val 225	Phe	Cys	Leu	Thr	Val 230	Leu	Tyr	Ser		Ile 235	Gly	Arg	Lys	Leu	Trp 240	
10	Arg	Arg	Arg	Arg	Gly 245	Asp	Ala	Val	Val	Gly 250	Ala	Ser	Leu	Arg	Asp 255	Gln	
	Asn	His	Lys	Gln 260	Thr	Lys	Lys	Met	Leu 265	Ala	Val	Val	Val	Phe 270	Ala	Phe	
15	Ile	Leu	Cys 275		Leu	Pro	Phe	His 280	Val	Gly	Arg	Tyr	Leu 285	Phe	Ser	Lys	
	Ser	Phe 290	Glu	Pro	Gly	Ser	Leu 295	Glu	Ile	Ala	Gln	Ile 300	Ser	Gln	Tyr	Cys	
	Asn 305	Leu	Val	Ser	Phe	Val 310	Leu	Phe	Tyr	Leu	Ser 315	Ala	Ala	Ile	Asn	Pro 320	
20	Ile	Leu	Tyr	Asn	Ile 325		Ser	Lys	Lys	Tyr 330		Val	Ala	Val	Phe 335	Arg	
	Leu	Leu	Gly	Phe 340		Pro	Phe	Ser	Gln 345		Lys	Leu	Ser	Thr 350	Ĺeu	Lys	
25	Asp	Glu	Ser 355		Arg	Ala	Trp	Thr 360		Ser	Ser	Ile	Asn 365				-
	(212) IN	IFORM	ATIO	N FO	R SE	Q ID	NO:	211:									
30	<b>(</b> i	(B	) LE ) TY ) ST	CE C NGTH PE: RAND	: 18 nucl EDNE	42 b eic SS:	ase acid sing	pair	'S						·		
		Li) M									٠						
	•	ki) S															
	ATGCGAGG																60
35	AAGGTGT	erg c	CTCT	TCTG	C CC	TCGG	GGTC	GCC	CCT	CGT	CCAC	DAAAS	GA I	ACTI	GTCI	rg.	120
	GGGGAGAG	GCT G	TGC	ACCTA	AC AG	TGAT	CCAC	CGC	CCGCG	GCA	GGGZ	ACGCC	TG C	GGA(	CGGG	A	180

	AATTCTGCAA GAGACGTTCT GCGAGCCCGA GCACCCAGGG AGGAGCAGGG GGCAGCGTTT	240
	CTTGCGGGAC CCTCCTGGGA CCTGCCGGCG GCCCCGGGCC GTGACCCGGC TGCAGGCAGA	300
	GGGGCGGAGG CGTCGGCAGC CGGACCCCCG GGACCTCCAA CCAGGCCACC TGGCCCCTGG	360
	AGGTGGAAAG GTGCTCGGGG TCAGGAGCCT TCTGAAACTT TGGGGAGAGG GAACCCCACG	420
5	GCCCTCCAGC TCTTCCTTCA GATCTCAGAG GAGGAAGAGA AGGGTCCCAG AGGCGCTGGC	480
	ATTTCCGGGC GTAGCCAGGA GCAGAGTGTG AAGACAGTCC CCGGAGCCAG CGATCTTTTT	540
	TACTGGCCAA GGAGAGCCGG GAAACTCCAG GGTTCCCACC ACAAGCCCCT GTCCAAGACG	600
	GCCAATGGAC TGGCGGGCCA CGAAGGGTGG ACAATTGCAC TCCCGGGCCG GGCGCTGGCC	660
	CAGAATGGAT CCTTGGGTGA AGGAATCCAT GAGCCTGGGG GTCCCCGCCG GGGAAACAGC	720
0	ACGAACCGGC GTGTGAGACT GAAGAACCCC TTCTACCCGC TGACCCAGGA GTCCTATGGA	780
	GCCTACGCGG TCATGTGTCT GTCCGTGGTG ATCTTCGGGA CCGGCATCAT TGGCAACCTG	840
	GCGGTGATGT GCATCGTGTG CCACAACTAC TACATGCGGA GCATCTCCAA CTCCCTCTTG	900
	GCCAACCTGG CCTTCTGGGA CTTTCTCATC ATCTTCTTCT GCCTTCCGCT GGTCATCTTC	960
	CACGAGCTGA CCAAGAAGTG GCTGCTGGAG GACTTCTCCT GCAAGATCGT GCCCTATATA	1020
5	GAGGTCGCCT CTCTGGGAGT CACCACTTTC ACCTTATGTG CTCTGTGCAT AGACCGCTTC	1080
	CGTGCTGCCA CCAACGTACA GATGTACTAC GAAATGATCG AAAATTGTTC CTCAACAACT	1140
	GCCAAACTTG CTGTTATATG GGTGGGAGCT CTATTGTTAG CACTTCCAGA AGTTGTTCTC	1200
	CGCCAGCTGA GCAAGGAGGA TTTGGGGTTT AGTGGCCGAG CTCCGGCAGA AAGGTGCATT	1260
	ATTAAGATCT CTCCTGATTT ACCAGACACC ATCTATGTTC TAGCCCTCAC CTACGACAGT	1320
20	GCGAGACTGT GGTGGTATTT TGGCTGTTAC TTTTGTTTGC CCACGCTTTT CACCATCACC	1380
	TGCTCTCTAG TGACTGCGAG GAAAATCCGC AAAGCAGAGA AAGCCTGTAC CCGAGGGAAT	1440
	AAACGGCAGA TTCAACTAGA GAGTCAGATG AAGTGTACAG TAGTGGCACT GACCATTTTA	1500
	TATGGATTTT GCATTATTCC TGAAAATATC TGCAACATTG TTACTGCCTA CATGGCTACA	1560
	GGGGTTTCAC AGCAGACAAT GGACCTCCTT AATATCATCA GCCAGTTCCT TTTGTTCTTT	
25		
	ATGGAGTGCT GCTGCTGTTG CTGTGAGGAA TGCATTCAGA AGTCTTCAAC GGTGACCAGT	
	GATGACAATG ACAACGAGTA CACCACGGAA CTCGAACTCT CGCCTTTCAG TACCATACGC	1800
	AND CONTRACT TECTOGGA ACTICATIGCT GA	1842

(213) INFORMATIO	1 FOR	SEQ	ID	NO:212:
------------------	-------	-----	----	---------

	,,						•										
5		(i)	(B)	UENC LEN TYI STI TOI	IGTH PE: & RANDI	: 613 amino EDNES	am: ac:	ino a id	acids				٠		:		
		(ii	L) MC	LECT	TLE T	TYPE:	pro	oteir	٦.								
		(xi	) SE	(aug	ICE I	DESCI	RIPT	ON:	SEQ	ID 1	10 ; 21	L2 :.					
10		Met 1	Arg	Ala	Pro	Gly 5	Ala	Leu	Leu	Ala	Arg 10	Met	Ser	Arg		Leu 15	Leu
	•	Leu	Leu	Leu	Leu 20	Lys	Val	Ser	Ala	Ser 25	Ser	Ala	Leu	Gly	Val 30	Ala	Pro
		Ala	Ser	Arg 35	Asn,	Glu	Thr	Cys	Leu 40	Gly	Glu	Ser	Cys	Ala 45	Pro	Thr	Val
15			Gln 50	Arg	Arg	Gly	Arg	Asp 55	Ala	Trp	Gly	Pro	Gly 60	Asn	Ser	Ala	Arg
		Asp 65	Val	Leu	Arg	Ala	Arg 70	Ala	Pro	Arg	Glu	Glu 75	Gln	Gly	Ala	Ala	Phe 80
20		Leu	Ala	Gly	Pro	Ser 85	Trp	Asp	Leu	Pro	Ala 90	Ala	Pro	Gly	Arg	Asp 95	Pro
•		Ala	Ala	Gly	Arg 100	Gly	Ala	Glu	Ala	Ser 105	Ala	Ala	Gly	Pro	Pro 110	Gly	Pro
		Pro	Thr	Arg 115	Pro	Pro	Gly	Pro	Trp 120	Arg	Trp	Lys	Gly	Ala 125	Arg	Gly	Gln
25		Glu	Pro 130	Ser	Glu	Thr	Leu	Gly 135	Arg	Gly	Asn	Pro	Thr 140	Ala	Leu	Gln	Leu
		Phe 145	Leu	Gln	Ile	Ser	Glu 150	Glu	Glu	Glu	Lys	Gly 155	Pro	Arg	Gly	Ala	Gly 160
30	: ,	Ile	Ser	Gly	Arg	Ser 165	Gln	Glu	Gln	Ser	Val 170	Lys	Thr	Val	Pro	Gly 175	Ala
		Ser	Asp	Leu	Phe 180	Tyr	Trp	Pro	Arg	Arg 185	Ala	Gly	Lys	Leu	Gln 190	Gly	Ser
		His	His	Lys 195	Pro	Leu	Ser	Lys	Thr 200	Ala	Asn	Gly	Leu	Ala 205		His	Glu
35		Gly	Trp 210	Thr	Ile	Ala	Leu	Pro 215	Gly	Arg	Ala	Leu	Ala 220	Gln	Asn	Gly	Ser

Leu Gly Glu Gly Ile His Glu Pro Gly Gly Pro Arg Arg Gly Asn Ser

													٠.				
		225					230					235					240
		Thr	Asn	Arg	Arg	Val 245	Arg	Leu	Lys	Asn	Pro 250	Phe	Tyr	Pro	Leu	Thr 255	Gln
5		Glu	Ser	Tyr	260 Gly	Ala	Tyr	Ala	Val	Met 265	Cys	Leu	Ser	Val	Val 270	Ile	Phe
		Gly	Thr	Gly 275	Ile	Ile	Gly	Asn	Leu 280	Ala	Val	Met	Cys	Ile 285	Val	Cys	His
		Asn	Tyr 290	Tyr	Met	Arg	Ser	Ile 295	Ser	Asn	Ser	Leu	Leu 300	Ala	Asn	Leu	Ala
10.		Phe 305	Trp	Asp	Phe	Leu	Ile 310	Ile	Phe	Phe	Cys	Leu 315	Pro	Leu	Val	Ile	Phe 320
		His	Glu	Leu	Thr	Lys 325	Lys	Trp	Leu	Leu	Glu 330	Asp	Phe	Ser	Cys	Lys 335	Ile
15	-	Val	Pro	Tyr	Ile 340	Glu	Val	Ala	Ser	Leu 345	Gly	Val	Thr	Thr	Phe 350	Thr	Leu
		Cys	Ala	Leu 355	Cys	Ile	Asp	Arg	Phe 360	Arg	Ala	Ala	Thr	Asn 365	Val	Gln	Met
		туr	Tyr 370	Glu	Met _.	Ile	Glu	Asn 375	Cys	Ser	Ser	Thr	Thr 380	Ala	Lys	Leu	Ala
20		Val 385	Ile	Trp	Val	Gly	Ala 390	Leu	Leu	Leu	Ala	Leu 395	Pro	Glu	Val		Leu 400
		Arg	Gln	Leu	Ser	Lys 405	Glu	Asp	Leu	Gly	Phe 410	Ser	Gly	Arg	Ala	Pro 415	Ala
25		Glu	Arg	Cys	Ile 420	Île	Lys	Ile	Ser	Pro 425	Asp	Leu	Pro	Asp	Thr 430	Ile	Tyr
		Val	Leu	Ala 435	Leu	Thr	Tyr	Asp	Ser 440	Ala	Arg	Leu	Trp	Trp 445	Tyr	Phe	Gly
		Cys	Tyr 450	Phe	Cys	Leu	Pro	Thr 455	Leu	Phe	Thr	Ile	Thr 460	Cys	Ser	Leu	Val
30		Thr 465	Ala	Arg	Lys	Ile	Arg 470		Ala	Glu	Lys	Ala 475	Суз	Thr	Arg	Gly	Asn 480
		Lys	Arg	Gln	Ile	Gln 485	Leu	Glu	Ser	Gln	Met 490	Lys	Cys	Thr	Val	Val 495	Ala
35		Leu	Thr	Ile	Leu 500	Tyr	Gly	Phe	Суз	Ile 505	Ile	Pro	Glü	Asn	Ile 510	Cys	Asn
		Ile	Val	Thr 515	Ala	Tyr	Met	Ala	Thr 520	Gly	Val	Ser	Gln	Gln 525	Thr	Met	Asp

WO 00/22129 PCT/US99/23938

172

	·	
	Leu Leu Asn Ile Ile Ser Gln Phe Leu Leu Phe Phe Lys Ser Cys Va 530 535 540	1
	Thr Pro Val Leu Leu Phe Cys Leu Cys Lys Pro Phe Ser Arg Ala Ph 545 550 555 56	
5	Met Glu Cys Cys Cys Cys Cys Glu Glu Cys Ile Gln Lys Ser Se 565 570 575	r
	Thr Val Thr Ser Asp Asp Asn Asp Asn Glu Tyr Thr Thr Glu Leu Glu 580 585 590	u
10	Leu Ser Pro Phe Ser Thr Ile Arg Arg Glu Met Ser Thr Phe Ala Ser 595 600 605	r
	Val Gly Thr His Cys 610	
	(214) INFORMATION FOR SEQ ID NO:213:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1248 base pairs  (B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:213:	
	ATGGTTTTTG CTCACAGAAT GGATAACAGC AAGCCACATT TGATTATTCC TACACTTCTG	6
	GTGCCCCTCC AAAACCGCAG CTGCACTGAA ACAGCCACAC CTCTGCCAAG CCAATACCTG	12
	ATGGAATTAA GTGAGGAGCA CAGTTGGATG AGCAACCAAA CAGACCTTCA CTATGTGCTG	18
	AAACCCGGGG AAGTGGCCAC AGCCAGCATC TTCTTTGGGA TTCTGTGGTT GTTTTCTATC	24
25	TTCGGCAATT CCCTGGTTTG TTTGGTCATC CATAGGAGTA GGAGGACTCA GTCTACCACC	30
	AACTACTTTG TGGTCTCCAT GGCATGTGCT GACCTTCTCA TCAGCGTTGC CAGCACGCCT	360
	TTCGTCCTGC TCCAGTTCAC CACTGGAAGG TGGACGCTGG GTAGTGCAAC GTGCAAGGTT	420
	GTGCGATATT TTCAATATCT CACTCCAGGT GTCCAGATCT ACGTTCTCCT CTCCATCTGC	480
•	ATAGACCGGT TCTACACCAT CGTCTATCCT CTGAGCTTCA AGGTGTCCAG AGAAAAAGCC	540
30	AAGAAAATGA TTGCGGCATC GTGGATCTTT GATGCAGGCT TTGTGACCCC TGTGCTCTTT	600
•	TTCTATGGCT CCAACTGGGA CAGTCATTGT AACTATTTCC TCCCCTCCTC TTGGGAAGGC	660

ACTGCCTACA CTGTCATCCA CTTCTTGGTG GGCTTTGTGA TTCCATCTGT CCTCATAATT

TTATTTTACC AAAAGGTCAT AAAATATATT TGGAGAATAG GCACAGATGG CCGAACGGTG

720

•	AGGAGGACA	A TGAA	.CATTG1	ccc	TCGG	ACA	AAAG	TGAA	AA C	TAAA	AAGA	T GI	TCCT	CATT	. 8	4
	TTAAATCTG	T TGTT	TTTGCI	CTC	CTGG	CTG	CCTT	TTCA	TG I	AGCI	CAGC	T AT	GGCA	cccc	. 9	0
	CATGAACAA	G ACTA	TAAGAA	AAG	TTCC	CTT	GTTT	TCAC	AG C	TATC	ACAT	G GA	TATC	CTTI	. 5	6
	AGTTCTTCA	G CCTC	TAAACO	TAC	TCTG	TAT	TCAA	ATTTA	TA A	TGCC	AATT	T TC	GGAG	AGGG	10	2
5	ATGAAAGAG	A CTTI	TTGCAT	GTC	CTCT	ATG	AAAT	GTTA	.cc e	AAGC	CAATG	C CI	CATAC	TATO	: 10	8
	ACAACAAGT	T CAAG	GATGGC	CAA	AAAA	AAC	TACG	TTGG	CA I	TTCA	GAAA	T CC	CTTC	CATG	. 11	4
	GCCAAAACT	'A TTAC	CAAAGA	CTC	GATO	TAT	GACT	CATT	TG A	ACAGA	GAAG	C CA	AGGA	AAAA	12	0
	AAGCTTGCT	T GGCC	CATTA	CTC	CAAA:	CCA	CCAA	ATAC	TT 1	TGTC	TAA				12	4
	(215) INF	ORMATI	ON FOR	SEC	D	NO: 2	14:			•						
10	(i)	SEQUE	NCE CF					, 5								
	•	(B) T	YPE: a	mino	aci											
			OPOLOG			elev	rant									
15		) MOLE														
	•	.) SEQU									•	-				
	Met 1	Val Ph	ne Ala	His 5	Arg	Met	Asp	Asn	Ser 10	Lys	Pro	His.	Leu	Ile 15	Ile	
20	Pro	Thr Le	Leu 20	Val	Pro	Leu	Gln	Asn 25	Arg	Ser	Cys	Thr	Glu 30	Thr	Ala	
	Thr	Pro Le		Ser	Gln	Tyr	Leu 40	Met	Glu	Leu	Ser	Glu 45	Glu	His	Ser	
	Trp	Met Se	er Asn	Gln	Thr	Asp 55		His	Tyr	Val	Leu 60	Lys	Pro	Gly	Glu	
25	Val 65	Ala Th	nr Ala	Ser	Ile 70	Phe	Phe	Gly	Ile	Leu 75	Trp	Leu	Phe	Ser	Ile 80	
	Phe	Gly As	sn Ser	Leu 85	Val	Cys	Leu	Val	Ile 90	His	Arg	Ser	Arg	Arg 95	Thr	
30	Gln	Ser Ti	r Thr		Tyr	Phe	Val	Val 105	Ser	Met	Ala	Cys	Ala 110	Asp	Leu	
	Leu	Ile Se	er Val 15	Ala	Ser		Pro 120	Phe	Val	Leu	Leu	Gln 125	Phe	Thr	Thr	
	Gly	Arg T	rp Thr	Leu	Gly	Ser		Thr	Cys	Lys	Val		Arg	Tyr	Phe	

		Gl:	n Ty:	r Lei	ı Thi	Pro	Gly 150		Glr	ı Ile	Tyr	Val		Leu	Ser	Tle	: Суз 160
		Ile	e Asp	o Arg	y Phe	165		: Ile	val	Туг	Pro 170		Ser	Phe	Lys	Val	Ser
. 5		Arg	g Glu	ı Lys	180		Lys	Met	Ile	Ala 185		Ser	Trp	Ile	Phe 190	_	Ala
		Gly	/ Phe	val 195		Pro	Val	Leu	Phe 200		Tyr	Gly	Ser	Asn 205		Asp	Ser
10		His	210		Туг	Phe	Leu	Pro 215		Ser	Trp	Glu	Gly 220	Thr	Ala	Tyr	Thr
		Val 225		His	Phe	Leu	Val 230		Phe	Val	Ile	Pro 235	Ser	Val	Leu	Ile	Ile 240
		Leu	Phe	Tyr	Gln	Lys 245	Val	Ile	Lys	Tyr	Ile 250	Trp	Arg	Ile	Gly	Thr 255	Asp
15	4.	Gly	Arg	Thr	Val 260	Arg	Arg	Thr	Met	Asn 265	Ile	Val	Pro	Arg	Thr 270	Lys	Val
-,		Lys	Thr	Lys 275		Met	Phe	Leu	Ile 280	Leu	Asn	Leu	Leu	Phe 285	Leu	Leu	Ser
20		Trp	Leu 290	Pro	Phe	His	Val	Ala 295	Gln	Leu	Trp	His	Pro 300	His	Gľu	Gln	Asp
		Tyr 305	Lys	Lys	Ser	Ser	Leu 310	Val	Phe	Thr	Ala	Ile 315	Thr	Trp	Ile	Ser	Phe 320
		Ser	Ser	Ser	Ala	Ser 325	Lys	Pro	Thr	Leu	Tyr 330	Ser	Ile	Tyr	Asn	Ala 335	Asn
25		Phe	Arg	Arg	Gly 340	Met	Lys	Glu	Thr	Phe 345	Cys	Met	Ser	Ser	Met 350	Lys	Cys
		Tyr	Arg	Ser 355	Asn	Ala	Tyr	Thr	Ile 360	Thr	Thr	Ser	Ser	Arg 365	Met	Ala	Lys
30		Lys	Asn 370	Tyr	Val	Gly	Ile	Ser 375	Glu	Ile	Pro	Ser	Met 380	Ala	Lys	Thr	Ile
		Thr 385	Lys	Asp	Ser	Ile	Тут 390	Asp	Ser	Phe	Asp	Arg 395	Glu	Ala	Lys	Glu	Lys 400
		Lys	Leu	Ala	Trp	Pro 405	Ile	Asn	Ser		Pro 410	Pro	Asn	Thr	Phe	Val 415	
35	(216)	INE	ORMA	TION	FOR	SEQ	ID	NO : 2	15:								

## 35

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1842 base pairs

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

ATGGGGCCCA CCCTAGCGGT TCCCACCCC TATGGCTGTA TTGGCTGTAA GCTACCCCAG 60 CCAGAATACC CACCGGCTCT AATCATCTTT ATGTTCTGCG CGATGGTTAT CACCATCGTT 120 GTAGACCTAA TCGGCAACTC CATGGTCATT TTGGCTGTGA CGAAGAACAA GAAGCTCCGG 180 AATTCTGGCA ACATCTTCGT GGTCAGTCTC TCTGTGGCCG ATATGCTGGT GGCCATCTAC 240 CCATACCCTT TGATGCTGCA TGCCATGTCC ATTGGGGGCT GGGATCTGAG CCAGTTACAG 10 300 TGCCAGATGG TCGGGTTCAT CACAGGGCTG AGTGTGGTCG GCTCCATCTT CAACATCGTG 360 GCAATCGCTA TCAACCGTTA CTGCTACATC TGCCACAGCC TCCAGTACGA ACGGATCTTC 420 AGTGTGCGCA ATACCTGCAT CTACCTGGTC ATCACCTGGA TCATGACCGT CCTGGCTGTC 480 CTGCCCAACA TGTACATTGG CACCATCGAG TACGATCCTC GCACCTACAC CTGCATCTTC 540 AACTATCTGA ACAACCCTGT CTTCACTGTT ACCATCGTCT GCATCCACTT CGTCCTCCCT 600 15 CTCCTCATCG TGGGTTTCTG CTACGTGAGG ATCTGGACCA AAGTGCTGGC GGCCCGTGAC 660 CCTGCAGGGC AGAATCCTGA CAACCAACTT GCTGAGGTTC GCAATAAACT AACCATGTTT 720 GTGATCTTCC TCCTCTTTGC AGTGTGCTGG TGCCCTATCA ACGTGCTCAC TGTCTTGGTG 780 GCTGTCAGTC CGAAGGAGAT GGCAGGCAAG ATCCCCAACT GGCTTTATCT TGCAGCCTAC 840 TTCATAGCCT ACTTCAACAG CTGCCTCAAC GCTGTGATCT ACGGGCTCCT CAATGAGAAT 20 900 TTCCGAAGAG AATACTGGAC CATCTTCCAT GCTATGCGGC ACCCTATCAT ATTCTTCTCT GGCCTCATCA GTGATATTCG TGAGATGCAG GAGGCCCGTA CCCTGGCCCG CGCCCGTGCC CATGCTCGCG ACCAAGCTCG TGAACAAGAC CGTGCCCATG CCTGTCCTGC TGTGGAGGAA ACCCCGATGA ATGTCCGGAA TGTTCCATTA CCTGGTGATG CTGCAGCTGG CCACCCCGAC CGTGCCTCTG GCCACCCTAA GCCCCATTCC AGATCCTCCT CTGCCTATCG CAAATCTGCC 1200 TCTACCCACC ACAAGTCTGT CTTTAGCCAC TCCAAGGCTG CCTCTGGTCA CCTCAAGCCT 1260 GTCTCTGGCC ACTCCAAGCC TGCCTCTGGT CACCCCAAGT CTGCCACTGT CTACCCTAAG CCTGCCTCTG TCCATTTCAA GGCTGACTCT GTCCATTTCA AGGGTGACTC TGTCCATTTC AAGCCTGACT CTGTTCATTT CAAGCCTGCT TCCAGCAACC CCAAGCCCAT CACTGGCCAC 1440

	CATG:	rctc.	PG C	rGGC	AGCCA	A CT	CAA	31C1	GCC	TTCAA	41G (	CIGC	_ACCI	4G C	LACCI	LIAA	. т	500
	CCCA	rcaa	GC C	AGCT	ACCA	CCI	ATGC:	rgag	CCC	ACCA	CTG (	CTGA	CTATO	ec c	AAGC	CTGC	2 1	560
	ACTA	CCAG	CC A	CCT	AAGC	C CG	CTGC	rgct	GAC	AACC	CTG A	AGCT	CTCTC	GC C	rccc	ATTG	2 1	€20
	CCCG	AGAT	CC C	rgcc/	ATTGO	c ccz	ACCC:	rgtg	TCT	GACG	ACA (	GTGA	CTC	CC TO	GAGT	CGGC	2 1	680
	TCTAC	GCCC	rg co	CGCTC	GGCC	CAC	CAA	SCCT	GCT	GCCAC	GC 1	AGCT	GGAG"	rc T	GACA	CATO	2 1	740
	GCTG!	ACCT:	rc c	rgaco	CCTAC	TG	ragto	CACT	ACC	AGTAC	CCA I	ATGA:	TAC	CA TO	BATG:	rcgro	3 1	800
	GTTG1	rtga:	rg Ti	rgaac	JATG!	A TC	CTGAT	rgaa	ATGO	GCTG1	rgr (	<b>GA</b>	,				1	842
	(217)	) INI	FORM	OITA	1 FOI	SEC	) ID	NO:	216:		-							
•		(i)	(A) (B) (C)	LEN TYI STI	CE CH NGTH: PE: & RANDE POLOC	: 613 amino EDNES	3 ami o aci SS:	ino a	acids	5	·							
	,	(i:	L) MO	OLECT	JLE 1	TYPE	pro	oteir	n									
		(x:	i) si	EQUE	NCE I	ESCI	RIPT	ON:	SEQ	ID N	10:2	16:						
		Met 1	Gly	Pro	Thr	Leu 5	Ala	Val	Pro	Thr	Pro 10	Tyr	Gly	Суз	Ile	Gly 15	Cys	
		Lys	Leu	Pro	Gln 20	Pro	Glu	Tyr	Pro	Pro 25	Ala	Leu	Ile	Ile	Phe 30	Met	Phe	
		Cys		Met 35	Val	Ile	Thr	Ile	Val 40	Val	Asp	Leu	Île	Gly 45	Asn	Ser	Met	
		Val	Ile 50	Leu	Ala	Val	Thr	Lys 55	Asn	Гуз	ГÀа	Leu	Arg 60	Asn-	Ser	Gly	Asn	
		Ile 65	Phe	Val	Val	Ser	Leu 70	Ser	Val	Ala	Asp	Met 75	Leu	Val	Ala	Ile	Tyr 80	
		Pro	Tyr	Pro	Leu	Met 85	Leu	His	Ala	Met	Ser 90	Ile	Gly	Gly	Trp	Asp 95	Leu	
		Ser	Gln	Leu	Gln 100	Cys	Gln	Met	Val	Gly 105	Phe	Ile	Thr	Gly	Leu 110	Ser	Val	
		Val	_	Ser 115	Ile	Phe	Asn	Ile	Val 120	Ala	Ile	Ala	Ile	Asn 125	Arg	Tyr	Cys	
		Tyr	Ile 130	Cys	His	Ser	Leu	Gln 135	Tyr	Glu	Arg	Ile	Phe 140	Ser	Val	Arg	Asn	
		Thr 145	Суз	Ile	Týr	Leu	Val 150	Ile	Thr	Trp	Ile	Met 155	Thr	Val	Leu	Ala	Val 160	

	Leu	Pro	Asn	Met	Tyr 165	Ile	Gly	Thr	Ile	Glu 170	Tyr	Asp	Pro	Arg	Thr 175	Tyr
-	Thr	Cys	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185	Pro	Val	Phe	Thr	Val 190	Thr	Ile
5 .	Val	Cys	Ile 195	His	Phe	Val	Leu	Pro 200	Leu	Leu	Ile	Val	Gly 205	Phe	Cys	Tyr
	Val	Arg 210	Ile	Trp	Thr	Lys	Val 215	Leu	Ala	Ala	Arg	Asp 220	Pro	Ala	Gly	Gln
10	Asn 225	Pro	Asp	Asn	Gln	Leu 230	Ala	Glu	Val		Asn 235	Lys	Leu	Thr	Met	Phe 240
	Val	Ile	Phe	Leu	Leu 245	Phe	Ala	Val	Cys	Trp 250	Cys	Pro	Ile	Asn	Val 255	Leu
	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
15		Trp	275					280					285			
·.	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asn	Gŀu	Asn 300	Phe	Arg	Arg	Glu
20	Tyr 305.	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Ser 320
	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330		Ala	Arg	Thr	Leu 335	Ala
	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu	Gln	Asp 350	Arg	Ala
25		Ala	355					360					365			
		370	-				375		٠			380		•		Gly
30	385					390					395					Ala 400
	Ser	Thr	His	His	Lys 405	Ser	Val	Phe	Ser	His 410	Ser	Lys	Ala	Ala	Ser 415	Gly
	His	Leu	Lys	Pro 420	Val	Ser	Gly		Ser 425	Lys	Pro	Ala	Ser	Gly 430	His	Pro
35	Lys	Ser	Ala 435		Val	Tyr	Pro	Lys 440	Pro	Ala	Ser	Val	His 445	Phe	Lys	Ala
	Asp	Ser	Val	His	Phe	Lys	Gly	Asp	Ser	Val	His	Phe	Lys	Pro	Asp	Ser

PCT/US99/23938

		450					455					460					
	Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475	Pro	Ile	Thr	Gly	His 480	
5	His	Val	Ser	Ala	Gly 485	Ser	His	Ser	Lys	Ser 490	Ala	Phe	Asn	Ala	Ala 495	Thr	
	Ser	His	Pro	Lys 500	Pro	Ile	Lys	Pro	Ala 505	Thr	Ser	His	Ala	Glu 510	Pro	Thr	
	Thr	Ala	Asp 515	Tyr	Pro	Lys	Pro	Ala 520	Thr	Thr	Ser	His	Pro 525	Lys	Pro	Ala	
10	Ala	Ala 530	Asp	Asn	Pro	Glu	Leu 535	Ser	Ala	Seŗ	His	Cys 540		Glu	Ile	Pro	
	Ala 545	Ile	Ala	His	Pro	Val 550	Ser	Asp	Asp	Ser	Asp 555	Leu	Pro	Glu	Ser	Ala 560	
15	Ser	Ser	Pro	Ala	Ala 565	Gly	Pro	Thr	Lys	Pro 570	Ala	Ala	Ser	Gln	Leu 575		
	Ser	Ąsp	Thr	Ile 580	Ala	Asp	Leu	Pro	Asp 585	Pro	Thr	Val	Val	Thr 590	Thr	Ser	
	Thr	Asn	Asp 595	Tyr	His	Asp	Val	Val 600	Val	Val	Asp	Val	Glu 605	Asp	Asp	Pro	
20	Asp	Glu 610	Met	Ala	Val				•		-	•					
	(218) IN	FORM	ATIO	N FOI	R SE	) ID	NO:	217:							,		
25	(i	(A) (B) (C)	) LEI ) TYI ) STI	CE CI NGTH PE: 1 RANDI POLO	: 18! nucle EDNE!	54 ba eic a SS: 1	ase pacid	pair	5								
	(i.	i) M	OLEC	ULE ?	TYPE	: DN	A (ge	enom:	ic)								
	(x:	i) Si	EQUE	NCE 1	DESC	RIPT	ION:	SEQ	ID	10:2	17:					•	
30	ATGGGGCC	CA C	CCTA	GCGG'	r TC	CCAC	cccc	TAT	GCT(	GTA '	TTGG	CTGT	AA G	CTAC	CCCA	3	60
	CCAGAATA	CC C	ACCG	GCTC'	r aa'	FCAT(	CTTT	ATG'	rtct	GCG (	CGAT	GGTT	AT C	ACCA!	rcgt:	r :	120
	GTAGACCT																180
	AATTCTGG								•								24(
	CCATACCC									-							300
35	TGCCAGAT	GG T	CGGG'	TTCA'	r CA	CAGG	GCTG	AGT	GTGG'	rcg (	GCTC	CATC	TT C	AACA'	rcgr(	G :	360

	GCAATCGCTA	TCAACCGTTA	CTGCTACATC	TGCCACAGCC	TCCAGTACGA	ACGGATCTTC	420
	AGTGTGCGCA	ATACCTGCAT	CTACCTGGTC	ATCACCTGGA	TCATGACCGT	CCTGGCTGTC	480
	CTGCCCAACA	TGTACATTGG	CACCATCGAG	TACGATCCTC	GCACCTACAC	CTGCATCTTC	540
	AACTATCTGA	ACAACCCTGT	CTTCACTGTT	ACCATCGTCT	GCATCCACTT	CGTCCTCCCT	600
5	CTCCTCATCG	TGGGTTTCTG	CTACGTGAGG	ATCTGGACCA	AAGTGCTGGC	GGCCCGTGAC	660
	CCTGCAGGGC	AGAATCCTGA	CAACCAACTT	GCTGAGGTTC	GCAATAAACT	AACCATGTTT	720
	GTGATCTTCC	TCCTCTTTGC	AGTGTGCTGG	TGCCCTATCA	ACGTGCTCAC	TGTCTTGGTG	780
	GCTGTCAGTC	CGAAGGAGAT	GGCAGGCAAG	ATCCCCAACT	GGCTTTATCT	TGCAGCCTAC	840
	TTCATAGCCT	ACTTCAACAG	CTGCCTCAAC	GCTGTGATCT	ACGGGCTCCT	CAATGAGAAT	900
0	TTCCGAAGAG	AATACTGGAC	CATCTTCCAT	GCTATGCGGC	ACCCTATCAT	ATTCTTCTCT	960
	GGCCTCATCA	GTGATATTCG	TGAGATGCAG	GAGGCCCGTA	CCCTGGCCCG	CGCCCGTGCC	1020
	CATGCTCGCG	ACCAAGCTCG	TGAACAAGAC	CGTGCCCATG	CCTGTCCTGC	TGTGGAGGAA	1080
	ACCCCGATGA	ATGTCCGGAA	TGTTCCATTA	CCTGGTGATG	CTGCAGCTGG	CCACCCGAC	1140
	CGTGCCTCTG	GCCACCCTAA	GCCCCATTCC	AGATCCTCCT	CTGCCTATCG	CAAATCTGCC	1200
5	TCTACCCACC	ACAAGTCTGT	CTTTAGCCAC	TCCAAGGCTG	CCTCTGGTCA	CCTCAAGCCT	1260
	GTCTCTGGCC	ACTCCAAGCC	TGCCTCTGGT	CACCCCAAGT	CTGCCACTGT	CTACCCTAAG	1320
	CCTGCCTCTG	TCCATTTCAA	GGCTGACTCT	GTCCATTTCA	AGGGTGACTC	TGTCCATTTC	1380
	AAGCCTGACT	CTGTTCATTT	CAAGCCTGCT	TCCAGCAACC	CCAAGCCCAT	CACTGGCCAC	1440
	CATGTCTCTG	CTGGCAGCCA	CTCCAAGTCT	GCCTTCAGTG	CTGCCACCAG	CCACCCTAAA	1500
20	CCCACCACTG	GCCACATCAA	GCCAGCTÁCC	AGCCATGCTG	AGCCCACCAC	TGCTGACTAT	1560
	CCCAAGCCTG	CCACTACCAG	CCACCCTAAG	CCCACTGCTG	CTGACAACCC	TGAGCTCTCT	1620
	GCCTCCCATT	GCCCCGAGAT	CCCTGCCATT	GCCCACCCTG	TGTCTGACGA	CAGTGACCTC	1680
	CCTGAGTCGG	CCTCTAGCCC	TGCCGCTGGG	CCCACCAAGC	CTGCTGCCAG	CCAGCTGGAG	1740
	TCTGACACCA	TCGCTGACCT	TCCTGACCCT	ACTGTAGTCA	CTACCAGTAC	CAATGATTAC	1800
25	CATGATGTCG	TGGTTGTTGA	TGTTGAAGAT	GATCCTGATG	AAATGGCTGT	GTGA	1854

### (219) INFORMATION FOR SEQ ID NO:218:

- (i) SEQUENCE CHARACTERISTICS:
  (A) LENGTH: 617 amino acids
  (B) TYPE: amino acid

- (C) STRANDEDNESS:
  (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein

	(xi	.) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	10:21	.8:					
5	Met 1	Gly	Pro	Thr	Leu 5	Ala	Val	Pro	Thr	Pro 10	Tyr	Gly	Cys	Ile	Gly 15	Cys
	Lys	Leu	Pro	Gln 20	Pro	Glu	Tyr	Pro	Pro 25	Ala	Leu	Ile	Ile	Phe 30	Met	Phe
10	Cys	Ala	Met 35	Val	Ile	Thr	Ile	Val 40	Val	Asp	Leu	Ile	Gly 45	Asn	Ser	Met
	Val	Ile 50	Leu	Ala	Val	Thr	Lys 55	Asn	Lys	Lys	Leu	Arg. 60	Asn	Ser	Gly	Asn
	Ile 65	Phe	Val	Val	Ser	Leu 70	Ser	Val	Ala	Asp	Met 75	Leu	Val	Ala	Ile	Tyr 80
15	Pro	Tyr	Pro	Leu	Met 85	Leu	His	Ala	Met	Ser 90	Ile	Gly	Gly	Trp	Asp 95	Leu
	Ser	Gln	Leu	Gln 100	Cys	Gln	Met	Val	Gly 105	Phe	Ile	Thr	Gly	Leu 110	Ser	.Val
20	Val	Gly	Ser 115		Phe	Asn		Val 120	Ala	Ile	Ala	Ile	Asn 125	Arg	Tyr	Cys
	Tyr	Ile 130	Cys	His	Ser	Leu	Gln 135	Tyr	Glu	Arg	Ile	Phe 140	Ser	Val	Arg	Asn
	Thr 145	Cys	Ile	Tyr		Val 150	Ile	Thr	Trp	Ile	Met 155	Thr	Val	Leu	Ala	Val 160
25 .	Leu	Pro	Asn	Met	Туг 165		Gly	Thr	Ile	Glu 170		Asp	Pro	Arg	Thr 175	Tyr
	Thr	Cys	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185		Val	Phe	Thr	Val 190	Thr	Ile
30	Val	Cys	Ile 195	His	Phe	Val	Leu	Pro 200		Leu	Ile	Val	Gly 205		Cys	Tyr
•	Val	Arg 210		Trp	Thr	Lys	Val 215		Ala	Ala	Arg	Asp 220		Ala	Gly	Gln
	Asn 225		Asp	Asn	Gln	Leu 230		Glu	Val	Arg	235		Leu	Thr	Met	Phe 240

Val Ile Phe Leu Leu Phe Ala Val Cys Trp Cys Pro Ile Asn Val Leu

245

	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
	Asn	Trp	Leu 275	туг	Leu	Ala	Ala	Tyr 280	Phe	Ile	Ala	Týr	Phe 285	Asn	Ser	Cys
5	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asņ	Glu	Asn 300	Phe	Arg	Arg	Glu
•	Tyr 305	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Ser 320
10	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330	Glu	Ala	Arg	Thr	Leu 335	Ala
	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu		Asp 350	Arg	Ala
	His	Ala	Cys 355	břo	Ala	Val	Glu	Glu 360	Thr	Pro	Met	Asn	Val 365	Arg	Asn	Val
15	Pro	Leu 370	Pro	Glý	Asp	Ala	Ala 375	Ala	Gly	His	Pro	Asp 380	Arg	Ala	Ser	Gly
	His 385	Pro	Lys	Pro	His	Ser 390	Arg	Ser	Ser	Ser	Ala 395	Tyr	Arg	Lys	Ser	Ala 400
20	Ser	Thr	His		Lys 405	Ser	Val	Phe	Ser	His 410	Ser	Lys	Ala	Ala	Ser 415	Gly
	His	Leu	Lys	Pro 420	Val	Ser	Glý	His	Ser 425	Lys	Pro	Ala	Ser	Gly 430	His	Pro
	Lys	Ser	Ala 435	Thr	Val	Tyr	Pro	Lys 440	Pro	Ala	Ser	Val	His 445	Phe	Lys	Ala
25	Asp	Ser 450	Val	His	Phe	Lys	Gly 455	Asp	Ser	Val	His	Phe 460	Lys	Pro	Asp	Ser
	Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475		Ile	Thr	Gly	His 480
30	His	Val	Ser	Ala	Gly 485	Ser	His	Ser :	Lys	Ser 490	Ala	Phe	Ser	Ala	Ala 495	Thr
	Ser	His	Pro	Lys 500	Pro	Thr	Thr	Gly	His 505	Ile	Lys	Pro	Ala	Thr 510	Ser	His
	Ala	Glu	Pro 515	Thr	Thr	Ala	_	Tyr 520	Pro	Lys	Pro	Ala	Thr 525	Thr	Ser	His
35	Pro	Lys 530	Pro	Thr	Ala	Ala	Asp 535	Asn	Pro	Glu	Leu	Ser 540	Ala	Ser	His	Cys
	Pro	Glu	Ile	Pro	Ala	Ile	Ala	His	Pro	Val	Ser	Asp	Asp	Ser	Asp	Leu

WO 00/22129 PCT/US99/23938

182

	545			550					555					560	
	Pro G	Slu Ser	Ala Se 56		Pro	Äla	Ala	Gly 570	Pro	Thr	Lys	Pro	Ala 575	Ala	
5	Ser G	Sln Leu	Glu Se 580	r Asp	Thr	Ile	Ala 585	Asp	Leu	Pro	Asp	Pro 590	Thr	Val	
	Val T	Thr Thr 595	Ser Th	r Asn	Asp	Tyr 600	His	Asp	Val	Val	Val 605	Val	Asp	Val	
		sp Asp	Pro As	Glu	Met 615	Ala	Val						-		
10	(220) INFO	RMATION	FOR S	EQ ID	NO:2	219:									
15		SEQUENCE (A) LENG (B) TYPE (C) STRU (D) TOPE	GTH: 1! E: nucl ANDEDNI	48 ba eic a ESS: s	se p cid ingl	pairs	•								
	(ii)	MOLECUI	LE TYPI	: DNA	(ge	enomi	.c)								
٠	(xi)	SEQUENC	CE DESC	RIPTI	ON:	SEQ	ID N	0:21	9:		ė				
•	ATGGGACATA	ACGGGA	GCTG G	TCTCT	CCA	AATG	CCAG	CG A	.GCCG	CACA	A CG	CGTC	CGGC	6	0
	GCCGAGGCTG	CGGGTGT	rgaa co	GCAGC	:GCG	CTCG	GGGA	GT T	'CGGC	GAGG	c gc	AGCT	GTAC	12	0
20	CGCCAGTTCA	CCACCAC	CCT GO	AGGTC	GTC	ATCT	TCAT	AG G	CTCG	CTGC	T CG	GAAA	CTTC	18	0
	ATGGTGTTAT	GGTCAAC	CTTG CO	GCACA	ACC	GTGT	TCAA	AT C	TGTC	ACCA	A CA	.GGTT	CATT	24	Ö
	AAAAACCTGG	CCTGCTC	GGG GF	TTTGT	GCC	AGCC	TGGT	CT G	TGTG	CCCT	T CG	ACAT	CATC	30	0
	CTCAGCACCA	GTCCTC	ACTG TI	GCTGG	TGG	ATCT	ACAC	CA T	GCTC	TTCT	G CA	AGGT	CGTC	36	0
	AAATTTTTGC	ACAAAGT	TATT CI	GCTCT	GTG	ACCA	TCCT	CA G	CTTC	CCTG	C TA	TTGC	TTTG	42	0
25	GACAGGTACT	ACTCAGI	CCT CI	ATCCA	CTG	GAGA	GGAA	AA T.	ATCT	GATG	C CA	AGTC	CCGT	48	0
	GAACTGGTGA	TGTACAT	CTG GG	CCCAT	GCA	GTGG	TGGC	CA G	TGTC	CCTG	T GT	TTGC	AGTA	54	٥
	ACCAATGTGG	CTGACAT	CTA TG	CCACG	TCC	ACCT	GCAC	GG A.	AGTC'	TGGA	G CA	ACTC	CTTG	600	0
	GGCCACCTGG	TGTACGT	TCT GG	TGTAT.	AAC .	ATCA	CCAC	GG T	CATT	GTGC	C TG	TGGT	GGTG	666	٥
	GTGTTCCTCT	TCTTGAT	ACT GA	TCCGA	CGG	GCCC'	TGAG'	TG C	CAGC	CAGA	A GA	AGAA	GGTC	720	O
30	ATCATAGCAG	CGCTCCG	GAC CC	CACAG.	AAC .	ACCA'	TCTC	ТА Т	TCCC'	TATG	C CT	CCCA	GCGG	780	D
•	GAGGCCGAGC	TGAAAGC	CAC CC	TGCTC	TCC .	ATGG'	TGAT	GG T	CTTC	ATCT"	r GT	GTAG	CGTG	840	o
	CCCTATGCCA	CCCTGGT	CGT CT	ACCAG	ACT	GTGC'	TCAA:	TG T	CCCT	GACA	C TT	CCGT	CTTC	900	o

	TTGC	TGCT	CA C	TGCT	GTTT	G GC	TGCC	CAAA	GTC	TCCC	TGC	TGGC	AAAC	CC T	GTTC	TCTT	T	960
	CTTA	CTGT	GA A	CAAA	TCTG	CC	GCAA	GTGC	TTG	ATAG	GGA	CCCT	GGTG	CA A	CTAC	ACCA	С 1	020
	CGGT	ACAG'	rc G	CCGT	AATG1	r GG	TCAG'	TACA	GGG	agtg	GCA :	TGGC'	TGAG	GC C	AGCC	TGGA	A 1	080
	CCCA	GCAT	AC G	CTCG	GGTAC	G CC	AGCT	CCTG	GAG	ATGT	TCC	ACAT	TGGG	CA G	CAGC.	AGAT	c 1	140
5	TTTA	AGCC	CA C	AGAG	GATGA	A GG	AAGA	GAGT	GAG	GCCA	AGT	ACAT'	TGGC'	TC A	GCTG.	ACTT	C 1	200
	CAGG	CCAA	GG A	GATA'	rtta(	CA	CCTG	CCTG	GAG	ĠGAG	AGC	AGGG	GCCA	CA G	TTTG	CGCC	c ı	260
	TCTG	cccci	AC C	CCTG	AGCAC	AG'	rgga(	CTCT	GTA'	TCCC	AGG	TGGC	ACCG	GC A	GCCC	CTGT	3 1	320
	GAAC	CTGA	AA C	ATTC	CCTG	A TA	AGTA'	TTCC	CTG	CAGT'	TTG	GCTT"	rggg	CC T	TTTG	AGTT	3 1	380
	CCTC	CTCÀ	ST G	GCTC'	rcag <i>i</i>	A GA	CCCG	AAAC	AGC	AAGA	AGC	GGCT	GCTT(	CC C	CCCT	rggg	2 1	440
10	AACA	CCCC	AG A	AGAG	CTGAT	cci	AGAC	AAAG	GTG	CCCA	AGG	TAGG	CAGG	GT G	GAGC	GGAA	3. 1	500
-	ATGA	GCAG	AA A	CAAT	AAAG1	GA	GCAT'	TTT	CCA	AAGG'	rgg	ATTC	CTAG				. 1	548
	(221	) INI	FORM	ATIO	v FOF	SE	QÌD	NO:	220:									
		(i)		-	CE CH					s							•	
15			(B)	- <b>TY</b> I	PE: a	min	ac:											
					POLOG			relev	vant								÷	
		(i:	i) Mo	OLEC	JLE 7	YPĖ	: pro	oteir	1	•								
		(x:	i) SI	EQUE	NCE I	ESCI	RIPT	ION:	SEQ	ID 1	NO:2	20:						:
20		Met 1	Gly	His	Asn	Gly 5	Ser	Trp	Ile		Pro 10	Asn	Ala	Ser	<b>Gl</b> u	Pro 15	His	
•		Asn	Ala	Ser	Gly 20	Ala	Glu	Ala	Ala	Gly 25	Val	Asn	Arg	Ser	Ala 30	Leu	Gly	
25		Glu	Phe	Gly 35	Glu	Ala	Gln	Leu	Tyr 40	Arg	Gln	Phe	Thr	Thr 45	Thr	Val	Gln	
		Val	Val	Ile	Phe	Ile	Gly	Ser 55	Leu	Leu	Gly	Asn	Phe 60	Met	Val	Leu	Trp	
		Ser 65	Thr	Cys	Arg	Thr	Thr 70	Val	Phe	Lys	Ser	Val .75	Thr	Asn	Arg	Phe	Ile 80	
30		Lys	Asn	Leu	Ala	Cys 85	Ser	Gly	Ile	Cys	Ala 90	Ser	Leu	Val	Суз	Val 95	Pro	
		Dha	3	<b>71</b> -	T10	T		Thr	Com	D	ui a	<b></b>	<b>~</b>	· · · · · · · · · · · · · · · · · · ·	T	<b>7</b> 1 -	m	

. 105

	Thr	Met	Leu 115	Phe	Cys	Lys	Val	Val 120	Ĺys	Phe	Leu	His	Lys 125	Val	Phe	Cys
	Ser	Val 130	Thr	Ile	Leu	Ser	Phe 135	Pro	Ala	Ile	Ala	Leu 140	Asp	Arg	Tyr	Tyr
5	Ser 145	Val	Leu	Tyr	Pro	Leu 150	Glu	Arg	Lys	Ile	Ser 155	Asp	Ala	Lys	Ser	Arg 160
	Glu	Leu	Val	Met	Tyr 165	Ile	Trp	Ala	His	Ala 170	Val	Val	Ala	Ser	Val 175	Pro
10	Val	Phe	Ala	Val 180	Thr	Asn	Val	Ala	Asp 185	Ile	Tyr	Ala	Thr	Ser 190	Thr	Cys
•	Thr	Glu	Val 195	Trp	Ser	Asn	Ser	Leu 200	Gly	His	Leu	Val	Tyr 205	Val	Leu	Val
	Tyr	Asn 210	Ile	Thr	Thr	Val	Ile 215	Val	Pro	Val	Val	Val 220	Val	Phe	Leu	Phe
15	225	·			_	230					235			Lys	_	240
					245		,			250				Ile	255	
20	Ala	Ser	Gln	Arg 260	Glu	Ala	Glu	Leu	Lys 265	Ala	Thr	Leu	Leu	Ser 270	Met	Val
	Met	Val	Phe 275	Ile	Leu	Cys	Ser	Val 280	Pro	Tyr	Ala	Thr	Leu 285	Val	Val	Tyr
• .		290					295				٠.	300		Leu		
25	305		_			310					315	-	,	Val		320
•			•		325				•	330			-	Thr	335	
30 .		Ž		340					345					Thr 350		
	•		355					360				-	365	-		Gln
		370				٠	375					380				Thr
35	385	•		,		390			-	-	395	_		Ala		400
	Gln	Ala	Lys	Glu	Ile	Phe	Ser	Thr	Cys	Leu	Glu	Gly	Glu	Gln	·Gly	Pro

					405					410					415		
-	Gln	Phe	Ala	Pro 420	Ser	Ala	Pro	Pro	Leu 425	Ser	Thr	Val	Asp	Ser 430	Val	Ser	
5 .	Gln	Val	Ala 435	Pro	Ala	Ala	Pro	Val 440	Glu	Pro	Glu :	Thr	Phe 445	Pro	Asp	Lys	
	Tyr	Ser 450	Leu	Gln	Phe	Gly	Phe 455	Gly	Pro	Phe	Glu	Leu 460	Pro	Pro	Gln	Trp	
	Leu 465	Ser	Glu	Thr	Arg	Asn 470	Ser	Lys	Lys	Arg	Leu 475	Leu	Pro	Pro	Leu	Gly 480	
10	Asn	Thr	Pro	Glu	Glu 485	Leu	Ilė	Gln	Thr	Lys 490	Val	Pro	Lys	Val	Gly 495	Arg	
	Val	Glu	Arg	Lys 500	Met	Ser	Arg	Aşn	Asn 505	Lys	Val	Ser	Ile	Phe 510	Pro	Lys	
15	Val	Asp	Ser 515					,	•	•			•				
	(222) INI	FORM	ATIO	7 FOF	SEÇ	] ID	NO:	221:									
	(i)	(A)	LEI	CE CH	116	54 ba	ase p		5								
20		(C)	) STI	PE: r RANDE POLOC	EDNES	8S: 8	sing:	le						•			
	(i:	i) M	OLECT	TE 1	YPE.	: DN	A (ge	enom	ic)								
	(x:	i) sı	EQUE	NCE I	DESCI	RIPT	ION:	SEQ	ID 1	10:2	21:						
•	ATGAATCG	GC A	CCAT	CTGC	4 GG	ATCA	CTTT	CTG	SAAA:	rag i	ACAA	SAAG	AA C	TGCT	TGT(	3	60
25	TTCCGAGA	rg A	CTTC	ATTGO	CA	AGGT	<b>GTTG</b>	CCG	CCGG:	rgt :	rggg	GCTG	GA G	TTTA:	rctt:	r :	120
	GGGCTTCT	GG G	CAAT	GCC1	r TG	CCT	GTGG	ATT	TTCT	GTT '	rcca(	CCTC	AA G'	TCCT	<b>EGAA</b>	<b>A</b> :	180
	TCCAGCCG	GA T	TTTC	CTGT	CA	ACCT	GGCA	GTA	GCTG/	ACT '	TTCT	ACTG	AT C	ATCT	GCCT	3 2	24(
	CCGTTCGT	GA T	GGAC'	TACT	A TG	rgcgo	GCGT	TCA	GACT	GGA 2	AGTT:	rggg	GA C	ATCC	CTTG	2 :	300
	CGGCTGGT	GC T	CTTC	ATGT:	r TG	CCAT	GAAC	CGC	CAGG	GCA (	GCAT(	CATC	rr C	CTCA	CGGT	3 :	36
30	GTGGCGGT	AG A	CAGG'	TATT	r cc	GGT	GGTC	CAT	ccca	ACC A	ACGC	CCTG	AA C	AAGA'	rctc	c .	42
	AATTGGAC	AG C	AGCC	ATCA:	r CT	CTTG	CCTT	CTG'	rggg	GCA '	rcac'	rgtt	GG C	CTAA	CAGT	c 4	48
	САССТССТО	GA AG	GAAG	AAGT'	r GC'	TGAT(	CCAG	AAT	GGCC	CTG	CAAA'	rgtg:	rg c	ATCA	GCTT	:	540

AGCATCTGCC ATACCTTCCG GTGGCACGAA GCTATGTTCC TCCTGGAGTT CCTCCTGCCC

	CTGGG	CATO	A TC	CTGT	TCTG	CTC	AGCC	AGA	ATTA	TCTG	GA C	CCTG	CGGC	A GA	GACA	AATG	66
	GACCG	GCAT	G CC	AAGA	TCAA	GAG	AGCC	AAA	ACCT	TCAT	CA 1	GGTG	GTGG	C CA	TCGT	сттт	72
٠	GTCAT	CTGC	ттс	CTTC	CCAG	CGI	GGTT	GTG	CGGA	TCCG	CA 1	CTTC	TGGC	T CC	TGCA	CACT	78
	TCGGG	CACG	C AG	TTAA	GTGA	AGI	GTAC	CGC	TCGG	TGGA	CC 1	rGGCG	TTCT	T TA	TCAC	TCTC	84
5	AGCTT	CACC	T AC	ATGA	ACAG	CAI	GCTG	GAC	CCCG	TGGT	GT F	CTAC	TTCT	C CA	GCCC	ATCC	90
	TTTCC	CAAC	T TC	TTCI	CCAC	TTI	GATO	LAAC	CGCT	GCCI	CC A	GAGG	AAGA	T GA	CAGG	TGAG	96
	CCAGA	TAAT	A AC	:CGCA	GCAC	GAG	CGTC	GAG	CTCA	CAGG	GG A	cccc	'AACA	A AA	CCAG	AGGC	102
	GCTCC	CAGAG	G CG	TTAP	TGGC	CAF	CTCC	GGT	GAGC	CATG	GA C	cccc	TCTT	'A TC	TGGG	CCCA	108
	ACCTO	TAAAT	'A AC	CATI	CCAA	GAA	AGGGA	CAT	TGTC	ACCA	AG A	ACCA	GCAT	C TO	TGGA	GAAA	114
0	CAGTI	rgggc	T GI	TGC	TCGA	GT	A.A.										116
	(223)	INF	ORMA	TION	FOR	SEC	O. ID	NO: 2	22:								
5		(i)	(A) (B) ·(C)	LEN TYI STI	CE CH IGTH: PE: & RANDE	387 mino DNES	7 ami o aci SS:	ino a id -	cids	<b>.</b>	•						
		(ii			JLE T					•		•					
									SEQ	ID N	VO : 22	22:					
20									Asp	•			Glu	Ile	Asp	Lys 15	Lys
-		Asn	Cys	Суѕ	Val 20	Phe	Arg	Asp	Asp	Phe 25	Ile	Ala	Lys	Val	Leu 30	Pro	Pro
		Val	Leu	Glv		Glu	Phe	Ile	Phe	Gly	Leu	Leu	Gly	Asn	Gly	Leu	Ala
		<b>V</b> 41	204	35					40	•				45		-	
25		Leu	Trp 50	Ile	Phe	Суз	Phe	His 55	Leu	Lys	Ser	Trp	Lys 60	Ser	Ser	Arg	Ile
		Phe 65	Leu	Phe	Asn	Leu	Ala 70	Val	Ala	Asp	Phe	Leu 75	Leu	Ile	Ile	Cys	Leu 80
30		Pro	Phe	Val	Met	Asp 85	Tyr	тут	Val	Arg	Arg 90	Ser	Asp	Trp	Lys	Phe 95	Gly
		Asp	Ile	Pro	Cys 100	Arg	Leu	Val	Leu	Phe 105		Phe	Ala	Met	Asn 110	Arg	Gln

	Val	Val 130	His	Pro	His	His	Ala 135	Leu	Asn	Lys	Ile	Ser 140	Asn	Trp	Thr	Ala
÷	Ala 145	Ile	Ile	Ser	Cys	Leu 150	Leu	Trp	Gly	Ile	Thr 155	Val	Gly	Leu	Thr	Val 160
5 ·	His	Leu	Leu	Lys	Lys 165	Lys	Leu	Leu	Ile	Gln 170	Asn	Gly	Pro	Ala	Asn 175	Val
•	Cys	Ile	Ser	Phe 180	Ser	Ile	Cys	His	Thr 185	Phe	Arg	Trp	His	Glu 190	Ala	Met
10	 Phe	Leu	Leu 195	Glu	Phe	Leu	Leu	Pro 200	Leu	Gly	Ile	Ile	Leu 205	Phe	Cys	Ser
	Ala	Arg 210	Ile	Ile	Trp	Ser	Leu 215	Arg	Gln	Arg	Gln	Met 220	Asp	Arg	His	Ala
	Lys 225	Ile	Lys	Arg	Ala	Lys 230	Thr	Phe	Ile		Val 235		Ala	Ile	Val	Phe 240
15	Val	Ile	Cys		Leu 245	Pro	Ser	Val	Val	Val 250	Arg	Ile	Arg	Ile	Phe 255	Trp
	Leu	Leu	His	Thr 260	Ser	Gly	Thr	Gln	Asn 265	Cys	Glu	Val	Tyr	Arg 270	Ser	Val
20	Asp	Leu	Ala 275	Phe	Phe	Ile		Leu 280	Ser	Phe	Thr	Tyr	Met 285	Asn	Ser	Met
	Leu	Asp 290	Pro	Val	Val.	Tyr	Tyr 295	Phe	Ser	Ser	Pro	Ser 300	Phe	Pro	Asn	Phe
	Phe 305		Thr	Leu	·Ile	Asn 310	Arg	Cys	Leu	Gln	Arg 315	Lys	Met	Thr	Gly	Glu 320
25	Pro	Asp	Asn	Asn	Arg 325		Thr	Ser	Val	Glu 330	Leu	Thr	GJA	Asp	Pro 335	Asn
	Lys	Thr		Gly 340		Pro	Glu	Ala	Leu 345	Met	Ala	Asn	Ser	Gly 350	Glu	Pro
30	Trp		Pro 355	Ser	Tyr	Leu	Gly	Pro 360		Ser	Asn	Asn	His 365	Ser	Lys	Lys
	Ġly	His 370	-	His	Gln	Glu	Pro 375		Ser	Leu	Glu	Lys 380	Gln	Leu	Gly	Cys
	Cys 385	Ile	Glu								-				•	

- 35 (224) INFORMATION FOR SEQ ID NO:223:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 1212 base pairs

- (B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: DNA (genomic)
- 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

ATGGCTTGCA ATGGCAGTGC GGCCAGGGGG CACTTTGACC CTGAGGACTT GAACCTGACT GACGAGGCAC TGAGACTCAA GTACCTGGGG CCCCAGCAGA CAGAGCTGTT CATGCCCATC 120 TGTGCCACAT ACCTGCTGAT CTTCGTGGTG GGCGCTGTGG GCAATGGGCT GACCTGTCTG 180 GTCATCCTGC GCCACAAGGC CATGCGCACG CCTACCAACT ACTACCTCFT CAGCCTGGCC 240 GTGTCGGACC TGCTGGTGCT GCTGGTGGGC CTGCCCCTGG AGCTCTATGA GATGTGGCAC 300 AACTACCCCT TCCTGCTGGG CGTTGGTGGC TGCTATTTCC GCACGCTACT GTTTGAGATG 360 GTCTGCCTGG CCTCAGTGCT CAACGTCACT GCCCTGAGCG TGGAACGCTA TGTGGCCGTG 420 GTGCACCCAC TCCAGGCCAG GTCCATGGTG ACGCGGGCCC ATGTGCGCCG AGTGCTTGGG 480 GCCGTCTGGG GTCTTGCCAT GCTCTGCTCC CTGCCCAACA CCAGCCTGCA CGGCATCCGG 540 CAGCTGCACG TGCCCTGCCG GGGCCCAGTG CCAGACTCAG CTGTTTGCAT GCTGGTCCGC 15 600 CCACGGGCCC TCTACAACAT GGTAGTGCAG ACCACCGCGC TGCTCTTCTT CTGCCTGCCC 660 ATGGCCATCA TGAGCGTGCT CTACCTGCTC ATTGGGCTGC GACTGCGGCG GGAGAGGCTG 720 CTGCTCATGC AGGAGGCCAA GGGCAGGGGC TCTGCAGCAG CCAGGTCCAG ATACACCTGC 780 AGGCTCCAGC AGCACGATCG GGGCCGGAGA CAAGTGAAGA AGATGCTGTT TGTCCTGGTC GTGGTGTTTG GCATCTGCTG GGCCCCGTTC CACGCCGACC GCGTCATGTG GAGCGTCGTG 900 TCACAGTGGA CAGATGGCCT GCACCTGGCC TTCCAGCACG TGCACGTCAT CTCCGGCATC 960 TTCTTCTACC TGGGCTCGGC GGCCAACCCC GTGCTCTATA GCCTCATGTC CAGCCGCTTC 1020 CGAGAGACCT TCCAGGAGGC CCTGTGCCTC GGGGCCTGCT GCCATCGCCT CAGACCCCGC 1080 CACAGCTCCC ACAGCCTCAG CAGGATGACC ACAGGCAGCA CCCTGTGTGA TGTGGGCTCC 1140 CTGGGCAGCT GGGTCCACCC CCTGGCTGGG AACGATGGCC CAGAGGCGCA GCAAGAGACC 25 1200 GATCCATCCT GA 1212

(225) INFORMATION FOR SEQ ID NO:224:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 403 amino acids
  - (B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:

	(x1) SEQUENCE DESCRIPTION							SEQ	ID 1	IO : 22	4:					
5	Met 1 .	Ala	Cys	Asn	Gly 5	Ser	Ala	Ala	Arg	Gly 10	His	Phe	Asp	Pro	Glu 15	Asp
	Leu	Asn	Leu	Thr 20	Asp	Glu	Ala	Leu	Arg 25	Leu	rys	Tyr	Leu	Gly 30	Pro	Gln
10	Gln		Glu 35	Leu	Phe	Met	Pro	Ile 40	Суз	Ala	Thr	Tyr	Leu 45	Leu	Ile	Phe
	Val	Val 50	Gly	Ala	Val	Gly	Asn 55	Gly	Leu	Thr	Cys	Leu 60	Val	Ile	Leu	Arg
* • • •	65					70		-			75	٠	•		Leu	80
15					85					90					Leu 95	
				100			•		105					110	Cys	
20		_	115					120					125		Leu	
		130					135					140			Pro	
	145					150					155				Leu	160
25	•				165					170					Ser 175	
·		_		180					185					190	Pro	
30			195					200			•		205		Met	
		210					215					220				Met
	Ser 225	Val	Leu	Tyr	Leu	Leu 230	Ile	Gly	Leu	Arg	Leu 235	Arg	Arg	Glu	Arg	Leu 240

Leu Leu Met Gln Glu Ala Lys Gly Arg Gly Ser Ala Ala Ala Arg Ser

250

255

		Arg	туr	Thr	Cys 260	Arg	Leu	Gln	Gln	His 265	Asp	Arg	Gly	Arg	Arg 270	Gln	Val	
		Lys	Lys	Met 275	Leu	Phe	Val	Leu	Val 280	Val	Val	Phe	Gly	Ile 285	Cys	Trp	Ala	
5		Pro	Phe 290	His	Ala	Asp	Arg	Val 295	Met	Trp	Ser	Val	Val 300	Ser	Gln	Trp	Thr	
		Asp 305	Gly	Leu	His	Leu	Ala 310	Phe	Gln	His	Val	His 315	Val	Ile	Ser	Gly	Ile 320	
0		Phe	Phe	Tyr	Leu	Gly 325	Ser	Ala	Ala	Asn	Pro 330	Val	Leu	Tyr	Ser	Leu 335	Met	
		Ser	Ser	Arg	Phe 340	Arg	Glu	Thr	Phe	Gln 345		Ala	Leu	Cys	Leu 350	Gly	Ala	
	÷	Cys	Cys	His 355		Leu	Arg	Pro	Arg 360	His	Ser	Ser	His	Ser 365	Leu	Ser	Arg	
15			Thr 370					375					380	٠.				
		Val 385		Pro	Leu	Ala	Gly 390		Àsp	Gly	Pro	Glu 395	Ala	Gln	Gln	Glu	Thr 400	
20		Asp	Pro	Ser		Ā				•								
	(226		IFORM				_			•			,					
25		(i	(E	L) LE 3) TY 1) ST	NGTH PE: TRANE	: 10 nucl	98 t .eic !SS:	ase acid sing	pair l	s	٠.							
			Li) M													•		
			ki) S ACA 1										rcga(	rca 1	racci	ATCC	AC	60
30			ACA 1															120
30			rct /															180
			TGA (															240
			AGC I												•			300
			AGA A															360
35	CTG	GCTG	TGG (	CCCA	TCCC	TT C	CGCT	TCCA	C CA	GTTC	CGGA	CCC	TGAA	GGC	GGCC	GTCG	GC	420

	GTCAGCGTGG TCATCTGGGC CAAGGAGCTG CTGACCAGCA TCTACTTCCT GATGCACGAG 480
	GAGGTCATCG AGGACGAGAA CCAGCACCGC GTGTGCTTTG AGCACTACCC CATCCAGGCA 540
	TGGCAGCGCG CCATCAACTA CTACCGCTTC CTGGTGGGCT TCCTCTTCCC CATCTGCCTG 600
	CTGCTGGCGT CCTACCAGGG CATCCTGCGC GCCGTGCGCC GGAGCCACGG CACCCAGAAG 660
5	AGCCGCAAGG ACCAGATCAA GCGGCTGGTG CTCAGCACCG TGGTCATCTT CCTGGCCTGC 720
	TTCCTGCCCT ACCACGTGTT GCTGCTGGTG CGCAGCGTCT GGGAGGCCAG CTGCGACTTC 780
	GCCAAGGGCG TTTTCAACGC CTACCACTTC TCCCTCCTGC TCACCAGCTT CAACTGCGTC 840
	GCCGACCCCG TGCTCTACTG CTTCGTCAGC GAGACCACCC ACCGGGACCT GGCCCGCCTC 900
	CGCGGGGCCT GCCTGGCCTT CCTCACCTGC TCCAGGACCG GCCGGGCCAG GGAGGCCTAC 960
10	CCGCTGGGTG CCCCCGAGGC CTCCGGGAAA AGCGGGGCCC AGGGTGAGGA GCCCGAGCTG 1020
	TTGACCAAGC TCCACCCGGC CTTCCAGACC CCTAACTCGC CAGGGTCGGG CGGGTTCCCC 1080
	ACGGGCAGGT TGGCCTAG 1098
	(227) INFORMATION FOR SEQ ID NO:226:
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 365 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>
	(ii) MOLECULE TYPE: protein
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:
	Met Gly Asn Ile Thr Ala Asp Asn Ser Ser Met Ser Cys Thr Ile Asp 1 5 10 15
	His Thr Ile His Gln Thr Leu Ala Pro Val Val Tyr Val Thr Val Leu 20 25 30
25	Val Val Gly Phe Pro Ala Asn Cys Leu Ser Leu Tyr Phe Gly Tyr Leu 35 40 45
	Gln Ile Lys Ala Arg Asn Glu Leu Gly Val Tyr Leu Cys Asn Leu Thr 50 55 60
30	Val Ala Asp Leu Phe Tyr Ile Cys Ser Leu Pro Phe Trp Leu Gln Tyr 65 70 75 80

Val Leu Gln His Asp Asn Trp Ser His Gly Asp Leu Ser Cys Gln Val 85 90 95

Cys Gly Ile Leu Leu Tyr Glu Asn Ile Tyr Ile Ser Val Gly Phe Leu

					100					105					110		
		Cys	Суз	Ile 115	Ser	Val	Asp	Arg	Tyr 120	Leu	Ala	Val	Ala	His 125	Pro	Phe	Arg
5		Phe	His 130		Phe	Arg	Thr	Leu 135	Lys	Ala	Ala	Val	Gly 140	Val	Ser	Val	Val
		Ile 145	Trp	Ala	Lys	Glu	Leu 150	Leu	Thr	Ser	Ile	Tyr 155	Phe	Leu	Met	His	Glu 160
		Glu	Val	Ile	Glu	Asp 165	Glu	Asn	Gln	His	Arg 170	Val	Cys	Phe	Glu	His 175	Tyr
10		Pro	Ile	Gln	Ala 180	Trp	Gln	Arg	Ala	Ile 185	Asn	Tyr	Tyr	Arg	Phe 190	Leu	Val
		Gly	Phe	Leu 195	Phe	Pro	Ile	Cys	Leu 200	Leu	Leu	Ala	Ser	Tyr 205	Gln	Gly	Ile
15		Leu	Arg 210	Ala	Val	Arg	Arg	Ser 215	His	Gly	Thr	Gln	Lys 220		Arg	Lys	Asp
	**	Gln 225	Ile	Lys	Arg	Leu	Val. 230	Leu	Ser	Thr	Val	Va·l 235	Ile	Phe	Leu	Ala	Cys 240
		Phe	Leu	Pro	Tyr	His 245	Val	Leu	Leu	Leu	Val 250	Arg	Ser	Val	Trp	Glu 255	Ała
20		Ser	Cys	Asp	Phe 260	Ala	Lys	Gly	Val	Phe 265	Asn	Ala	Tyr	His	Phe 270	Ser	Leu
	•	Leu	Leu	Thr 275	Ser	Phe	Asn	Cys	Val 280	Ala	Asp	Pro	Val	Leu 285	Tyr	Cys	Phe
25		Val	Ser 290	Glu	Thr	Thr	His	Arg 295	Asp	Leu	Ala	Arg	Leu 300	Arg	Gly	Ala	Cys
		Leu 305	Ala	Phe	Leu	Thr	Cys 310	Ser	Arg	Thr	Gly	Arg 315	Ala	Arg	Glu	Ala	Tyr 320
•		Pro	Leu	Gly	Ala	Pro 325	Glu	Alà	Ser	Gly	Lys 330	Ser	Gly ,	Ala	Gln	Gly 335	Glu
0		Glu	Pro	Glu	Leu 340	Leu	Thr	Lys	Leu	His 345	Pro	Ala	Phe	Gln	Thr 350	Pro	Asn
	•	Ser	Pro	Gly 355	Ser	Gly	Gly	Phe	Pro 360	Thr	Gly	Arg	Leu	Ala 365			
	(228)	INF	ORMA	TION	FOR	SEC	DI	NO : 2	27:		•	÷					
5		(i)	(A)	LEN	E CH GTH: E: n	141	6 ba	se p									

,

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:

5	ATGGATATTC	TTTGTGAAGA	AAATACTTCT	TTGAGCTCAA	CTACGAACTC	CCTAATGCAA	6
	TTAAATGATG	ACAACAGGCT	CTACAGTAAT	GACTTTAACT	CCGGAGAAGC	TAACACTTCT	12
	GATGCATTTA	ACTGGACAGT	CGACTCTGAA	AATCGAACCA	ACCTTTCCTG	TGAAGGGTGC	.18
	CTCTCACCGT	CGTGTCTCTC	CTTACTTCAT	CTCCAGGAAA	AAAACTGGTC	TGCTTTACTG	24
	ACAGCCGTAG	TGATTATTCT	AACTATTGCT	GGAAACATAC	TCGTCATCAT	GGCAGTGTCC	30
10	CTAGAGAAAA	AGCTGCAGAA	TGCCACCAAC	TATTTCCTGA	TGTCACTTGC	CATAGCTGAT	360
	ATGCTGCTGG	GTTTCCTTGT	CATGCCCGTG	TCCATGTTAA	CCATCCTGTA	TGGGTACCGG	420
	TGGCCTCTGC	CGAGCAAGCT	TTGTGCAGTC	TGGATTTACC	TGGACGTGCT	CTTCTCCACG	480
	GCCTCCATCA	TGCACCTCTG	CGCCATCTCG	CTGGACCGCT	ACGTCGCCAT	CCAGAATCCC	540
	ATCCACCACA	GCCGCTTCAA	CTCCAGAACT	AAGGCATTTC	TGAAAATCAT	TGCTGTTTGG	600
15	ACCATATCAG	TAGGTATATC	CATGCCAATA	CCAGTCTTTG	GGCTACAGGA	CGATTCGAAG	660
	GTCTTTAAGG	AGGGGAGTTG	CTTACTCGCC	GATGATAACT	TTGTCCTGAT	CGGCTCTTTT	720
	GTGTCATTTT	TCATTCCCTT	AACCATCATG	GTGATCACCT	ACTTTCTAAC	TATCAAGTCA	780
	CTCCAGAAAG	AAGCTACTTT	GTGTGTAAGT	GATCTTGGCA	CACGGGCCAA	ATTAGCTTCT	840
	TTCAGCTTCC	TCCCTCAGAG	TTCTTTGTCT	TCAGAAAAGC	TCTTCCAGCG	GTCGATCCAT	900
20	AGGGAGCCAG	GGTCCTACAC	AGGCAGGAGG	ACTATGCAGT	CCATCAGCAA	TGAGCAAAAG	960
	GCAAAGAAGG	TGCTGGGCAT	CGTCTTCTTC	CTGTTTGTGG	TGATGTGGTG	CCCTTTCTTC	1020
	ATCACAAACA	TCATGGCCGT	CATCTGCAAA	GAGTCCTGCA	ATGAGGATGT	CATTGGGGCC	1080
	CTGCTCAATG	TGTTTGTTTG	GATCGGTTAT	CTCTCTTCAG	CAGTCAACCC	ACTAGTCTAC	1140
	ACACTGTTCA	ACAAGACCTA	TAGGTCAGCC	TTTTCACGGT	ATATTCAGTG	TCAGTACAAG	1200
25	GAAAACAAAA	AACCATTGCA	GTTAATTTTA	GTGAACACAA	TACCGGCTTT	GGCCTACAAG	1260
	TCTAGCCAAC	TTCAAATGGG	ACAAAAAAAG	AATTCAAAGC	AAGATGCCAA	GACAACAGAT	1320
	AATGACTGCT	CAATGGTTGC	TCTAGGAAAG	CAGTATTCTG	AAGAGGCTTC	TAAAGACAAT	1380
	AGCGACGGAG	TGAATGAAAA	GGTGAGCTGT	GTGTGA			1416

35

225

(229)	INFORMATION	FOR	SEQ	ID	NO:228:
-------	-------------	-----	-----	----	---------

- (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 470 amino acids
  - (B) TYPE: amino acid
- (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein

(11) MOLECULE TYPE: procein																
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:228:															
10 1	Met	Asp	Ile	Leu	Cys	Glu	Glu		Thr	Ser	Leu	Ser		Thr	Thr	Asn
	Ser		Met 20	Gln	Leu	Asn		-		Arg	Leu		_		Asp	Phe
	Asn	Ser	Gly 35	Glu	Ala	Asn	Thr	Ser 40	Asp	Ala	Phe	Asn	Trp 45	Thr	Val	Asp
15	Ser	.Glu 50	Asn	Arg	Thr	Asn	Leu 55	Ser	Cys	Glu	Gly	Суs 60	Leu	Ser	Pro	Ser
	Cys 65	Leu	Ser	Leu	Leu	His 70	Leu	Gln	Glu	Lys	Asn 75	Trp	Ser	Ala	Leu	Leu 80
20	Thr	Ala	Val	Val	Ile 85	Ile	Leu	Thr	Ile	Ala 90	Gly	Asn	Ile	Leu	Val 95	Ile
•	Met	Ala		Ser 100	Leu	Glu	Lys	Lys	Leu 105	Gln	Asn	Ala	Thr	Asn 110	Tyr	Phe
•	Leu	Met	Ser 115		Ala	Ile	Ala	Asp 120	Met	Leu	Leu	Gly	Phe 125	Leu	Val	Met
25		130	Ser				135		-	_	_	140	_			
	145		Leu		٠.	150					155					160
30			Ile	,	165		-			170		_		-	175	
			Asn	180	,				185	*				190	_	
	Phe	Leu	Lys 195	Ile	Ile	Ala	Val	Trp 200	Thr	Ile	Ser	Val	Gly 205	Ile	Ser	Met

Pro Ile Pro Val Phe Gly Leu Gln Asp Asp Ser Lys Val Phe Lys Glu

Gly Ser Cys Leu Leu Ala Asp Asp Asn Phe Val Leu Ile Gly Ser Phe

220

235

. 215

		Val	Ser	Phe	Phe	Ile 245	Pro	Leu	Thr	Ile	Met 250		Ile	Thr	Tyr	Phe 255	Leu
		Thr	Ile	_	Ser 260	Leu	Gln	Lys	Glu	Ala 265	Thr	Leu	Cys	Val	Ser 270	Asp	Leu
5		Gly	Thr	Arg 275	Ala	Lys	Leu	Ala	Ser 280	Phe	Ser	Phe	Leu	Pro 285	Gln	Ser	Ser
		Leu	Ser 290	Ser	Glu	Lys	Leu.	Phe 295	Gln	Arg	Ser	Ile	His 300	Arg	Glu	Pro	Gly
10		Ser 305	Tyr	Thr	Gly	Arg	Arg 310	Thr	Met	Gln	Ser	Ile 315	Ser	Asn	Glu	Gln	Lys 320
		Ala	Lys	Lys	Val	Leu 325	Gly	Ile	Val	Phe	Phe 330	Leu	Phe	Val	Val	Met 335	Trp
		Cys	Pro	Phe	Phe 340	Ile	Thr	Asn	Ile	Met 345	Ala	Val	Ile	Cys	Lys 350	Glu	Ser
15		Cys		Glu 355	Asp	Val	Ile	Gly	Ala 360	Leu	Leu	Asn	Val-	Phe 365	Val	Trp	Ile
		Gly	Туr 370	Leu	Ser	Ser	Ala	Val 375	Asn	Pro	Leu	Val	Tyr 380	Thr	Leu	Phe	Asn
20		Lys 385	Thr	Tyr	Arg ,	Ser	Ala 390	Phe	Ser	Arg	Tyr	Ile 395	Gln	Cys	Gln	Tyr	Lys 400
	•	Glu	Asn	Lys	Lys	Pro 405	Leu	Gln	Leu	Ile	Leu 410	Val	Așn	Thr	Ile	Pro 415	Ala
		Leu	Ala	Tyr	Lys 420	Ser	Ser	Gln	Leu	Gln 425	Met	Gly	Gln	Lys	Lys 430	Asn	Ser
25	:	Lys	Gln	Asp 435	Ala	Lys	Thr	Thr	Asp 440	Asn	Asp	Сув	Ser	Met 445	Val	Ala	Leu
	. (	Gly	Lys 450	Gln	Tyr	Ser	Glu	Glu 455	Ala	Ser	Lys	Asp	Asn 460	Ser	Asp	Gly	Val
30		Asn 465	Glu	Lys	Val	Ser	Cys 470	Val	-								•
	(230)	INF	ORMA	MOIT	FOR	SEQ	ID	NO: 2	29:								

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1377 base pairs
    (B) TYPE: nucleic acid

  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:229:

	ATGGTGAACC	TGAGGAATGC	GGTGCATTCA	TTCCTTGTGC	ACCTAATTGG	CCTATTGGTT	60
	TGGCAATGTG	ATATTTCTGT	GAGCCCAGTA	GCAGCTATAG	TAACTGACAT	TTTCAATACC	120
	TCCGATGGTG	GACGCTTCAA	ATTCCCAGAC	GGGGTACAAA	ACTGGCCAGC	ACTTTCAATC	180
5	GTCATCATAA	TAATCATGAC	AATAGGTGGC	AACATCCTTG	TGATCATGGC	AGTAAGCATG	240
	GAAAAGAAAC	TGCACAATGC	CACCAATTAC	TTCTTAATGT	CCCTAGCCAT	TGCTGATATG	300
	CTAGTGGGAC	TACTTGTCAT	GCCCCTGTCT	CTCCTGGCAA	TCCTTTATGA	TTATGTCTGG	360
	CCACTACCTA	GATATTTGTG	CCCCGTCTGG	ATTTCTTTAG	ATGTTTTATT	TTCAACAGCG	420
	TCCATCATGC	ACCTCTGCGC	TATATCGCTG	GATCGGTATG	TAGCAATACG	TAATCCTATT	480
0 .	GAGCATAGCC	GTTTCAATTC	GCGGACTAAG	GCCATCATGA	AGATTGCTAT	TGTTTGGGCA	540
	ATTTCTATAG	GTGTATCAGT	TCCTATCCCT	GTGATTGGAC	TGAGGGACGA	AGAAAAGGTG	600
	TTCGTGAACA	ACACGACGTG	CGTGCTCAAC	GACCCAAATT	TCGTTCTTAT	TGGGTCCTTC	660
	GTAGCTTTCT	TCATACCGCT	GACGATTATG	GTGATTACGT	ATTGCCTGAC	CATCTACGTT	720
	CTGCGCCGAC	AAGCTTTGAT	GTTACTGCAC	GGCCACACCG	AGGAACCGCC	TGGACTAAGT	780
5	CTGGATTTCC	TGAAGTGCTG	CAAGAGGAAT	ACGGCCGAGG	AAGAGAACTC	TGCAAACCCT	840
	AACCAAGACC	AGAACGCACG	CCGAAGAAAG	AAGAAGGAGA	GACGTCCTAG	GGGCACCATG	900
	CAGGCTATCA	ACAATGAAAG	AAAAGCTAAG	AAAGTCCTTG	GGATTGTTTT	CTTTGTGTTT	960
	CTGATCATGT	GGTGCCCATT	TTTCATTACC	AATATTCTGT	CTGTTCTTTG	TGAGAAGTCC	1020
	TGTAACCAAA	AGCTCATGGA	AAAGCTTCTG	AATGTGTTTG	TTTGGATTGG	CTATGTTTGT	1080
0	TCAGGAATCA	ATCCTCTGGT	GTATACTCTG	TTCAACAAAA	TTTACCGAAG	GGCATTCTCC	1140
	AACTATTTGC	GTTGCAATTA	TAAGGTAGAG	AAAAAGCCTC	CTGTCAGGCA	GATTCCAAGA	1200
	GTTGCCGCCA	CTGCTTTGTC	TGGGAGGGAG	CTTAATGTTA	ACATTTATCG	GCATACCAAT	1260
	GAACCGGTGA	TCGAGAAAGC	CAGTGACAAT	GAGCCCGGTA	TAGAGATGCA	AGTTGAGAAT	1320
	TTAGAGTTAC	CAGTAAATCC	CTCCAGTGTG	GTTAGCGAAA	GGATTAGCAG	TGTGTGA	13,77

## 25 (231) INFORMATION FOR SEQ ID NO:230:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 458 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

### (D) TOPOLOGY: not relevant

## (ii) MOLECULE TYPE: protein

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

			(xi	) SI	EQUE	NCE I	DESCI	RIPT:	ION:	SEQ	ID 1	NO: 2	30:					
5		M 1		Val	Asn	Leu	Arg 5	Asn	Ala	Val	His	Ser 10	Phe	Leu	Val	His	Leu 15	Ile
		G	ly	Leu	Leu	Val 20	Trp	Gln	Cys	Asp	Ile 25	Ser	Val	Ser	Pro	Val 30	Ala	Ala
		I	le	Val	Thr 35	Asp	Ile	Phe	Asn	Thr 40	Ser	Asp	Gly	Gly	Arg 45	Phe	Lys	Phe
10		P	ro	Asp 50	Gly	Val	Gln	Asn	Trp 55	Pro	Ala	Leu	Ser	Ile 60	Val	Ile	Ile	Ile
		6		Met	Thr	Ile	Gly	Gly 70	Asn	Ile	Leu	Val	Ile 75	Met	Ala	Val	Ser	Met 80
15		G	lu	Lys	Lys	Leu	His 85	Asn	Ala	Thr	Asn	Tyr 90	Phe	Leu	Met	Ser	Leu 95	Ala
	•	I	le	Ala	Asp	Met 100	Leu	Val	Gly	Leu	Leu 105	Val	Met	Pro	Leu	Ser 110	Leu	Leu
		A	la	Ile	Leu 115	Tyr	Asp	Tyr	Val	Trp 120	Pro	Leu	Pro	Arg	Tyr 125	Leu	Cys	Pro
20		V	al	Trp 130	Ile	Ser	Leu	Asp	Val 135	Leu	Phe	Ser	Thr	Ala 140	Ser	Ile	Met	His
			eu 45	-	Ala	Ile	Ser	Leu 150	Asp	Arg	Tyr	Val	Ala 155	Ile	Arg	Asn	Pro	Ile 160
25		G.	lu	His	Ser	Arg	Phe 165	Asn	Ser	Arg	Thr	Lys 170	Ala		Met.	Lys	Ile 175	Ala
	-	I	le	Val	Trp	Ala 180	Ile,	Ser	Ile	Gly	Val 185	Ser	Val	Pro	Ile	Pro 190	Val	Ile
		G.	ly	Leu	Arg 195	_	Glu	.Glu ‹	_	Val 200	Phe	Val	Asn	Asn	Thr 205	Thr	Суз	Val
30	-	L	eu	Asn 210	Asp	Pro	Asn	Phe	Val 215	Leu	Ile	Gly	Ser	Phe 220	Val	Ala	Phe	Phe
	-		le 25	Pro	Leu	Thr	Ile	Met 230	Val	Ile	Thr	Tyr	Cys 235	Leu	Thr	Ile	Tyr	Val 240
35		L	eu	Arg	Arg	Gln	Ala 245	Leu	Met	Leu	Leu	His 250	Gly	His	Thr	Glu	Glu 255	Pro
		P	ro	Gly	Leu	Ser	Leu	Asp	Phe	Leu	Lys	Cys	Cys	Lys	Arg	Asn	Thr	Ala

				260					265					270			
	Glu	Glu	Glu 275	Asn	Ser	Ala	Asn	Pro 280	Asn	Gln	Asp	Gln	Asn 285	Ala	Arg	Arg	
5	Arg	Lys 290	Lys	Lys	Glu	Arg	Arg 295	Pro	Arg	Gly	Thr	Met 300	Gln	Ala	Ile	Asn	
	Asn 305	Glu	Arg	ГÀЗ	Ala	Lys 310	Lys	Val	Leu	Gly	Ile 315	Val	Phe	Phe	Val	Phe 320	
-	Leu	Ile	Met	Trp	Cys 325	Pro	Phe	Phe	Ile	Thr 330	Asn	Ile	Leu	Ser	Val 335		
10	Cys	Glu	Lys	Ser 340	Суз	Asn	Gln	Lys	Leu 345	Met	Glu	Lys	Leu	Leu 350	Asn	Val	
	Phe	Val	Trp 355	Ile	Gly	тут	Val	Cys 360	Ser	Gly	Ile	Asn	Pro 365	Leu	Val	Tyr	
15	Thr	Leu 370	Phe	Asn	Lys	Ile	Tyr 375	Arg	Arg	Ala		Ser 380	Asn	Tyr	Leu	Arg	
	Cys 385	Asn	Tyr	Lys	Val	Glu 390	Lys	Lys	Pro		Val 395	Arg	Gln	Ile	Pro	Arg 400	
	Val	Ala	Ala	Thr	Ala 405	Leu	Ser	Gly	Arg	Glu 410	Leu	Asn	Val	Asn	Ile 415	Tyr	
20	Arg	His	Thr	Asn 420	Glu	Pro	Val	Ile	Glu 425	ГЛЗ	Ala	Ser	Asp	Asn 430	Glu	Pro	
	Gly	Ile	Glu 435	Met	Gln	Val	Glu	Asn 4,40	Leu	Głu	Leu	Pro	Val 445	Asn	Pro	Ser	
25	Ser	Val 450	Val	Ser	Glu	Arg	Ile 455	Ser	Ser	Val							
	(232) IN	FORM	ATIOI	N FO	R SE	Q ID	NO:	231:				• .	•		•	•	
30		(B	) LE ) TY ) ST	NGTH PE: 1 RAND	: 10 nucle EDNE	68 ba eic a SS: 4	ase p acid sing:	pair	3	-	•						
		.i) M						enom:	ic)			-		-			
		:i) S								NO:2	31:						
	ATGGATCA	GT T	CCCT	GAAT	C AG	TGAC	AGAA	AAC'	TTTG	AGT .	ACGA'	rgat'	rr G	GCTG	AGGC	С	60
35	TGTTATAI	TG G	GGAC	ATCG'	T · GG	TCTT	TGGG	ACT	GTGT	TCC	TGTC	CATA'	rt c	TACT	CCGT	c :	120
	ATCTTTGC	CA T	TGGC	CŢGG'	T GG	GAAA'	TTTG	TTG	GTAG'	TGT	TTGC	CCTC	AC C	AACA	GCAA	G :	180

	• • • • • • • • • • • • • • • • • • • •	
	AAGCCCAAGA GTGTCACCGA CATTTACCTC CTGAACCTGG CCTTGTCTGA TCTGCTGTTT	240
	GTAGCCACTT TGCCCTTCTG GACTCACTAT TTGATAAATG AAAAGGGCCT CCACAATGCC	300
	ATGTGCAAAT TCACTACCGC CTTCTTCTTC ATCGGCTTTT TTGGAAGCAT ATTCTTCATC	360
	ACCGTCATCA GCATTGATAG GTACCTGGCC ATCGTCCTGG CCGCCAACTC CATGAACAAC	420
5	CGGACCGTGC AGCATGGCGT CACCATCAGC CTAGGCGTCT GGGCAGCAGC CATTTTGGTG	480
	GCAGCACCCC AGTTCATGTT CACAAAGCAG AAAGAAAATG AATGCCTTGG TGACTACCCC	540
-	GAGGTCCTCC AGGAAATCTG GCCCGTGCTC CGCAATGTGG AAACAAATTT TCTTGGCTTC	600
	CTACTCCCCC TGCTCATTAT GAGTTATTGC TACTTCAGAA TCATCCAGAC GCTGTTTTCC	660
	TGCAAGAACC ACAAGAAAGC CAAAGCCAAG AAACTGATCC TTCTGGTGGT CATCGTGTTT	720
10	TTCCTCTTCT GGACACCCTA CAACGTTATG ATTTTCCTGG AGACGCTTAA GCTCTATGAC	780
	TTCTTTCCCA GTTGTGACAT GAGGAAGGAT CTGAGGCTGG CCCTCAGTGT GACTGAGACG	840
	GTTGCATTTA GCCATTGTTG CCTGAATCCT CTCATCTATG CATTTGCTGG GGAGAAGTTC	900
	AGAAGATACC TTTACCACCT GTATGGGAAA TGCCTGGCTG TCCTGTGTGG GCGCTCAGTC	960
	CACGTTGATT TCTCCTCATC TGAATCACAA AGGAGCAGGC ATGGAAGTGT TCTGAGCAGC	1020
15	AATTTTACTT ACCACACGAG TGATGGAGAT GCATTGCTCC TTCTCTGA	1068
	(233) INFORMATION FOR SEQ ID NO:232:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 355 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:	
25	Met Asp Gln Phe Pro Glu Ser Val Thr Glu Asn Phe Glu Tyr Asp As 1 5 10 15	₃p
•	Leu Ala Glu Ala Cys Tyr Ile Gly Asp Ile Val Val Phe Gly Thr Va 20 25 30	al
	The tau car the Dhe Tur Ser Val The Dhe Ala The Cly Leu Val C	132

35 40 45

Asn Leu Leu Val Val Phe Ala Leu Thr Asn Ser Lys Lys Pro Lys Ser 50 Val Thr Asp Ile Tyr Leu Leu Asn Leu Ala Leu Ser Asp Leu Leu Phe

	65					70					75					80
	Va]	Ala	Thr	Leu	Pro 85	Phe	Trp	Thr	His	90	Leu	Ile	Asn	Glu	Lys 95	G1;
5	Lev	His	Asn	Ala 100		.Cys	Lys	Phe	Thr 105		Ala	Phe	Phe	Phe 110		Gl
	Phe	Phe	Gly 115		Ile	Phe	Phe	Ile 120		Val	Ile	Ser	Ile 125	Ąsp	Arg	Тут
	Leu	130		Val	Leu	Ala	Ala 135		Ser	Met	Asn	Asn 140		Thr	Val	Glı
10	His 145	Gly	Val	Thr	Ile	Ser 150	Leu	Gly	Val	Trp	Ala 155		Ala	Ile	Leu	Va]
	Ala	Ala	Pro	Gln	Phe 165	Met	Phe	Thr	Lys	GÌn 170	Lys	Glu	Asn	Glu	Cys 175	Leu
15	Gly	Asp	Tyr	Pro 180	Glu	Val	Leu	Gln	Glu 185	Ile	Trp	Pro	Val	Leu 190	Arg	Ası
	Val	Glu	Thr 195	Asn	Phe	Leu	Gly	Phe 200	Leu	Leu	Pro		Leu 205	Ile	Met	Ser
	Tyr	Cys 210	Tyr	Phe	Arg	Ile	Ile 215	Gln	Thr	Leu	Phe	Ser 220	Cys	Lys	Asn	His
20	Lys 225	Lys	Ala	Lys	Ala	Lys 230	Lys ·	Leu	Ile	Leu	Leu 235	Val	Val	Ile	Val	Phe 240
	Phe	Leu	Phe	Trp	Thr 245	Pro	Tyr	Asn	Val	Met 250	Ile	Phe	Leu	Glu	Thr 255	Leu
25	Lys	Leu	Tyr	Asp 260	Phe	Phe	Pro	Ser	Суs 265	Asp	Met	Arg	Lys	Asp 270	Leu	Arg
	Leu	Ala	<b>L</b> eu 275	Ser	Val	Thr	Glu	Thr 280	Val	Ala	Phe	Ser	His 285	Сув	Cys	Leu
	Asn	Pro 290	Leu	Ile	туг	Ala	Phe 295	Ala	Gly	Glu	Lys	Phe 300	Arg	Arg	Tyr	Leu
30	Tyr 305	His	Leu	Tyr		Lys 310	Cys	Leu	Ala	Val	Leu 315	Cys	Glý	Arg	Ser	Val 320
	His	Val	Asp	Phe	Ser 325	Ser	Ser	Glu	Ser	Gln 330	Arg	Ser	Arg	His	Gly 335	Ser
35	Val	Leu	Ser	Ser 340	Asn	Phe	Thr	Tyr	His 345	Thr	Ser	Asp	Gly	Asp 350	Ala	Leu
	Leu	Leu	Leu 355				٠							*		

	(234) INFORMATION FOR SEQ ID NO:233:	
5	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 29 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:	
10	GGCTTAAGAG CATCATCGTG GTGCTGGTG	. 29
	(235) INFORMATION FOR SEQ ID NO:234:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 34 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:234:	-
20	GTCACCACCA GCACCACGAT GATGCTCTTA AGCC	34
	(236) INFORMATION FOR SEQ ID NO:235:	
25	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 31 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	•
	(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:	
	CAAAGAAAGT ACTGGGCATC GTCTTCTTCC T	31
30	(237) INFORMATION FOR SEQ ID NO:236:	
2.5	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single	
35	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:	
	TGCTCTAGAT TCCAGATAGG TGAAAACTTG	30
	(238) INFORMATION FOR SEQ ID NO.237:	
5	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 50 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
10 .	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:	
	CTAGGGGCAC CATGCAGGCT ATCAACAATG AAAGAAAAGC TAAGAAAGTC	50
	(239) INFORMATION FOR SEQ ID NO:238:	
15	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 50 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:	
	CAAGGACTTT CTTAGCTTTT CTTTCATTGT TGATAGCCTG CATGGTGCCC	50
	(240) INFORMATION FOR SEQ ID NO:239:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 35 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:	•
•	CGGCGGCAGA AGGCGAAACG CATGATCCTC GCGGT	35
	(241) INFORMATION FOR SEQ ID NO:240:	

	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	٠.
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:	
5	ACCGCGAGGA TCATGCGTTT CGCCTTCTGC CGCCG	35
	(242) INFORMATION FOR SEQ ID NO:241:	
0	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 24 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	٠.
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:	
	GAGACATATT ATCTGCCACG GAGG	24
15	(243) INFORMATION FOR SEQ ID NO:242:	
20	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 24 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:242:	
	TTGGCATAGA AACCGGACCC AAGG	24
	(244) INFORMATION FOR SEQ ID NO:243:	
25	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 28 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	,
30	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:243:	
	TAAGAATTCC ATAAAAATTA TGGAATGG	28
	(245) INFORMATION FOR SEQ ID NO:244:	
	(i) SEQUENCE CHARACTERISTICS:	

	(A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
5	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:244:	
	CCAGGATCCA GCTGAAGTCT TCCATCATTC	30
	(246) INFORMATION FOR SEQ ID NO:245:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1071 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:245:	
	ATGAATGGGG TCTCGGAGGG GACCAGAGGC TGCAGTGACA GGCAACCTGG GGTCCTGACA	60
,	CGTGATCGCT CTTGTTCCAG GAAGATGAAC TCTTCCGGAT GCCTGTCTGA GGAGGTGGGG	120
	TCCCTCCGCC CACTGACTGT GGTTATCCTG TCTGCGTCCA TTGTCGTCGG AGTGCTGGGC	180
	AATGGGCTGG TGCTGTGGAT GACTGTCTTC CGTATGGCAC GCACGGTCTC CACCGTCTGC	240
20	TTCTTCCACC TGGCCCTTGC CGATTTCATG CTCTCACTGT CTCTGCCCAT TGCCATGTAC	300
	TATATTGTCT CCAGGCAGTG GCTCCTCGGA GAGTGGGCCT GCAAACTCTA CATCACCTTT	360
	GTGTTCCTCA GCTACTTTGC CAGTAACTGC CTCCTTGTCT TCATCTCTGT GGACCGTTGC	420
	ATCTCTGTCC TCTACCCCGT CTGGGCCCTG AACCACCGCA CTGTGCAGCG GGCGAGCTGG	480
	CTGGCCTTTG GGGTGTGGCT CCTGGCCGCC GCCTTGTGCT CTGCGCACCT GAAATTCCGG	540
25	ACAACCAGAA AATGGAATGG CTGTACGCAC TGCTACTTGG CGTTCAACTC TGACAATGAG	600
	ACTGCCCAGA TTTGGATTGA AGGGGTCGTG GAGGGACACA TTATAGGGAC CATTGGCCAC	660
,	TTCCTGCTGG GCTTCCTGGG GCCCTTAGCA ATCATAGGCA CCTGCGCCCA CCTCATCCGG	720
	GCCAAGCTCT TGCGGGAGGG CTGGGTCCAT GCCAACCGGC CCGCGAGGCT GCTGCTGGTG	.780
	CTGGTGAGCG CTTTCTTAT CTTCTGGTCC CCGTTTAACG TGGTGCTGTT GGTCCATCTG	840
30	TGGCGACGGG TGATGCTCAA GGAAATCTAC CACCCCGGA TGCTGCTCAT CCTCCAGGCT	900
	AGCTTTGCCT TGGGCTGTGT CAACAGCAGC CTCAACCCCT TCCTCACGT CTTCGTTGGC	. 960

AGAGATTTCC AAGAAAAGTT TTTCCAGTCT TTGACTTCTG CCCTGGCGAG GGCGTTTGGA 1020

	GAGG	AGGAG	T T	CTGT	CATO	CTG	TCCC	CCGT	GGCA	ACGC	cc c	CCGG	GAAT	G A			107	L
	(247)	INE	FORM	TION	FOF	SEC	) ID	NO:2	46:									
5		(i)	(B)	LEN TYP	igth: Pe: & Pande	IARAC 356 minc DNES	ami aci S:	.no a	cids				•					
		(ii	L) MC	LECU	πe i	YPE:	pro	oteir	ı			•						
10.		(xi	L) SE	QUEN	ICE I	ESCR	RIPTI	ON:	SEQ	ID N	10:24	16:		•				
		Met 1	Asn	Gly	Val [°]	Ser 5	Glu	Gly	Thr	Arg	Gly 10	Сув	Ser	qeA	Arg	Gln 15	Pro	
		Gly	<b>Val</b>	Leu	Thr 20	Arg	Asp	Arg	Ser	Cys 25	Ser	Arg	Lys	Met	Asn 30	Ser	Ser	
15		Gly	Cys	Leu 35	Ser	Glu	Glu	Val	Gly 40	Ser	Leu	Arg	Pro	Leu 45	Thr	Val	Val	
	•	Ile	Leu 50	Ser	Ala	Ser	Ile	Val 55	Val	Gly	Val	Leu	Gly 60	Asn	Gly	Leu	Val	
20	•	Leu 65	Trp	Met	Thr	Val	Phe 70	Arg	Met	Ala	Arg	Thr 75	Val	Ser	Thr	Val	Cys 80	
		Phe	Phe	His	Leu	Ala 85	Leu	Ala	Asp	Phe	Met 90	Leu	Ser	Leu	Ser	Leu 95	Pro	. •
		Ile	Ala	Met	Туг 100	Tyr	Ile	.Val	Ser	Arg 105	Gln	Trp	Leu	Leu	Gly 110	Glu	Trp	•
25		Ala	-	Lys 115	Leu	Tyr	Ile	Thr	Phe 120	Val	Phe	Leu	Ser	Tyr 125	Phe	Ala	Ser	
•	•	Asn	Cys 130		Leu	Val	Phe	Ile 135	Ser	Val	Asp	Arg	Cys 140	Ile	Ser	Val	Leu	
30		Tyr 145	Pro	Val	Trp	Ala	Leu 150	Asn	His	Arg	Thr	Val 155	Gln	Arg	Ala	Ser	Trp 160	
		Leu	Ala	Phe	Gly	Val 165		Leu	Leu	Ala	Ala 170	Ala	Leu	Cys	Ser	Ala 175	His	
		Leu	Lys	Phe	Arg 180	Thr	Thr	Arg	Lys	Trp 185	Asn	Gly	Cys	Thr	His 190	Cys	Tyr	
35	-	Leu	Ala	Phe 195		Ser	Asp	Asn	Glu 200		Ala	Gln	Ile	Trp 205	Ile	Glu	Gly	

										_								
	. 1	Val	Val 210	Glu	Gly	His	Ile	11e 215	Gly	Thr	Ile	Gly	His 220	Phe	Leu	Leu	Gly	
		Phe 225	Leu	Gly	Pro	Leu	Ala 230	Ile	Ile	Gly	Thr	Суз 235	Ala	His	Leu	Ile	Arg 240	
5	j	Ala	Lys	Leu	Leu	Arg 245	Glu	Gly	Trp	Val	His 250	Ala	Asn	Arg	Pro	Ala 255		
	1	Leu	Leu	Leu	Val 260	Leu	Val	Ser	Ala	Phe 265	Phe	Ile	Phe	Trp	Ser 270	Pro	Phe	
10	2	Asn	Val	Val 275	Leu	Leu	Val	His	Leu 280	Trp	Arg	Arg	Val	Met 285	Leu	Lys	Glu	
	:	Ile	Tyr 290	His	Pro	Arg	Met	Leu 295	Leu	Ile	Leu	Gln	Ala 300	Ser	Phe	Ala	Leu	
		Gly 305	Суз	Val	Asn	Ser	Ser 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Val	Phe	Val	Gly 320	
15		Arg	Asp	Phe	Gln	Glu 325	Lys	Phe	Phe	Gln	Ser 330	Leu	Thr	Ser	Ala	Leu 335	Ala	
	1	Arg	Ala	Phe	Gly 340	Glu	Glu	Glu	Phe	Leu 345	Ser	Ser	Суз	Pro	Arg 350	Gly	Asn.	
20	·	Ala	Pro	Arg 355	Glu	. •						.7						
•	(248)	INI	FORM	ATIO	N FO	R SE	Q ID	NO:	247:						•			
25		(i)	(A (B (C	) LE ) TY ) ST	CE CI NGTH PE: 1 RAND	: 32 nucl EDNE	bas eic SS:	e pa acid sing	irs									
		(3.	i) M	OLEC	ÚLE '	TYPE	: DN	A (cr	enom	ic)					-			
	,				NCE :						NO : 2	47:					•	
	GCAGA	ATT	CG G	CGGC	CCCA	T GG	ACCT	GCCC	CC									3:
30	(249)	IN	FORM	ATIO	n fo	R SE	Q ID	NO:	248:									
35		(i)	(A (B (C	) LE ) TY ) ST	CE C NGTH PE: RAND POLO	: 30 nucl EDNE	bas eic SS:	e pa acid sing	irs									
		(i	i) M	OLEC	ULE	TYPE	: DN	A (g	enom	ic)								

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:248:

	GCTGGATCCC CCGAGCAGTG GCGTTACTTC													
	(250) INFORMATION FOR SEQ ID NO:249:													
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 903 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	:												
	(ii) MOLECULE TYPE: DNA (genomic)													
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:249:													
10	ATGGACCTGC CCCCGCAGCT CTCCTTCGGC CTCTATGTGG CCGCCTTTGC GCTGGGCTTC	60												
	CCGCTCAACG TCCTGGCCAT CCGAGGCGCG ACGGCCCACG CCCGGCTCCG TCTCACCCCT	120												
	AGCCTGGTCT ACGCCCTGAA CCTGGGCTGC TCCGACCTGC TGCTGACAGT CTCTCTGCCC	180												
	CTGAAGGCGG TGGAGGCGCT AGCCTCCGGG GCCTGGCCTC TGCCGGCCTC GCTGTGCCCC	240												
	GTCTTCGCGG TGGCCCACTT CTTCCCACTC TATGCCGGCG GGGGCTTCCT GGCCGCCCTG	300												
15	AGTGCAGGCC GCTACCTGGG AGCAGCCTTC CCCTTGGGCT ACCAAGCCTT CCGGAGGCCG	360												
•	TGCTATTCCT GGGGGGTGTG CGCGGCCATC TGGGCCCTCG TCCTGTGTCA CCTGGGTCTG	420												
	GTCTTTGGGT TGGAGGCTCC AGGAGGCTGG CTGGACCACA GCAACACCTC CCTGGGCATC	480												
	AACACACGG TCAACGGCTC TCCGGTCTGC CTGGAGGCCT GGGACCCGGC CTCTGCCGGC	540												
	CCGGCCCGCT TCAGCCTCTC TCTCCTGCTC TTTTTTCTGC CCTTGGCCAT CACAGCCTTC	600												
20	TGCTACGTGG GCTGCCTCCG GGCACTGGCC CGCTCCGGCC TGACGCACAG GCGGAAGCTG	660												
-	CGGGCCGCCT GGGTGGCCGG CGGGGCCCTC CTCACGCTGC TGCTCTGCGT AGGACCCTAC	720												
	AACGCCTCCA ACGTGGCCAG CTTCCTGTAC CCCAATCTAG GAGGCTCCTG GCGGAAGCTG	780												
	GGGCTCATCA CGGGTGCCTG GAGTGTGGTG CTTAATCCGC TGGTGACCGG TTACTTGGGA	840												
	AGGGGTCCTG GCCTGAAGAC AGTGTGTGCG GCAAGAACGC AAGGGGGCAA GTCCCAGAAG	900												
25	TAA	903												
	(251) INFORMATION FOR SEQ ID NO:250:													
	(i) SEOUENCE CHARACTERISTICS:													

(A) LENGTH: 300 amino acids(B) TYPE: amino acid

(D) TOPOLOGY: not relevant

(C) STRANDEDNESS:

	(ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SE									Q ID NO:250:										
	Met 1	Asp	Leu	Pro	Pro 5	Gln	Leu	Ser	Phe	Gly 10	Leu	Tyr	Val	Ala	Ala 15	Phe				
5	Ala	Leu	Gly	Phe 20	Pro	Leu	Asn	Val	Leu 25	Ala	Ile	Arg	Gly	Ala 30	Thr	Ala				
	His	Ala	Arg 35	Leu	Arg	Leu	Thr	Pro 40	Ser	Leu	Val	Tyr	Ala 45	Leu	Asn	Leu				
10	Gly	Суа 50	Ser	Asp	Leu	Leu	Leu 55	Thr	Val	Ser	Leu	Pro 60	Leu	Lys	Ala	Val				
	65		Leu			70					75					80				
	Val	Phe	Ala	Val	Ala 85	His	Phe	Phe	Pro	Leu 90	Tyr	Ala	Gly	Gly	Gl <u>y</u> 95	Phe				
15	Leu	Ala	Ala	Leu 100	Ser	Ala	Gly	Arg	Tyr 105	Leu	Gly	Ala	Ala	Phe 110	Pro	Leu				
*	_	_	Gln 115					120					125							
20		130	Trp				135					140								
	145		Pro			150					155					160				
			Pro	•	165	•	٠			170		٠.			175					
25			Ala	180					185				•	190						
			Leu 195			٠		200					205		•					
30		210					215					220								
	Val 225	. Ala	Gly	Gly	Ala	Leu 230	Leu	Thr	Leu	Leu	Leu 235	Cys	Val	Gly	Pro	Tyr 240				
	Asn	Ala	Ser	Asn	Val 245		Ser	Phe	Leu	Tyr 250		Asn	Leu	Gly	Gly 255	Ser				
35	Trp	Arg	Lys	Leu 260		Leu	Ile	Thr	Gly 265	Ala	Trp	Ser	Val	Val 270	Leu	Asn				
	Pro	Leu	Val	Thr	Gly	Tyr	Leu	Gly	Arg	Gly	Pro	Gly	Leu	Lys	Thr	Val				

	275 280 285	
	Cys Ala Ala Arg Thr Gln Gly Gly Lys Ser Gln Lys 290 295 300	
	(252) INFORMATION FOR SEQ ID NO:251:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:251:	
	CTCAAGCTTA CTCTCTCA CCAGTGGCCA C	31
	(253) INFORMATION FOR SEQ ID NO:252:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:	
	CCCTCCTCCC CCGGAGGACC TAGC	24
•	(254) INFORMATION FOR SEQ ID NO:253:	
25	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1041 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	,
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:253:	
30	ATGGATACAG GCCCGACCA GTCCTACTTC TCCGGCAATC ACTGGTTCGT CTTCTCGGTG	60
	TACCTTCTCA CTTTCCTGGT GGGGCTCCCC CTCAACCTGC TGGCCCTGGT GGTCTTCGTG	120
,	GGCAAGCTGC AGCGCCGCCC GGTGGCCGTG GACGTGCTCC TGCTCAACCT GACCGCCTCG	180
	GACCTGCTCC TGCTGCTGTT CCTGCCTTTC CGCATGGTGG AGGCAGCCAA TGGCATGCAC	240
	TGGCCCCTGC CCTTCATCCT CTGCCCACTC TCTGGATTCA TCTTCTTCAC CACCATCTAT	300

	CTCACCGCCC	TCTTCC	rggc i	AGCTGT	GAGC	ATTG	AACGO	т т	CCTG.	AGTG	T GG	CCCA	CCCA	36	0
	CTGTGGTACA	AGACCC	GCC (	GAGGCT	GGGG _.	CAGG	CAGGT	rc T	GGTG.	agtg'	T GG	CCTG	CTGG	42	20
	CTGTTGGCCT	CTGCTC	ACTG (	CAGCGT	GGTC	TACG	TCATA	AG A	ATTC	TCAG	G GG	ACAT	CTCC	48	30
	CACAGCCAGG	GCACCA	ATGG (	GACCTG	CTAC	CTGG	AGTTO	CC G	GAAG	GACC.	A GC	TAGC	CATC	54	0
5	CTCCTGCCCG	TGCGGC	rgga (	GATGGC	TGTG	GTCC	TCTTT	G T	GGTC	CCGC	T GA	TCAT	CACC	60	00
	AGCTACTGCT	ACAGCC	GCCT (	GGTGTG	GATC	CTCG	GCAG	AG G	GGGC	AGCC.	A CC	GCCG	GCAG	66	50
	AGGAGGGTGG	CGGGGC	rgtt (	GGCGGC	CACG	CTGC	TCAA	T T	CCTT	GTCT	G CT	TTGG	GCCC	72	20
	TACAACGTGT	CCCATG	rcgt (	GGGCTA	TATC	TGCG	GTGA	AA G	CCCG	GCAT	G GA	GGAT	CTAC	78	30
	GTGACGCTTC	TCAGCA	CCCT	GAACTC	CTGT	GTCG	ACCC	ст т	TGTC	TACT	A CT	TCTC	CTCC	84	10
0	TCCGGGTTCC	AAGCCG	ACTT	TCATGA	GCTG	CTGA	.GGAG	ST T	GTGT	GGGC	т ст	GGGG	CCAG	90	00
	TGGCAGCAGG	AGAGCA	GCAT	GGAGCT	GAAG	GAGC	AGAA	G G	AGGG	GAGG	A GC	AGAG	AGCG	96	50
	GACCGACCAG	CTGAAA	GAAA	GACCAG	TGAA	CACT	CACA	G G	CTGT	GGAA	C TG	GTGG	CCAG	10	20
	GTGGCCTGTG	CTGAAA	GCTA	G										10	41
	(255) INFO	RMATION	FOR	SEQ ID	NO:	254:					·.				
15	(i)	SEQUENC (A) LEN (B) TYP (C) STR (D) TOP	GTH: E: am ANDED	346 am ino ac NESS:	ino a	acids					•				
20	· . (ii)	MOLECU	LE TY	PE: pr	otei	n.									
	(xi)	SEQUEN	CE DE	SCRIPT	ION:	SEQ	ID N	0:25	64:		-				•
	Met A	sp Thr	Gly P		Gln	Ser		Phe 10	Ser	Gly	Asn	His	Trp 15	Phe	
25	Val P	he Ser	Val 1 20	yr Leu	ı Leu	Thr	Phe 25	Leu	Val	Gly	Leu	Pro 30	Leu	Asn	
	Leu L	eu Ala 35	Leu V	al Val	Phe	Val 40	Gly	Lys	Leu	Gln	Arg 45	Arg	Pro	Val	
		al Asp 0	Val I	Leu Let	Leu 55	Asn	Leu	Thr		Ser 60	Asp	Leu	Leu	Leu	
30	Leu I 65	eu Phe	Leu I	Pro Pho	e Arg	Met	Val	Glu	Ala 75	Ala	Asn	Gly	Met	His 80	
	Trp I	ro Leu		Phe Ile 35	e Lev	Cys	Pro	Leu 90	Ser	Gly	Phe	Ile	Phe 95	Phe	

-		Thr	Thr	Ile	туr 100	Leu	Thr	Ala	Leu	Phe 105	Leu	Aļa	Ala	Val	Ser 110	Ile	Glu
•		Arg	Phe	Leu 115	Ser	Val	Ala	His	Pro 120	Leu	Trp	Tyr	Lys	Thr 125	Arg	Pro	Arg
5		, Leu	Gly 130	Gln	Ala	Gly	Leu	Val 135	Ser	Val	Ala	Cys	Trp 140	Leu	Leu	Ala	Ser
		Ala 145	His	Cys	Ser	Val	Val 150	Tyr	Val	Ile	Glu	Phe 155	Ser	Gly	Asp	Ile	Ser 160
10		His	Ser	Gln	•	Thr .165	Asn	Gly	Thr	Cys	Tyr 170	Leu	Glu	Phe	Arg	Lys 175	Asp
		Gln	Leu	Ala	Ile 180	Leu	Leu	Pro	Val	Arg 185	Leu	Glu	Met	Ala	Val 190	Val	Leu
		Phe	Val	Val 195	Pro	Leu	Ile	Ile	Thr 200	Ser	Tyr	Cys	Tyr	Ser 205	_	Leu	Val
15	,	Trp	Ile 210	Leu	Gly	Arg	Gly	Gly 215	Ser	His	Arg	Arg	Gln 220	Arg	Arg	Val	Ala
		Gly 225	Leu	Leu	Ala	Ala	Thr 230	Leu	Leu	Asn	Phe	Leu 235	Val	Cys	Phe	Gly	Pro 240
20		Tyr	Asn 	Val	Ser	His 245	Val	Val	Gly	Tyr	11e 250	Сув	Gly	Glu	Ser	Pro 255	Ala
		Trp	Arg	Ile	Туг 260	Val	Thr	Leu		Ser 265	Thr	Leu	Asn	Ser	Cys 270	Val	Asp
		Pro	Phe	Val 275	Tyr	Tyr	Phe		Ser 280	Ser	Gly	Phe	Gln	Ala 285	Asp	Phe	His
25	1	Glu	Leu 290	Leu	Arg	Arg	Leu	Cys 295	Gly	Leu	Trp	Gly	Gln 300	Trp	Gln	Gln	Glu
		Ser 305	Ser	Met	Glu	Leu	Lys 310	Glu	Gln	Lys	Gly	Gly 315	Glu	Glu	Gln	Arg	Ala 320
30		Asp	Arg	Pro	Ala	Glu 325	Arg	Lys	Thr	Ser	Glu 330	His	Ser	Gln	Gly	Cys 335	Gly
		Thr	Gly	Gly	Gln 340	Val	Ala	Cys	Ala	Glu 345	Ser		•				
	(256)	TME	ODM	TTON	7 201	SEC	תד ו	NO . 2	55.								

#### (256) INFORMATION FOR SEQ ID NO:255:

35

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
  (D) TOPOLOGY: linear

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:255:	
	TTTAAGCTTC CCCTCCAGGA TGCTGCCGGA C	31
	(257) INFORMATION FOR SEQ ID NO:256:	
5	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: not relevant	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:256:	
	GGCGAATTCT GAAGGTCCAG GGAAACTGCT A	31
	(258) INFORMATION FOR SEQ ID NO:257:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 993 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:257:	
•	ATGCTGCCGG ACTGGAAGAG CTCCTTGATC CTCATGGCTT ACATCATCAT CTTCCTCACT	60
	GGCCTCCCTG CCAACCTCCT GGCCCTGCGG GCCTTTGTGG GGCGGATCCG CCAGCCCCAG	120
	CCTGCACCTG TGCACATCCT CCTGCTGAGC CTGACGCTGG CCGACCTCCT CCTGCTGCTG	180
	CTGCTGCCCT TCAAGATCAT CGAGGCTGCG TCGAACTTCC GCTGGTACCT GCCCAAGGTC	240
25	GTCTGCGCCC TCACGAGTTT TGGCTTCTAC AGCAGCATCT ACTGCAGCAC GTGGCTCCTG	300
	GCGGGCATCA GCATCGAGCG CTACCTGGGA GTGGCTTTCC CCGTGCAGTA CAAGCTCTCC	360
	CGCCGGCCTC TGTATGGAGT GATTGCAGCT CTGGTGGCCT GGGTTATGTC CTTTGGTCAC	420
	TGCACCATCG TGATCATCGT TCAATACTTG AACACGACTG AGCAGGTCAG AAGTGGCAAT	480
	GAAATTACCT GCTACGAGAA CTTCACCGAT AACCAGTTGG ACGTGGTGCT GCCCGTGCGG	540
30-	CTGGAGCTGT GCCTGGTGCT CTTCTTCATC CCCATGGCAG TCACCATCTT CTGCTACTGG	600
	CGTTTTGTGT GGATCATGCT CTCCCAGCCC CTTGTGGGGG CCCAGAGGCG GCGCCGAGCC	660
	GTGGGGCTGG CTGTGGTGAC GCTGCTCAAT TTCCTGGTGT GCTTCGGACC TTACAACGTG	720

	TCCCACCT	GG TG	3GGGT	rate.	A CC	AGAGA	AAAA	AGC	CCT	GT (	3GCG(	FCA	AT A	3CCG	rggr	G	78
	TTCAGTTC	AC TO	CAACO	GCCA	TC:	rgga	cccc	CTG	CTCT	rcr 1	ATTT	CTCT"	rc T	rcag'	rggt	3	84
	CGCAGGGC	AT TI	rgggz	AGAGO	G GC	rgca	GTG	CTG	CGGA	ATC I	AGGG	CTCC	rc co	CTGT	rggg	A.	90
	CGCAGAGG	CA AA	AGACA	ACAGO	C. AG	AGGGG	BACA	AAT	GAGG!	ACA (	GGG:	rgtg	GG T	CAAG	GAGA	A.	96
5	GGGATGCC	AA GI	TCG	JACT.	CAC	CTAC	AGAG	TAG				•					99:
	(259) IN	FORM	MIOITA	1 FOI	R SEÇ	Q ID	NO:2	258:									
10		(B)	TYI STI	NGTH: PE: & RANDI POLOC	: 362 amino EDNES GY: 1	2 ami o aci SS: not 1	ino a id relev	acids vant	3								
	· (x:	i) SE	EQUEN	ICE I	DESCI	RIPT	ON:	SEQ	ID i	10 : 2 [:]	8:						
15	Met 1	Leu	Pro	Asp	Trp 5	Lys	Ser	Ser	Leu	Ile 10		Met	Ala	Tyr	Ile 15		
	Ile	Phe	Leu	Thr 20	Gły	Leu	Pro	Ala	Asn 25	Leu	Leu	Ala		Arg 30	Ala	Phe	
	Val	Gly	Arg 35	Ile	Arg	Gln	Pro	Gln 40	Pro	Ala	Pro	Val	His 45	Ile	Leu	Leu	
20	Leu	Ser 50	Leu	Thr	Leu	Ala	Asp 55	Leu	Leu	Leu	Leu	Leu 60	Leu	Leu	Pro	Phe	
	Lys 65	Ile	Ile	Glu	Ala	Ala 70	Ser	Asn	Phe	Arg	Trp 75	Tyr	Leu	Pro	Lys	Val 80	
25	Val	Cys	Ala	Leu	Thr 85	Ser	Phe	Gly	Phe	Tyr 90	Ser	Ser	Ile	Tyr	Суs 95	Ser	
	Thr	Trp	Leu	Leu 100	Ala	Gly	Ile	Ser	Ile 105	Glu	Arg	Tyr	Leu	Gly 110	Val	Ala	
	Phe	Pro	Val 115		-	-				Arg			-	-	Val	Ile	
30	Ala	Ala 130	Leu	Val	Ala	Trp	Val 135	Met	Ser	Phe	Gly	His 140	Сув	Thr	Ile	Val	
	Ile 145	Ile	Val	Gln	Tyr	Leu 150	Asn	Thr	Thr	Glu	Gln 155	Val	Arg	Ser	Gly	Asn 160	
35	Glu	Ile	Thr	Cys	Tyr 165	Glu	Asn	Phe	Thr	Asp 170	Asn	Gln	Leu	Asp	Val 175	Val	

	Leu	Pro	Val	Arg 180	Leu	Glu	Leu	Cys	Leu 185	Val	Leu	Phe	Phe	Ile 190		Met	
	Ala	Val	Thr 195	Ile	Phe	Суѕ	Tyr	Trp 200	Arg	Phe	Val	Trp	Ile 205	Met	Leu	Ser	
5	Gln	Pro 210	Leu	Val	Gly	Ala	Gln 215	Arg	Arg	Arg	Arg	Ala 220	Val	Gly	Leu	Ala	
	Val 225	Val	Thr	Leu	Leu	Asn 230	Phe	Leu	Val	Cys	Phe 235	Gly	Pro	Tyr	Asn	Val 240	
10	Ser	His	Leu	Val	Gly 245	Tyr	His	Gln	Arg	Lys 250	Ser	Pro	Trp	Trp	Arg 255	Ser	
	Ile	Ala		Val 260	Phe	Ser	Ser	Leu	Asn 265	Ala	Ser	Leu	Asp	Pro 270	Leu	Leu	
	Phe	Tyr	Phe 275	Ser	Ser	Ser	Val	Val 280	Arg	Arg	Ala	Phe	Gly 285	Arg	Gly :	Leu	
15	Gln	Val 290		Arg	Asn	Gln	Gly 295		Ser	Leu	Leu	Gly 300	Arg	Arg	Gly	Lys	
`	Asp 305	Thr	Ala	Glu	Gly	Thr 310	Asn	Glu	Asp	Arg	Gly 315	Val	Gly	Gln	Gly	Glu 320	
20	Gly	Met	Pro	Ser	Ser 325	Asp	Phe	Thr	Thr	Glu 330							
	(260) INI	FORMA				-											
25		(A) (B) (C)	LEN TYP STP	GTH: PE: 1 RANDE POLOC	: 30 nucle	base ic a SS: s	e pai icid singl	rs	-								
	(i:	i) MC	LECU	TE 1	YPE:	DNA	A (ge	nomi	.c)					•			
	( <b>x</b> :	i) SE	(EUQ	ICE I	DESCR	(IPTI	ON:	SEQ	ID N	10:25	9:				*		
	CCCAAGCT	rc Ge	GCAC	CATO	GAC	ACCI	CCC										3
30	(261) IN	FORMA	MOITA	FOF	SEC	) ID	NO: 2	60:		-		-	,				
	(i)	(B)	LEN	GTH: PE: r	30 nucle	base ic a	pai cid	rs								-	
35	•	(D)	TOE	POLOG	8Y: 1	inea	ır							٠.			
	1::	i ) MC	T DOT	T 12 7	ישמעי	DATE			<b>س</b> ۱								

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:260:

	ACAGGATCCA AATGCACAGC ACTGGTAAGC	30
	(262) INFORMATION FOR SEQ ID NO:261:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 25 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	• .•
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:261:	
10	CTATAACTGG GTTACATGGT TTAAC	25
	(263) INFORMATION FOR SEQ ID NO:262:	
15	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 30 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	. •
10	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:262:	
	TTTGAATTCA CATATTAATT AGAGACATGG	30
20	(264) INFORMATION FOR SEQ ID NO:263:	
25	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 2724 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:263:	
	ATGGACACCT CCCGGCTCGG TGTGCTCCTG TCCTTGCCTG TGCTGCTGCA GCTGGCGACC	60
	GGGGGCAGCT CTCCCAGGTC TGGTGTGTTG CTGAGGGGCT GCCCCACACA CTGTCATTGC	120
30	GAGCCCGACG GCAGGATGTT GCTCAGGGTG GACTGCTCCG ACCTGGGGCT CTCGGAGCTG	180
	CCTTCCAACC TCAGCGTCTT CACCTCCTAC CTAGACCTCA GTATGAACAA CATCAGTCAG	240
	CTGCTCCCGA ATCCCCTGCC CAGTCTCCGC TTCCTGGAGG AGTTACGTCT TGCGGGAAAC	300
	GCTCTGACAT ACATTCCCAA GGGAGCATTC ACTGGCCTTT ACAGTCTTAA AGTTCTTATG	360

	CTGCAGAATA	ATCAGCTAAG	ACACGTACCC	ACAGAAGCTC	TGCAGAATTT	GCGAAGCCTT	420
	CAATCCCTGC	GTCTGGATGC	TAACCACATC	AGCTATGTGC	CCCCAAGCTG	TTTCAGTGGC	480
	CTGCATTCCC	TGAGGCACCT	GTGGCTGGAT	GACAATGCGT	TAACAGAAAT	CCCCGTCCAG	540
	GCTTTTAGAA	GTTTATCGGC	ATTGCAAGCC	ATGACCTTGG	CCCTGAACAA	AATACACCAC	600
5	ATACCAGACT	ATGCCTTTGG	AAACCTCTCC	AGCTTGGTAG	TTCTACATCT	CCATAACAAT	660
	AGAATCCACT	CCCTGGGAAA	GAAATGCTTT	GATGGGCTCC	ACAGCCTAGA	GACTTTAGAT	720
	TTAAATTACA	ATAACCTTGA	TGAATTCCCC	ACTGCAATTA	GGACACTCTC	CAACCTTAAA	780
	GAACTAGGAT	TTCATAGCAA	CAATATCAGG	TCGATACCTG	AGAAAGCATT	TGTAGGCAAC	840
	CCTTCTCTTA	TTACAATACA	TTTCTATGAC	AATCCCATCC	AATTTGTTGG	GAGATCTGCT	900
10	TTTCAACATT	TACCTGAACT	AAGAACACTG	ACTCTGAATG	GTGCCTCACA	AATAACTGAA	960
	TTTCCTGATT	TAACTGGAAC	TGCAAACCTG	GAGAGTCTGA	CTTTAACTGG	AGCACAGATC	1020
	TCATCTCTTC	CTCAAACCGT	CTGCAATCAG	TTACCTAATC	TCCAAGTGCT	AGATCTGTCT	1080
	TACAACCTAT	TAGAAGATTT	ACCCAGTTTT	TCAGTCTGCC	AAAAGCTTCA	GAAAATTGAC	1140
	CTAAGACATA	ATGAAATCTA	CGAAATTAAA	GTTGACACTT	TCCAGCAGTT	GCTTAGCCTC	1200
15	CGATCGCTGA	ATTTGGCTTG	GAACAAAATT	GCTATTATTC	ACCCCAATGC	ATTTTCCACT	1260
	TTGCCATCCC	TAATAAAGCT	GGACCTATCG	TCCAACCTCC	TGTCGTCTTT	TCCTATAACT	1320
	GGGTTACATG	GTTTAACTCA	CTTAAAATTA	ACAGGAAATC	ATGCCTTACA	GAGCTTGATA	1380
	TCATCTGAAA	ACTTTCCAGA	ACTCAAGGTT	ATAGAAATGC	CTTATGCTTA	CCAGTGCTGT	1440
	GCATTTGGAG	TGTGTGAGAA	TGCCTATAAG	ATTTCTAATC	AATGGAATAA	AGGTGACAAC	1500
20	AGCAGTATGG	ACGACCTTCA	TAAGAAAGAT	GCTGGAATGT	TTCAGGCTCA	AGATGAACGT	1560
	GACCTTGAAG	ATTTCCTGCT	TGACTTTGAG	GAAGACCTGA	AAGCCCTTCA	TTCAGTGCAG	1620
	TGTTCACCTT	CCCCAGGCCC	CTTCAAACCC	TGTGAACACC	TGCTTGATGG	CTGGCTGATC	1680
	AGAATTGGAG	TGTGGACCAT	AGCAGTTCTG	GCACTTACTT	GTAATGCTTT	GGTGACTTCA	1740
	ACAGTTTTCA	GATCCCCTCT	GTACATTTCC	CCCATTAAAC	TGTTAATTGG	GGTCATCGCA	1800
25	GCAGTGAACA	TGCTCACGGG	AGTCTCCAGT	GCCGTGCTGG	CTGGTGTGGA	TGCGTTCACT	1860
	TTTGGCAGCT	TTGCACGACA	TGGTGCCTGG	TGGGAGAATG	GGGTTGGTTG	CCATGTCATT	1920
	GGTTTTTTGT	CCATTTTTGC	TTCAGAATCA	TCTGTTTTCC	TGCTTACTCT	GGCAGCCCTG	1980
	GAGCGTGGGT	TCTCTGTGAA	ATATTCTGCA	AAATTTGAAA	CGAAAGCTCC	ATTTTCTAGC	2040

				217			
	CTGAAAGTAA	TCATTTTGCT	CTGTGCCCTG	CTGGCCTTGA	CCATGGCCGC	AGTTCCCCTG	2100
	CTGGGTGGCA	GCAAGTATGG	CGCCTCCCCT	CTCTGCCTGC	CTTTGCCTTT	TGGGGAGCCC	2160
	AGCACCATGG	GCTACATGGT	CGCTCTCATC	TTGCTCAATT	CCCTTTGCTT	CCTCATGATG	2220
	ACCATTGCCT	ACACCAAGCT	CTACTGCAAT	TTGGACAAGG	GAGACCTGGA	GAATATTTGG	2280
5	GACTGCTCTA	TGGTAAAACA	CATTGCCCTG	TTGCTCTTCA	CCAACTGCAT	CCTAAACTGC	2340
	CCTGTGGCTT	TCTTGTCCTT	CTCCTCTTTA	ATAAACCTTA	CATTTATCAG	TCCTGAAGTA	2400
	ATTAAGTTTA	TCCTTCTGGT	GGTAGTCCCA	CTTCCTGCAT	GTCTCAATCC	CCTTCTCTAC	2460
	ATCTTGTTCA	ATCCTCACTT	TAAGGAGGAT	CTGGTGAGCC	TGAGAAAGCA	AACCTACGTC	2520
	TGGACAAGAT	CAAAACACCC	AAGCTTGATG	TCAATTAACT	CTGATGATGT	CGAAAAACAG	2580
10	TCCTGTGACT	CAACTCAAGC	CTTGGTAACC	TTTACCAGCT	CCAGCATCAC	TTATGACCTG	2640
	CCTCCCAGTT	CCGTGCCATC	ACCAGCTTAT	CCAGTGACTG	AGAGCTGCCA	TCTTTCCTCT	2700
	GTGGCATTTG	TCCCATGTCT	CTAA		•		2724
	(265) INFO	RMATION FOR	SEQ ID NO:2	264:		*	
15		SEQUENCE CHA (A) LENGTH: (B) TYPE: an (C) STRANDEI	907 amino a nino acid				

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:264:

Met Asp Thr Ser Arg Leu Gly Val Leu Leu Ser Leu Pro Val Leu Leu

Gln Leu Ala Thr Gly Gly Ser Ser Pro Arg Ser Gly Val Leu Leu Arg 20 25

25 Gly Cys Pro Thr His Cys His Cys Glu Pro Asp Gly Arg Met Leu Leu

Arg Val Asp Cys Ser Asp Leu Gly Leu Ser Glu Leu Pro Ser Asn Leu

Ser Val Phe Thr Ser Tyr Leu Asp Leu Ser Met Asn Asn Ile Ser Gln 30

Leu Leu Pro Asn Pro Leu Pro Ser Leu Arg Phe Leu Glu Glu Leu Arg

Leu Ala Gly Asn Ala Leu Thr Tyr Ile Pro Lys Gly Ala Phe Thr Gly

					100					105					110		
		Leu	Tyr	Ser 115		Lys	Val	Leu	Met 120		Gln	Asn	Asn	Gln 125	Leu	Arg	His
5		. Val	Pro 130		Glu	Ala	Leu	Gln 135		Leu	Arg	Ser	Leu 140	Gln	Ser	Leu	Arg
		Leu 145		Ala	Asn	His	Ile 150	Ser	Tyr	Val	Pro	Pro 155	Ser	Cys	Phe	Ser	Gl ₃
		Leu	His	Ser	Leu	Arg 165		Leu	Trp	Leu	Asp 170	Asp	Asn	Ala	Leu	Thr 175	Glu
10		Ile	Pro	Val	Gln 180	Ala	Phe	Arg	Ser	Leu 185	Ser	Ala	Leu	Gln	Ala 190	Met	Thr
		Leu	Ala	Leu 195	Asn	Lys	Ile	His	His 200	Ile	Pro	Asp	Tyr	Ala 205	Phe	Gly	Asn
15	,	Leu	Ser 210	Ser	Leu	Val	Val	Leu 215	His	Leu	His	Asn	Asn 220	Arg	Ile	His	Ser
		Leu 225		Lys	Lys	Cys	Phe 230	qeA	Gly	Leu	His	Ser 235	Leu	Glu	Thr	Leu	Asp 240
		Leu	Asn	Tyr	Asn	Asn 245	Leu	Asp	Glu	Phe	Pro 250	Thr	Ala	Ile	Arg	Thr 255	Leu
20					260				•	265		٠			270	Ser	
•		Pro	Glu	Lys 275	Ala	Phe	Val	Gly	Asn 280	Pro	Ser	Leu	Ile	Thr 285	Ile	His	Phe
25			290	•				295			٠		300			His	
		305				٠.	310	•		٠		315				Thr	320
		Phe	Pro	qaA	Leu	Thr 325	Gly	Thr	Ala	Asn	Leu 330	Glu	Ser	Leu	Thr	Leu 335	
- 30		Gly	Ala	Gln	11e 340	Ser	Ser	Leu	Pro	Gln 345	Thr	Val	Сув	Asn	Gln 350	Leu	Pro
	÷	Asn	Leu	Gln 355	Val	Leu	Asp	Leu	Ser 360	Tyr	Asn	Leu	Leu	Gl <u>u</u> 365	Asp	Leu	Pro
35		Ser	Phe 370	Ser	Val	Cys	Gln	Lys 375	Leu	Gln	Lys	Ile	Asp 380	Leu	Arg	His	Asn
		Glu 385	Ile	Tyr	Glu	Ile	190 390	Val	Asp.	Thr	Phe	Gln 395	Gln	Leu	Leu	Ser	Leu 400

		Arg	Ser	Leu	Asn	Leu 405	Ala	Trp	Asn	Lys	Ile 410	Ala	Ile	Ile	His	Pro 415	Asn
		Ala	Phe	Ser	Thr 420	Leu	Pro	Ser	Leu	Ile 425	Lys	Leu	Asp	Leu	Ser 430	Ser	Asn
5		Leu	Leu	Ser 435	Ser	Phe	Pro	Ile	Thr 440	Gly	Leu	His	Gly	Leu 445	Thr	His	Leu
	•	Lys	Leu 450	Thr	Gly	Asn	His	Ala 455		Gln	Ser	Leu	Ile 460	Ser	Ser	Glu	Asn
10		Phe 465	Pro	Glu	Leu	Lys	Val 470		Glu	Met	Pro	Tyr 475	Ala	Tyr	Gln	Суз	Cys 480
	•	Ala	Phe	Gly	Val	Cys 485	Glu	Asn	Ala	Tyr	Lys 490	Ile	Ser	Asn	Gln	Trp 495	Asn
	٠	Lys	Gly	Asp	Asn 500	Ser	Ser	Met	Asp	Asp 505	Leu	His	Lys	Lys	Asp 510	Ala	Gly
15		Met	Phe	Gln 515	Ala	Gln	Asp	Glu	Arg 520	Asp	Leu	Glu	Asp	Phe 525	Leu	Leu	Asp
		Phe	Glu 530	Glu	Asp	Leu	Lys	Ala 535	Leu	His	Ser	Val	Gln 540	Cys	Ser	Pro	Ser
20		Pro 545	Gly	Pro	Phe	Lys	Pro 550	Суз	Glu	His	Leu	Leu 555	Asp	Gly	Trp	Leu	Ile 560
-		Arg	Ile	Gly	Val	Trp 565	Thr	Ile	Ala	Val	Leu 570	Ala	Leu	Thr	Cys	Asn 575	Ala.
		Leu	Val	Thr	Ser 580	Thr	Val	Phe	Arg	Ser 585	Pro	Leu	Tyr	Ile	Ser 590	Pro	Ile
25		Lys	Leu	Leu 595	Ile	Gly	Val	Ile	Ala 600	Ala	Val	Asn	Met	Leu 605		Gly	Val
		Ser	ser 610	Ala	Val	Leu	Ala	Gly 615	Val	Asp	Ala	Phe	Thr 620	Phe	Gly	Ser	Phe
30		Ala 625		His	Gly	Ala				Asn		Val 635		Cys	His	Val	Ile 640
		Gly	Phe	Leu	Ser	1le 645	Phe	Ala	Ser	Glu	Ser 650	Ser	Val	Phe	Leu	Leu 655	Thr
:		Leu	Ala	Ala	Leu 660		Arg	Gly	Phe	Ser 665		Lys	Tyr	Ser	Ala 670	Lys	Phe
35		Glu	Thr	Lys 675		Pro	Phe	Ser	Ser 680		Lys	Val	Ile	Ile 685	Leu	Leu	Cys
		Ala	Leu	Leu	Ala	Leu	Thr	Met	Ala	Ala	Val	Pro	Leu	Leu	Gly	Gly	Ser

WO 00/22129 PCT/US99/23938

		690					695					700				
•	Lys 705	Tyr	Gly	Ala	Ser	Pro 710	Leu	Cys	Leu	Pro	Leu 715	Pro	Phe	Gly	Glu	Pro 720
5	Ser	Thr	Met	Gly	Tyr 725	Met	Val	Ala	Leu	11e 730	Leu	Leu	Asn	Ser	Leu 735	Cys
	Phe	Leu	Met	Met 740	Thr	Ile	Ala	Tyr	Thr 745	Lys	Leu	Tyr	Сув	Asn 750	Leu	Asp
	Lys	Gly	Asp 755	Leu	Glu	Asn	Ile	Trp 760	Asp	Cys	Ser	Met	Val 765	Lys	His	Ile
10	Ala	Leu 770	Leu	Leu	Phe	Thr	Asn 775	Cys	Ile	Leu	Asn	Cys 780	Pro	Val	Ala	Phe
	Leu 785	Ser	Phe.	Ser	Ser	Leu 790	Ile	Asn	Leu	Thr	Phe 795	Ile	Ser	Pro	Glu	Val 800
15	Ile	Lys	Phe	Ile	Leu 805	Leu	Val	Val	Val	Pro 810	Leu	Pro	Ala	Cys	Leu 815	Asn
	Pro	Leu	Leu	Tyr 820	Ile	Leu	Phe	Asn	Pro 825	His	Phe	Lys	Glu	Asp 830	Leu	Val
•	Ser	Leu	Arg 835	Lys	Gln	Thr	Tyr	Val 840	Trp	Thr	Arg	Ser	Lys 845	His	Pro	Ser
20	Leu	Met 850	Ser	Ile	Asn	Ser	Asp 855	Asp	Val	Glu	Lys	Gln 860	Ser	Cys	Asp	Ser
	Thr 865	Gln	Ala	Leu	Val	Thr 870	Phe	Thr	Ser	Ser	Ser 875	Ile	Thr	Tyr	Asp	Leu 880
25	Pro	Pro	Ser	Ser	Val 885	Pro	Ser	Pro	Ala	Tyr 890	Pro	Val	Thr	Glu	Ser 895	Cys
	His	Leu	Ser	Ser 900	Val	Ala	Phe	Val	Pro 905	Cys	Leu					
	(266) INE	FORM	4OIT	1 FOF	SEC	) ID	NO:2	:65:								
30	, (i)	(B)	UENC LEN TYI STI	NGTH: PE: r RANDE	: 30 nucle EDNES	base ic a S: s	e pai cid singl	.rs							٠	
	(ii	L) MC	OLECU	LE 1	TYPE:	DNA	ı (ge	nomi	lc)							
35	(xi	L) SI	EQUE1	ICE I	DESCE	RIPTI	ON:	SEQ	ID N	10:26	55:					

	(267)	INFORMATION FOR SEQ ID NO:266:	
5 .		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 27 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:	
	CAGAGO	GAGGG TGAAGGGGCT GTTGGCG 2	7
10	(268)	INFORMATION FOR SEQ ID NO:267:	
15		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:	
•	GGCGG	CGCCG AGCCAAGGGG CTGGCTGTGG	30
	(269)	INFORMATION FOR SEQ ID NO:268:	
20		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 32 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
25		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:268:	
	GGGAC	TGCTC TATGAAAAA CACATTGCCC TG	32
	(270)	INFORMATION FOR SEQ ID NO:269:	
30	÷	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1071 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
35		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:269:	
	ATGA	ATGGGG TCTCGGAGGG GACCAGAGGC TGCAGTGACA GGCAACCTGG GGTCCTGACA	60

	CGTGATCGCT	CTTGTTCCAG	GAAGATGAAC	TCTTCCGGAT	GCCTGTCTGA	GGAGGTGGGG	120
	TCCCTCCGCC	CACTGACTGT	GGTTATCCTG	TCTGCGTCCA	TTGTCGTCGG	AGTGCTGGGC	180
	AATGGGCTGG	TGCTGTGGAT	GACTGTCTTC	CGTATGGCAC	GCACGGTCTC	CACCGTCTGC	240
	TTCTTCCACC	TGGCCCTTGC	CGATTTCATG	CTCTCACTGT	CTCTGCCCAT	TGCCATGTAC	300
5	TATATTGTCT	CCAGGCAGTG	GCTCCTCGGA	GAGTGGGCCT	GCAAACTCTA	CATCACCTTT	360
	GTGTTCCTCA	GCTACTTTGC	CAGTAACTGC	CTCCTTGTCT	TCATCTCTGT	GGACCGTTGC	420
	ATCTCTGTCC	TCTACCCCGT	CTGGGCCCTG	AACCACCGCA	CTGTGCAGCG	GGCGAGCTGG	480
٠	CTGGCCTTTG	GGGTGTGGCT	CCTGGCCGCC	GCCTTGTGCT	CTGCGCACCT	GAAATTCCGG	540
	ACAACCAGAA	AATGGAATGG	CTGTACGCAC	TGCTACTTGG	CGTTCAACTC	TGACAATGAG	600
0	ACTGCCCAGA	TTTGGATTGA	AGGGGTCGTG	GAGGGACACA	TTATAGGGAC	CATTGGCCAC	660
	TTCCTGCTGG	GCTTCCTGGG	GCCCTTAGCA	ATCATAGGCA	CCTGCGCCCA	CCTCATCCGG	720
	GCCAAGCTCT	TGCGGGAGGG	CTGGGTCCAT	GCCAACCGGC	CCAAGAGGCT	GCTGCTGGTG	780
	CTGGTGAGCG	CTTTCTTTAT	CTTCTGGTCC	CCGTTTAACG	TGGTGCTGTT	GGTCCATCTG	840
	TGGCGACGGG	TGATGCTCAA	GGAAATCTAC	CACCCCGGA	TGCTGCTCAT	CCTCCAGGCT	900
5	AGCTTTGCCT	TGGGCTGTGT	CAACAGCAGC	CTCAACCCCT	TCCTCTACGT	CTTCGTTGGC	960
	AGAGATTTCC	AAGAAAAGTT	TTTCCAGTCT	TTGACTTCTG	CCCTGGCGAG	GGCGTTTGGA	1020
	GAGGAGGAGT	TTCTGTCATC	CTGTCCCCGT	GGCAACGCCC	CCCGGGAATG	А	1071
	(271) INFOR	MATION FOR	SEQ ID NO:2	270:			

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 356 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:270:

Met Asn Gly Val Ser Glu Gly Thr Arg Gly Cys Ser Asp Arg Gln Pro 1 5 10 15

Gly Val Leu Thr Arg Asp Arg Ser Cys Ser Arg Lys Met Asn Ser Ser 20 25 30

30 Gly Cys Leu Ser Glu Glu Val Gly Ser Leu Arg Pro Leu Thr Val Val 35 40 45

		50	ı sei	. Ald	. ser	. 116	55	. vai	. GIŞ	/ Val	. Leu	60 60	/ Asn	1 G13	/ Let	ı Va.
	Leu 65	Trp	Met	Thr	· Val	Phe	Arg	Met	Ala	Arg	Thr 75	· Val	. Ser	Thi	. Val	Cy:
. 5	Phe	. Phe	His	Leu	Ala 85	. Leu	Ala	Asp	Phe	Met 90	Leu	Ser	Leu	. Ser	: Leu 95	Pro
	Ile	Ala	Met	Tyr 100		Ile	Val	Ser	Arg 105		Trp	Leu	Leu	Gly 110		Trp
10	Ala	Cys	Lys 115		Tyr	Ile	Thr	Phe 120		Phe	Leu	Ser	Tyr 125		Ala	Ser
	Asn	Cys 130		Leu	Val	Phe	Ile 135	Ser	Val	Asp	Arg	Cys 140	Ile	Ser	Val	Leu
	Tyr 145		Val	Trp	Ala	Leu 150		His	Arg	Thr	Val 155	Gln	Arg	Ala	Ser	Trp
15	Leu	Ala	Phe	Gly	Val 165	Trp	Leu	Leu	Ala	Ala 170	Ala	Leu	Сув	Ser	Ala 175	His
	Leu	Lys	Phe	Arg 180	Thr	Thr	Arg	Lys	Trp 185	Asn	Gly	Суз	Thr	His 190	Cys	Tyr
20	Leu	Ala	Phe 195	Asn	Ser	Asp	Asn	Glu 200	Thr	Ala	Gln	Ile,	Trp 205	Ile	Glu	Gly
•	Val	Val 210	Glu	Gly	His	Ile	Ile 215	Gly	Thr	Ile	Gly	His 220		Leu	Leu	Gly
	225					Ala 230			•		235		•			240
25	Ala	Lys.	Leu	Leu	Arg 245	Glu	Gly	Trp	Val	His 250	Ala	Asn	Arg	Pro	Lys 255	Arg
	Leu	Leu	Leu	Val 260	Leu	Val	Ser	Ala	Phe 265		Ile	Phe	Trp	Ser 270	Pro	Phe
30	Asn	Val	Val 275	Leu	Leu	Val	His	Leu 280	Trp	Arg	Arg	Val	Met 285	Leu	Lys	Glu
	Ile	Tyr 290	His	Pro	Arg	Met	Leu 295	Leu	Ile	Leu	Gln	Ala 300	Ser	Phe	Ala	Leu
	Gly 305	Cys	Val	Asn	Ser	Ser 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Val	Phe	Val	Gly 320
35					325	Lys				330					335	
	Arg	Ala	Phe	Gly	Glu	Glu	Glu	Phe	Leu	Ser	Ser	Суз	Pro	Arg	Gly	Asn

PCT/US99/23938

224

340

345

350

Ala Pro Arg Glu 355

# (272) INFORMATION FOR SEQ ID NO:271:

5

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 903 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

10

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:271:

ATGGACCTGC CCCCGCAGCT CTCCTTCGGC CTCTATGTGG CCGCCTTTGC GCTGGGCTTC 60 CCGCTCAACG TCCTGGCCAT CCGAGGCGCG ACGGCCCACG CCCGGCTCCG TCTCACCCCT 120 15 AGCCTGGTCT ACGCCCTGAA CCTGGGCTGC TCCGACCTGC TGCTGACAGT CTCTCTGCCC 180 CTGAAGGCGG TGGAGGCGCT AGCCTCCGGG GCCTGGCCTC TGCCGGCCTC GCTGTGCCCC 240 GTCTTCGCGG TGGCCCACTT CTTCCCACTC TATGCCGGCG GGGGCTTCCT GGCCGCCCTG 300 AGTGCAGGCC GCTACCTGGG AGCAGCCTTC CCCTTGGGCT ACCAAGCCTT CCGGAGGCCG 360 TGCTATTCCT GGGGGGTGTG CGCGGCCATC TGGGCCCTCG TCCTGTGTCA CCTGGGTCTG 420 GTCTTTGGGT TGGAGGCTCC AGGAGGCTGG CTGGACCACA GCAACACCTC CCTGGGCATC 480 AACACACCGG TCAACGGCTC TCCGGTCTGC CTGGAGGCCT GGGACCCGGC CTCTGCCGGC 540 CCGGCCCGCT TCAGCCTCTC TCTCCTGCTC TTTTTTCTGC CCTTGGCCAT CACAGCCTTC 600. TGCTACGTGG GCTGCCTCCG GGCACTGGCC CGCTCCGGCC TGACGCACAG GCGGAAGCTG 660 CGGGCCAAAT GGGTGGCCGG CGGGGCCCTC CTCACGCTGC TGCTCTGCGT AGGACCCTAC AACGCCTCCA ACGTGGCCAG CTTCCTGTAC CCCAATCTAG GAGGCTCCTG GCGGAAGCTG 780 GGGCTCATCA CGGGTGCCTG GAGTGTGGTG CTTAATCCGC TGGTGACCGG TTACTTGGGA AGGGGTCCTG GCCTGAAGAC AGTGTGTGCG GCAAGAACGC AAGGGGGCAA GTCCCAGAAG 900 903 TAA

# (273) INFORMATION FOR SEQ ID NO:272:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 300 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

### (D) TOPOLOGY: not relevant

- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:272:

		(X)	L) Si	SQUEI	NCE I	PESCE	KIPT.	LON:	SEQ	י עז	NU:2	72:					•	
. 5		Met 1	Asp	Leu	Pro	Pro 5	Gln	Leu	Ser	Phe	Gly 10	Leu	Tyr	Val	Ala	Ala 15	Phe	
		Ala	Leu	Gly	Phe 20	Pro	Leu	Asn	Val	Leu 25	Ala	Ile	Arg	Gly	Ala 30	Thr	Ala	
		His	Ala	Arg 35	Leu	Arg	Leu		Pro 40	Ser	Leu	Val	Tyr	Ala 45	Leu	Asn	Leu	
10		Gly	Сув 50	Ser	Asp	Leu	Leu	Leu 55	Thr	Val	Ser	Leu	Pro 60	Leu	Lys	Ala	Val	
		Glu 65	Ala	Leu	Ala	Ser	Gly 70	Ala	Trp	Pro	Leu	Pro 75	Ala	Ser	Leu	Cys	Pro 80	
15						85					90		•			95 -	Phe	
					100					105				Ala	110			
				115				*	120					Gly 125		-		
20			130	-				135	٠				140	Val			• 1	
		145			•		150		•		-	155		Ser			160	
25						165	-				170			Ala		175		
				•	180				-	185				Leu	190		-	
	,	,		195					200					Cys 205				
30			210					215		•			220	Arg				
		225					230					235		Val			240	
35		Asn	Ala	Ser	Asn	Val 245	Ala	Ser	Phe	Leu	Tyr 250	Pro	Asn	Leu	Gly	Gly 255	Ser	
		Trp	Arg	Lys	Leu	Gly	Leu	Ile	Thr	Gly	Ala	Trp	Ser	Val	Val	Leu	Asn	

PCT/US99/23938

60

#### WO 00/22129

10

226

260 265

Pro Leu Val Thr Gly Tyr Leu Gly Arg Gly Pro Gly Leu Lys Thr Val 280

Cys Ala Ala Arg Thr Gln Gly Gly Lys Ser Gln Lys 295

### (274) INFORMATION FOR SEQ ID NO:273:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1041 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:273:

ATGGATACAG GCCCCGACCA GTCCTACTTC TCCGGCAATC ACTGGTTCGT CTTCTCGGTG 15 TACCTTCTCA CTTTCCTGGT GGGGCTCCCC CTCAACCTGC TGGCCCTGGT GGTCTTCGTG 120 GGCAAGCTGC AGCGCCGCCC GGTGGCCGTG GACGTGCTCC TGCTCAACCT GACCGCCTCG 180 GACCTGCTCC TGCTGCTGTT CCTGCCTTTC CGCATGGTGG AGGCAGCCAA TGGCATGCAC 240 TGGCCCCTGC CCTTCATCCT CTGCCCACTC TCTGGATTCA TCTTCTTCAC CACCATCTAT 300 CTCACCGCCC TCTTCCTGGC AGCTGTGAGC ATTGAACGCT TCCTGAGTGT GGCCCACCCA 360 CTGTGGTACA AGACCCGGCC GAGGCTGGGG CAGGCAGGTC TGGTGAGTGT GGCCTGCTGG 420 20 CTGTTGGCCT CTGCTCACTG CAGCGTGGTC TACGTCATAG AATTCTCAGG GGACATCTCC 480 CACAGCCAGG GCACCAATGG GACCTGCTAC CTGGAGTTCC GGAAGGACCA GCTAGCCATC CTCCTGCCCG TGCGGCTGGA GATGGCTGTG GTCCTCTTTG TGGTCCCGCT GATCATCACC 600 AGCTACTGCT ACAGCCGCCT GGTGTGGATC CTCGGCAGAG GGGGCAGCCA CCGCCGGCAG 660 AGGAGGGTGA AGGGGCTGTT GGCGGCCACG CTGCTCAACT TCCTTGTCTG CTTTGGGCCC 720 TACAACGTGT CCCATGTCGT GGGCTATATC TGCGGTGAAA GCCCGGCATG GAGGATCTAC 780 GTGACGCTTC TCAGCACCCT GAACTCCTGT GTCGACCCCT TTGTCTACTA CTTCTCCTCC 840 TCCGGGTTCC AAGCCGACTT TCATGAGCTG CTGAGGAGGT TGTGTGGGCT CTGGGGCCAG TGGCAGCAGG AGAGCAGCAT GGAGCTGAAG GAGCAGAAGG GAGGGGAGGA GCAGAGAGCG 1020 GACCGACCAG CTGAAAGAAA GACCAGTGAA CACTCACAGG GCTGTGGAAC TGGTGGCCAG 1041 GTGGCCTGTG CTGAAAGCTA G

227

12751	INFORMATION	POD	CEO	TD	NO - 274
(2/3/	THEOMBITON	FUR	350	10	NO:2/4:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 346 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein

	(1	1) M	OLEC	ULE	TYPE	: pr	otei	n									
	(x	i) s	EQUE	NCE :	DESC	RIPT	ION:	SEQ	ID :	NO:2	74:						
10	Met 1	Asp	Thr	Gly	Pro 5	Asp	Gln	Ser	Tyr	Phe 10	Ser	Gly	Asn	His	Trp 15	Phe	
	Val	Phe	Ser	Val 20	Tyr	Leu	Leu	Thr	Phe 25	Leu	Val	Gly	Leu	Pro 30	Leu	Asn	
	Leu	Leu	Ala 35	Leu	Val	Val	Phe	Val 40	Gly	Lys	Leu	Gln	Arg 45	Arg	Pro	Val	
15	Ala	Val 50	Asp	Val	Leu	Leu	Leu 55	Asn	Leu	Thr	Ala	Ser 60	Asp	Leu	Leu	Leu	
=	Leu 65	Leu	Phe	Leu	Pro	Phe 70	Arg	Met	Val	Glu	Ala 75	Ala	Asn	Gly	Met	His 80	
20	Trp	Pro	Leu		Phe 85	Ile	Leu	Сұз	Pro	Leu 90	Ser	Gly	Phe	Ile	Phe 95	Phe	
	Thr	Thr	Ile	Tyr 100	Leu	Thr	Ala	Leu	Phe 105	Leu	Ala	Ala	Val	Ser 110	Ile	Glu	
	Arg	Phe.	Leu 115	Ser	Val	Ala	His	Pro 120	Leu	Trp	Tyr	Lys	Thr 125	Arg	Pro	Arg	
25	Leu	Gly 130		Ala	Gly	Leu	Val 135	Ser	Val	Ala	Суз	Trp	Leu	Leu	Ala	Ser	

Ala His Cys Ser Val Val Tyr Val Ile Glu Phe Ser Gly Asp Ile Ser 155

His Ser Gln Gly Thr Asn Gly Thr Cys Tyr Leu Glu Phe Arg Lys Asp 30 165 170

> Gln Leu Ala Ile Leu Leu Pro Val Arg Leu Glu Met Ala Val Val Leu 185 190

> Phe Val Val Pro Leu Ile Ile Thr Ser Tyr Cys Tyr Ser Arg Leu Val 200

35 Trp Ile Leu Gly Arg Gly Gly Ser His Arg Arg Gln Arg Arg Val Lys 215

Gly Leu Leu Ala Ala Thr Leu Leu Asn Phe Leu Val Cys Phe Gly Pro

PCT/US99/23938

600

		225					230					235					240	
	•	Tyr	Asn	Val	Ser	His 245	Val	Val	Gly	Tyr	Ile 250	Cys	Gly	Glu	Ser	Pro 255	Ala	
5		Trp	Arg	Ile	Туг 260	Val	Thr	Leu	Leu	Ser 265	Thr	Leu	Asn	Ser	Cys 270	Val	Asp	
		Pro	Phe	Val 275	Tyr	Tyr	Phe	Ser	Ser 280	Ser	Gly	Phe	Gln	Ala 285	Asp	Phe	His	
		Glu	Leu 290	Leu	Arg	Arg	Leu	Cys 295	Gly	Leu	Trp	Ġly	Gln 300	Trp	Gln	Gln	Glu	
10		Ser 305	Ser	Met	Glu	Leu	310 Tys	Glu	Gln	Lys	Gly	Gly 315	Glu	Glu	Gln	Arg	Ala 320	
		Asp	Arg	Pro	Ala	Glu 325	Arg	Lys	Thr	Ser	Glu 330	His	Ser	Gln	Gly	Cys 335	Gly	
15		Thr	Gly	Gly	Gln 340	Val	Ala	Cys	Ala	Glu 345	Ser							
	(276)	INF	ORMA	MOITA	FOF	SEC	] ID	NO:2	75 :		-	•						
		(i)			E CH								•					
20			(C)	STR	E: n RANDE POLOG	DNES	S: s	ingl	.e									
	•	(ii	.) MC	LECU	LE I	YPE:	DNA	. (ge	nomi	.c)		•						
		(xi	) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	iO : 27	5:						
	ATGCT	GCCG	G AC	TGGA	AGAG	CTC	CTTG	ATC	CTCA	TGGC	TT A	CATO	ATCA	тст	TCCT	CACT	•	60
25	GGCCT	CCCT	G CC	AACC	TCCT	GGC	CCTG	CGG	GCCI	TTGT	GG G	GCGG	ATCC	G CC	AGCC	CCAG	. 1	.20
-	CCTGC	ACCT	G TG	CACA	TCCI	CCI	GCTG	AGC	CTGA	CGCT	GG C	CGAC	CTCC	т сс	TGCT	GCTG	1	.80
	CTGCT	GCCC	т тс	'AAGA	TCAT	CGA	GGCT	GCG	TCGA	ACTT	CC G	CTGG	TACC	T GC	CCAA	GGTC	2	40
	GTCTG	CGCC	C TC	'ACGA	GTTT	TGG	CTTC	TAC	AGCA	GCAT	CT A	CTGC	AGCA	C GT	GGCT	CCTG	. 3	00
	GCGGG	CATC	A GC	ATCG	AGCG	CTA	CCTG	GGA	GTGG	CTTT	cc c	CGTG	CAGT	A CA	AGCT	CTCC	3	60
30	CGCCG	GCCT	C TG	TATG	GAGT	GAT	TGCA	GCT	CTGG	TGGC	CT G	GGTT	ATGT	с ст	TTGG	TCAC	4	20
	TGCAC	CATC	G TG	ATCA	TCGT	TCA	ATAC	TTG	AACA	CGAC	TG A	GCAG	GTCA	G AA	.GTGG	CAAT	4	80
	GAAAT	TACC	T GC	TACG	AGAA	CTT	CACC	GAT	AACC	AGTT	GG A	CGTG	GTGC	T GC	CCGT	GCGG	5	40
	CTGGA	GCTG	T GC	CTGG	TGCT	CTT	CTTC	ATC	CCCA	TGGC	AG T	CACC	ATCT	т ст	GCTA	CTGG	6	00

	CGTTTTGTGT GGATCATGCT CTCCCAGCCC CTTGTGGGGG CCCAGAGGCG GCGCCGAGCC	660
	AAGGGGCTGG CTGTGGTGAC GCTGCTCAAT TTCCTGGTGT GCTTCGGACC TTACAACGTG	720
	TCCCACCTGG TGGGGTATCA CCAGAGAAAA AGCCCCTGGT GGCGGTCAAT AGCCGTGGTG	780
	TTCAGTTCAC TCAACGCCAG TCTGGACCCC CTGCTCTTCT ATTTCTCTTC TTCAGTGGTG	840
5	CGCAGGGCAT TTGGGAGAGG GCTGCAGGTG CTGCGGAATC AGGGCTCCTC CCTGTTGGGA	900
	CGCAGAGGCA AAGACACAGC AGAGGGGACA AATGAGGACA GGGGTGTGGG TCAAGGAGAA	960
	GGGATGCCAA GTTCGGACTT CACTACAGAG TAG	993
	(277) INFORMATION FOR SEQ ID NO:276:	
10	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 330 amino acids	
	(B) TYPE: amino acid (C) STRANDEDNESS:	
	(D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: protein	•
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:276:	
	Met Leu Pro Asp Trp Lys Ser Ser Leu Ile Leu Met Ala Tyr Ile Ile	<b>:</b>
	1 5 10 15	
	Ile Phe Leu Thr Gly Leu Pro Ala Asn Leu Leu Ala Leu Arg Ala Phe 20 25 30	2
20	Val Gly Arg Ile Arg Gln Pro Gln Pro Ala Pro Val His Ile Leu Leu 35 40 45	
	Leu Ser Leu Thr Leu Ala Asp Leu Leu Leu Leu Leu Leu Pro Pho 50 55 60	· ·
25	Lys Ile Ile Glu Ala Ala Ser Asn Phe Arg Trp Tyr Leu Pro Lys Val	•
	Val Cys Ala Leu Thr Ser Phe Gly Phe Tyr Ser Ser Ile Tyr Cys Ser 85 90 95	;
	Thr Trp Leu Leu Ala Gly Ile Ser Ile Glu Arg Tyr Leu Gly Val Ala 100 105 110	· ,
30	Phe Pro Val Gln Tyr Lys Leu Ser Arg Arg Pro Leu Tyr Gly Val Ile 115 120 125	• .
	Ala Ala Leu Val Ala Trp Val Met Ser Phe Gly His Cys Thr Ile Val 130 135 140	
35	Ile Ile Val Gln Tyr Leu Asn Thr Thr Glu Gln Val Arg Ser Gly Asr 145 150 155 160	

	Glu	Ile	Thr	Суз	Tyr 165	Glu	Asn	Phe	Thr	Asp 170	Asn	Gln	Leu	Asp	Val 175	Val	
	Leu	Pro	Val	Arg 180	Leu	Glu	Leu	Сув	Leu 185	Val	Leu	Phe	Phe	Ile 190	Pro	Met	
5	Ala	Val	Thr 195	Ile	Phe	Cys	Tyr	Trp 200	Arg	Phe	Val	Trp	Ile 205	Met	Leu	Ser	
	Gln	Pro 210		Val	Gly	Ala	Gln 215	Arg	Arg	Arg	Arg	Ala 220	Lys	Gly	Leu	Ala	
10	Val 225	Val	Thr	Leu	Leu	Asn 230		Leu	Val	Cys	Phe 235	Gly	Pro	Tyr	Asn	Val 240	
	Ser	His	Leu	Val	Gly 245	Tyr	His	Gln	Arg	Lys 250	Ser	Pro	Trp	Trp	Arg 255	Ser	
	Ile	Ala	Val	Val 260	Phe	Ser	Ser	Leu	Asn 265	Ala	Ser	Leu	Asp	Pro 270	Leu	Leu	
15	Phe	Tyr	Phe 275	Ser	Ser	Ser	Val	Val 280	Arg	Arg	Ala	Phe	Gly 285	Arg	Gly	Leu	
		290		Arg			295	÷				300	_				
20	Asp 305	Thr	Ala	Glu	Gly	Thr 310	Asn	Glu	Asp	Arg	Gly 315		Gly	Gln	Gly	Glu 320	
•	Gly	Met	Pro	Ser	Ser 325	Asp	Phe	Thr	Thr	Glu 330							
	(278) IN	FORM	OITA	N FO	R SEÇ	Q ID	NO:2	277:									
25	(i)	(A) (B) (C)	LEI TYI	CE CI NGTH PE: 1 RANDI POLO	: 272 nucle EDNES	24 ba eic a es: a	ase pacid sing:	pairs	3								
	12.			ULE !				anom:	(a)								
30	·		·	NCE I						τ <b>Ω</b> • 2 ′	77.						
50	ATGGACAC							•				ברדכו	"A G	~ඇදැදැදැ	רמאריני	-	60
	GGGGGCAG															•	120
	GAGCCCGAG																180
	CCTTCCAA		•											•			240
35	CTGCTCCC																300
		JA .A.			''	~ . '							<b>-</b> '				'

	GCTCTGACAT	ACATTCCCAA	GGGAGCATTC	ACTGGCCTTT	ACAGTCTTAA	AGTTCTTATG	360
	CTGCAGAATA	ATCAGCTAAG	ACACGTACCC	ACAGAAGCTC	TGCAGAATTT	GCGAAGCCTT	420
	CAATCCCTGC	GTCTGGATGC	TAACCACATC	AGCTATGTGC	CCCCAAGCTG	TTTCAGTGGC	430
	CTGCATTCCC	TGAGGCACCT	GTGGCTGGAT	GACAATGCGT	TAACAGAAAT	CCCCGTCCAG	540
5	GCTTTTAGAA	GTTTATCGGC	ATTGCAAGCC	ATGACCTTGG	CCCTGAACAA	AATACACCAC	600
	ATACCAGACT	ATGCCTTTGG	AAACCTCTCC	AGCTTGGTAG	TTCTACATCT	CCATAACAAT	660
	AGAATCCACT	CCCTGGGAAA	GAAATGCTTT	GATGGGCTCC	ACAGCCTAGA	GACTTTAGAT	720
	TTAAATTACA	ATAACCTTGA	TGAATTCCCC	ACTGCAATTA	GGACACTCTC	CAACCTTAAA	780
	GAACTAGGAT	TTCATAGCAA	CAATATCAGG	TCGATACCTG	AGAAAGCATT	TGTAGGCAAC	840
10	CCTTCTCTTA	TTACAATACA	TTTCTATGAC	AATCCCATCC	AATTTGTTGG	GAGATCTGCT	900
	TTTCAACATT	TACCTGAACT	AAGAACACTG	ACTCTGAATG	GTGCCTCACA	AATAACTGAA	960
	TTTCCTGATT	TAACTGGAAC	TGCAAACCTG	GAGAGTCTGA	CTTTAACTGG	AGCACAGATC	1020
	TCATCTCTTC	CTCAAACCGT	CTGCAATCAG	TTACCTAATC	TCCAAGTGCT	AGATCTGTCT	1080
	TACAACCTAT	TAGAAGATTT	ACCCAGTTTT	TCAGTCTGCC	AAAAGCTTCA	GAAAATTGAC	1140
15	CTAAGACATA	ATGAAATCTA	CGAAATTAAA	GTTGACACTT	TCCAGCAGTT	GCTTAGCCTC	1200
	CGATCGCTGA	ATTTGGCTTG	GAACAAAATT	GCTATTATTC	ACCCCAATGC	ATTTTCCACT	1260
	TTGCCATCCC	TAATAAAGCT	GGACCTATCG	TCCAACCTCC	TGTCGTCTTT	TCCTATAACT	1320
	GGGTTACATG	GTTTAACTCA	CTTAAAATTA	ACAGGAAATC	ATGCCTTACA	GAGCTTGATA	1380
	TCATCTGAAA	ACTTTCCAGA	ACTCAAGGTT	ATAGAAATGC	CTTATGCTTA	CCAGTGCTGT	1440
20	GCATTTGGAG	TGTGTGAGAA	TGCCTATAAG	ATTTCTAATC	AATGGAATAA	AGGTGACAAC	1500
	AGCAGTATGG	ACGACCTTCA	TAAGAAAGAT	GCTGGAATGT	TTCAGGCTCA	AGATGAACGT	1560
	GACCTTGAAG	ATTTCCTGCT	TGACTTTGAG	GAAGACCTGA	AAGCCCTTCA	TTCAGTGCAG	1620
	TGTTCACCTT	CCCCAGGCCC	CTTCAAACCC	TGTGAACACC	TGCTTGATGG	CTGGCTGATC	1680
	AGAATTGGAG	TGTGGACCAT	AGCAGTTCTG	GCACTTACTT	GTAATGCTTT	GGTGACTTCA	1740
25	ACAGTTTTCA	GATCCCCTCT	GTACATTTCC	CCCATTAAAC	TGTTAATTGG	GGTCATCGCA	1800
	GCAGTGAACA	TGCTCACGGG	AGTCTCCAGT	GCCGTGCTGG	CTGGTGTGGA	TGCGTTCACT	1860
	TTTGGCAGCT	TTGCACGACA	TGGTGCCTGG	TGGGAGAATG	GGGTTGGTTG	CCATGTCATT	1920
	CCTTTTTCT	CCATTTTTCC	TTCAGAATCA	ጥርጥርጥተተጥርር	ጥሮርጥጥልሮጥርጥ	GGCAGCCCTG	1990

	GAGCGTGGGT TCTCTGTGAA ATATTCTGCA AAATTTGAAA CGAAAGCTCC ATTTTCTAGC 2	040
	CTGAAAGTAA TCATTTTGCT CTGTGCCCTG CTGGCCTTGA CCATGGCCGC AGTTCCCCTG 2	100
	CTGGGTGGCA GCAAGTATGG CGCCTCCCCT CTCTGCCTGC CTTTGCCTTT TGGGGAGCCC 2	160
	AGCACCATGG GCTACATGGT CGCTCTCATC TTGCTCAATT CCCTTTGCTT CCTCATGATG 2	220
5	ACCATTGCCT ACACCAAGCT CTACTGCAAT TTGGACAAGG GAGACCTGGA GAATATTTGG 2	280
	GACTGCTCTA TGAAAAAACA CATTGCCCTG TTGCTCTTCA CCAACTGCAT CCTAAACTGC 2	340
	CCTGTGGCTT TCTTGTCCTT CTCCTCTTTA ATAAACCTTA CATTTATCAG TCCTGAAGTA 2	400
	ATTAAGTTTA TCCTTCTGGT GGTAGTCCCA CTTCCTGCAT GTCTCAATCC CCTTCTCTAC 24	460
	ATCTTGTTCA ATCCTCACTT TAAGGAGGAT CTGGTGAGCC TGAGAAAGCA AACCTACGTC 2	520
10	TGGACAAGAT CAAAACACCC AAGCTTGATG TCAATTAACT CTGATGATGT CGAAAAACAG 25	580
•	TCCTGTGACT CAACTCAAGC CTTGGTAACC TTTACCAGCT CCAGCATCAC TTATGACCTG 26	540
	CCTCCCAGTT CCGTGCCATC ACCAGCTTAT CCAGTGACTG AGAGCTGCCA TCTTTCCTCT 27	700
•	GTGGCATTTG TCCCATGTCT CTAA 27	724
	(279) INFORMATION FOR SEQ ID NO:278:	
	(1) CROTTON CHARLES CONTRACTOR	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 907 amino acids	
15		
15	(A) LENGTH: 907 amino acids (B) TYPE: amino acid	
20	<ul><li>(A) LENGTH: 907 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS:</li></ul>	
	<ul><li>(A) LENGTH: 907 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS:</li><li>(D) TOPOLOGY: not relevant</li></ul>	
	(A) LENGTH: 907 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: protein	
	(A) LENGTH: 907 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant  (ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:  Met Asp Thr Ser Arg Leu Gly Val Leu Leu Ser Leu Pro Val Leu Leu	
20	(A) LENGTH: 907 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant  (ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:  Met Asp Thr Ser Arg Leu Gly Val Leu Leu Ser Leu Pro Val Leu Leu 1 5 10 15  Gln Leu Ala Thr Gly Gly Ser Ser Pro Arg Ser Gly Val Leu Leu Arg	
20	(A) LENGTH: 907 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant  (ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:  Met Asp Thr Ser Arg Leu Gly Val Leu Leu Ser Leu Pro Val Leu Leu 1 15  Gln Leu Ala Thr Gly Gly Ser Ser Pro Arg Ser Gly Val Leu Leu Arg 20 25 30  Gly Cys Pro Thr His Cys His Cys Glu Pro Asp Gly Arg Met Leu Leu	
20	(A) LENGTH: 907 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant  (ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:  Met Asp Thr Ser Arg Leu Gly Val Leu Leu Ser Leu Pro Val Leu Leu 1 15  Gln Leu Ala Thr Gly Gly Ser Ser Pro Arg Ser Gly Val Leu Leu Arg 20 25 30  Gly Cys Pro Thr His Cys His Cys Glu Pro Asp Gly Arg Met Leu Leu 35 40 45  Arg Val Asp Cys Ser Asp Leu Gly Leu Ser Glu Leu Pro Ser Asn Leu	

	Leu	a Ala	Gly	Asn 100		Leu	Thr	Туг	11e		Lys	Gly	Ala	Phe 110		Gly
	Leu	туг	Ser		Lys	Val	Leu	Met 120		Gln	. Asn	Asn	Gln 125		Arg	His
5	Val	Pro 130		Glu	Ala	Leu	Gln 135		Leu	Arg	Ser	Leu 140		Ser	Leu	Arg
	Leu 145	Asp	Ala	Asn	His	Ile 150	Ser	Tyr	Val	Pro	Pro 155		Суз	Phe	Ser	Gly 160
10	Leu	His	Ser	Leu	Arg 165	His	Leu	Trp	Leu	.Asp 170	Asp	Asn	Ala	Leu	Thr 175	Glu
	Ile	Pro	Val	Gln 180	Ala	Phe	Arg	Ser	Leu 185	Ser	Ala	Leu	Gln	Ala 190	Met	Thr
	Leu	Ala	Leu 195	Asn	Lys	Ile	His	His 200	Ile	Pro	Asp	Tyr	Ala 205	Phe	Gly	Asn
15	Leu	Ser 210	Ser	Leu	Val	Val	Leu 215	His	Leu	His	Asn	Asn 220	Arg	Ile	His	Ser
	Leu 225	Gly	Lys	Lys	Сув	Phe 230	Asp	Gly	Leu	His	Ser 235	Leu	Glu	Thr	Leu	Asp 240
20	Leu	Asn	Tyr	Asn	Asn 245	Leu	Asp	Glu	Phe	Pro 250	Thr	Ala	Ile	Arg	Thr 255	
	Ser	Asn	Leu	Lys 260	Glu	Leu	Gly	Phe	His 265	Ser	Asn	Asn	Ile	Arg 270	Ser	Ile
	Pro	Glu	Lys 275	Ala	Phe	Val	Gly	Asn 280	Pro	Ser	Leu	Ile	Thr 285	Ile	His	Phe
25	Tyr	Asp 290	Asn	Pro	Ile	Gl'n	Phe 295	Val	Gly	Arg	Ser	Ala 300	Phe	Gln	His	Leu
	Pro 305	Glu	Leu	Arg		Leu 310	Thr	Leu	Asn	Gly	Ala 315	Ser	Gln	Ile	Thr	Glu 320
30		Pro			325				•	330				-	335	
		Ala		340					345					350		
25	Asn		355		•			360					365			
35		370					375					380				
	Glu	Ile	Tyr	Glu	Ile	Lys	Val	Asp	Thr	Phe	Gln	Gln	Leu	Leu	Ser	Leu

	385					390					395					400
	Arg	Ser	Leu	Asn	Leu 405	Ala	Trp	Asn	Lys	Ile 410	Ala	Ile	Ile	His	Pro 415	Asn
5	Ala	Phe	Ser	Thr 420	Leu	Pro	Ser	Leu	Ile 425	Lys	Leu	Asp	Leu	Ser 430	Ser	Asn
	Leu	Leu	Ser 435	Ser.	Phe	Pro	Ile	Thr 440	Gly	Leu	His	Gly	Leu 445	Thr	His	Leu
	Lys	Leu 450	Thr	Gly	Asn	His	Ala 455	Leu	Gln	Ser		Ile 460	Ser	Ser	Glu	Asn
10	Phe 465	Pro	Glu	Leu	Lys	Val 470	Ile	Glu	Met	Pro	Tyr 475	Ala	Tyr	Gln	Сув	Cys 480
					485	Glu				490					495	
15		_		500		Ser			505				•	510		
			515			Asp		520					525			,
		53,0				Lys	535					540				
20	545	_				Pro 550					<b>5</b> 55					560
					565	Thr				570	-				575	
25				580		Val			585					590		
	_		595			Val [°]		600		•			605			
		610			٠	Ala	615					620				
30	625					Trp 630					635					640
•	-				645	Phe				650	•		•		655	
35				660		Arg			665					670		
	Glu		Lys 675	Ala	Pro	Phe	Ser	Ser 680		Lys	Val	. Ile	Ile 685	Leu	Leu	Суя

		Ala	Leu 690	Lei	a Ala	a Leu	ı Thi	695	: Ala	a Ala	va]	Pro	700		ı Gly	gly	/ Ser
		Lys 705	Tyr	Gly	Ala	Ser	710	Leu )	ι Суз	5 Leu	· Pro	Leu 715		Phe	Gly	Glu	Pro 720
5		Ser	Thr	Met	Gly	7,25	Met	. Val	Ala	Leu	730		Leu	Asn	Ser	Leu 735	
	•	Phe	Leu	Met	Met 740	Thr	Ile	Ala	Туг	745	Lys	Leu	Tyr	Cys	Asn 750	Leu	qaA
10				755		•		•	760					765			
			770					775		Ile			780				
•		785					790			Leu		795					800
15						805				Val	810					815	•
					820			•		Pro 825					830		
20				835	•				840	Trp		•		845			
			850		•			855		Val			860				
0.5		865					870			Ser		875			•		880
25						885					890		Val '	Thr		Ser 895	Cys
•		His :			900					Pro 905	Cys	Leu	•	•			
	(280)	INF	ORMA!	rion	FOR	SEQ	ID :	NO:2	79:								
30		(i)	(A) (B)	LENO TYP	GTH: E: n	32 l ucle:	base ic a	STIC: pai: cid ingle	rs								·
							inea				-8-1						
5		(ii)	MOI	ECUI	LE T	YPE:	DNA	(ger	nomi	c)	•						
		(xi)	SEC	UEN	E DI	ESCRI	PTIC	ON: 5	SEQ :	ID NO	0:279	€:		•			

236

(281) INFORMATION FOR SEQ ID NO:280:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 32 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

ACCAGCAGCA GCCTCGCGGG CCGGTTGGCA TG

# INTERNATIONAL SEARCH REPORT

Int. Ilonai Application No PCT/US 99/23938

A. CLA	SSIFICATION OF SUBJECT MATTER			101/03	99/23938
IPC	7 C12N15/12 C07K14/72 G01	N33/50	G01N33/	⁷ 566	
1					
Accordin	ng to International Patent Classification (IPC) or to both national				•
B. FIEL	DS SEARCHED	classification and	IPC	<u> </u>	
Minimum	n documentation searched (classification system followed by ck	assification cump	a la l		
I IPC	7 C12N CO7K GO1N		16)		
	<u> </u>		•		
Documer	ntation searched other than minimum documentation to the exte	nt that such door	mente are inch	edaed to the electric	
			monto are nicio	ICEG IN INE HEIGS	searched
Electronic	data base consulted during the international search (name of				
ı	of a search (name of	data base and, w	mere practical,	search terms use	ed)
J					
]					
	MENTS CONSIDERED TO BE RELEVANT		<del></del>		
Category •	Citation of document, with indication, where appropriate, of	the relevant pass	ages	<del></del>	0.4
					Relevant to dalm No.
Χ.	KJELSBERG M. A. ET AL.: "CONS	STITUTIVE	•	_	1.0
	I WALTAWITON OF THE MISHVIR-VUDG	ENERGIA			1,2, 4-13,
	RECEPTOR BY ALL AMINO ACID SUE AT A SINGLE SITE"	BSTITUTION	12		15-33,
	JOURNAL OF BIOLOGICAL CHEMISTE	v			35-37,41
	1 401, 207, 10. 3				
	25 January 1992 (1992-01-25),	pages	•		
	1430-1433, XP002911764 ISSN: 0021-9258	. •			
.	the whole document				
				[	·
I	*	-/			
!	•	,	•	ł	
			•	1	
				-	
. [			•	ŀ	
-					
ļ	•	•		1	
$=$ $\bot$		_			1
X Furthe	r documents are listed in the continuation of box C.	X Pate	ant lamily mem	bers are listed in	
Special cate	gorles of cited documents :				annex.
. document	defining the gaparal state of the	"T" later docu	ment published	after the interna	ational filing date
	- C C C C DATICULAR TRIBVANCA		inderstand the	in conflict with the principle or theor	
		"X" document	of particular m	byggggg the state	<u> </u>
which is a	which may throw doubts on priority claim(s) or tited to establish the publication date of another other respirators	involve a	n inventive step	When the docum	considered to
" document	referring to an oral discinsure, use any bitter and	cannot be	or particular rel	evance; the clain	ned invention
document :	Outsile hard against to the lets —	ments, su	ich combination	rith one or more of	of a person skilled
	The priority date claimed			same patent fam	
te of the actu	ial completion of the international search			ernational search	
2 M	arch 2000		HE	unai search	report
	<u> </u>	09/	03/2000	•	
me and maill	ng address of the ISA	Authorized	officer		
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk				
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Man	d1, B		
CT/ISA/210 (e	Scond sheet) ( hou 100m		• , -		

### INTERNATIONAL SEARCH REPORT

Int. Ideal Application No PCT/US 99/23938

		101/03 99/	LC1/02 33/53339			
C.(Continu	rtinuation) DOCUMENTS CONSIDERED TO BE RELEVANT  Relevant to claim No.					
Category *	Citation of document, with indication, where appropriate, of the relevant passages		TOTALL TO CHART 140.			
X	SCHEER A. ET AL.: "CONSTITUTIVELY ACTIVE G PROTEIN-COUPLED RECEPTORS: POTENTIAL MECHANISMS OF RECEPTOR ACTIVATION" JOURNAL OF RECEPTOR AND SIGNAL TRANSDUCTION RESEARCH, vol. 17, no. 1/03, 1997, pages 57-73, XP000867531 ISSN: 1079-9893		1,2, 4-13, 15-33, 35-37,41			
<b>X</b>	the whole document WO 97 21731 A (NEW ENGLAND MEDICAL CENTER INC) 19 June 1997 (1997-06-19)		1,2,4, 9-13, 20-32, 35-37,41			
x	the whole document, especially Fig. 2-3 WO 98 38217 A (HERRICK DAVIS KATHARINE ;TEITLER MILT (US); EGAN CHRISTINA C (US)) 3 September 1998 (1998-09-03)	·	1,2, 4-13, 15-33, 35-37,41			
Р,Х	the whole document, especially page 7, lines 24-27, and figure 4  PAUWELS P. J. ET AL.: "REVIEW: AMINO ACID DOMAINS INVOLVED IN CONSTITUTIVE ACTIVATION OF G-PROTEIN-COUPLED RECEPTORS" MOLECULAR NEUROBIOLOGY, vol. 17, no. 1/03, 1998, pages 109-135,		1,2, 4-13, 15-33, 35-37,41			
	XP000866477 ISSN: 0893-7648 the whole document					
2	×					

PCT/US 99/23938

INTERNATIONAL SEARCH REPORT	PCT/US 99/23938
Box I Observations where certain claims were found unsearchable (Continu	ration of item 1 of first sheet)
Observations where certain claims were found unsearchable (Contains	
Box I Observations who to be a stablished in respect of certain claims under This International Search Report has not been established in respect of certain claims under	Article 17(2)(a) for the following reasons:
	\$
Claims Nos.:     because they relate to subject matter not required to be searched by this Authority,	
2. X Claims Nos.: 34, 38-40, 42, 43 because they relate to parts of the International Application that do not comply with because they relate to parts of the International Search can be carried out, specifically:	h the prescribed requirements to such
2. X Claims Nos.: because they relate to parts of the International Application that do not comply the because they relate to parts of the International Search can be carried out, specifically: an extent that no meaningful International Search can be carried out, specifically: See FURTHER INFORMATION sheet PCT/ISA/210	
See FURTHER 2	7
	accord and third sentences of Rule 6.4(a).
Claims Nos.:     because they are dependent claims and are not drafted in accordance with the sc	
(Continuation of	item 2 of first sheet)
Box II Observations where unity of invention is lacking (Continuation of	
This International Searching Authority found multiple inventions in this international applic	cation, as follows:
This International Searching Authority lound in September 1	
	·
, wie tei	tomational Search Report covers all
As all required additional search fees were timely paid by the applicant, this in searchable claims.	
2. As all searchable claims could be searched without effort justifying an addition	nal fee, this Authority did not invite payment
2. As all searchable claims could be searched without effort justifying an addition	
or any additional too.	
timely paid by the	applicant, this International Search Report
As only some of the required additional search fees were timely paid by the accovers only those claims for which fees were paid, specifically claims Nos.:	
	entents, this international Search Report is
No required additional search fees were timely paid by the applicant. Conserved to the invention first mentioned in the claims; it is covered by claim.	ms Nos.:
restricted to the most and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second	
	fees were accompanied by the applicant's protest.
Remark on Protest  No protest accompan	nied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

International Application No. PCT/US 99 /23938

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 34,38-40,42,43

Claims 34, 38-40, 42 and 43 refer to compounds with an agonistic effect on a GPCR without giving a true technical characterization. Moreover, no such specific compounds are defined in the application. In consequence, the scope of said claims is ambiguous and vague, and their subject-matter is not sufficiently disclosed and supported (Art. 5 and 6 PCT). Is not sufficiently disclosed and supported (Art. 5 and 6 PCT). No search can be carried out for such purely speculative claims whose wording is, in fact, a mere recitation of the results to be achieved.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT Internation on patent family members PCT/US 99/23938

	information on patern carrier		101700	
Patent document	Publication date	Patent family member(s)		
cited in search report	A 19-06-1997	US 57503 AU 13343 CA 22392 EP 08699	97 A 03-07-1997 93 A 19-06-1997	
	Д 03-09-1998	AU 63439	998 A 18-09-1998	
WO 9838217	A U3-09-1998			